Court Reporters

KIRBY A. KENNEDY & ASSOCIATES

KIRBY A. KENNEDY JEANNE M. KENNEDY

DONALD E, BEAUCLAIRE
DENNIS R. CURRIER
CYNTHIA A. DELORME
KIMBERLY J. STOOKESBERRY
BARBARA J. NELSON
BYRON C. NELSON
PAULA J. TRAINER
SHANE NELSON

411 EDINA EXECUTIVE PLAZA 5200 WILLSON ROAD MINNEAPOLIS, MINNESOTA 55424 (612) 922-1955

HEARING ROOM AVAILABLE ST. PAUL, MINNESOTA

October 23, 1982

Mr. Edward J. Schwartzbauer Attorney at Law Dorsey & Whitney 2200 First Bank Place Minneapolis, Minnesota 55402

Re: U.S. vs. Reilly Tar & Chemical Corporation

Dear Ed:

Enclosed please find the Reading and Signing Certificates of the depositions of Lesher, Justin & Hennessy concerning the above-entitled matter.

Mould you please have the deponents complete the Certificates according to the instructions thereon and return all copies to me for proper distribution.

If I have not received the Certificates within thirty (30) days of the date of this letter, I will file the Originals of the depositions with the Clerk of Court in which this case is venued.

Thank you for your cooperation.

Sincerely,

Kily

US EPA RECORDS CENTER REGION 5

Kirby A. Kennedy KIRBY A. KENNEDY & ASSOCIATES

cc: Mr. Dennis Coyne

Mr. David Hird

Mr. Allen Hindersker

Mr. Robert Leininger -

APPEARANCES

DAVID HIRD, ESQUIRE, United States Attorney, Department of Justice, 10th Street and Penn Avenue, Washington, D.C. 20530.

ROBERT E. LEININGER, ESQUIRE, Enforcement Attorney, 230 South Dearborn Street, Chicago, Illinois 60604, appeared for and on behalf of the United States Environmental Protection Agency, Region V, Plaintiff, United States of America.

DENNIS M. COYNE, ESQUIRE, and STEPHEN SHAKMAN, ESQUIRE, Special Assistant Attorneys General, 1935 West County Road B2, Roseville, Minnesota 55113, appeared for and on behalf of Plaintiff-Intervenor, State of Minnesota.

ALLEN HINDERAKER, ESQUIRE, of the law firm of POPHAM, HAIK, SCHNOBRICH, KAUFMAN and DOTY, LIMITED, 4344 IDS Center, Minneapolis, Minnesota 55402, appeared for and on behalf of Plaintiff-Intervenor, City of Saint Louis Park.

EDWARD J. SCHWARTZBAUER, ESQUIRE, and BECKY COMSTOCK, ESQUIRE, of the law firm of DORSEY and WHITNEY, 2200 First Bank Place, Minneapolis, Minnesota 55402, appeared for and on behalf of Defendant Reilly Tar and Chemical Corporation.

| 1 | RICHARD J. HENNESSY |
|-----------|---|
| 2 | a witness in the above-entitled |
| 3 | matter, after having been first |
| '4 | duly sworn, deposes and says as follows: |
| 5 | |
| 6 | BY MR. HIRD: |
| 7 | Q. Would you please state your name and address |
| 8 | for the record, please? |
| 9 | A. Name is Richard J. Hennessy and I live at |
| 10 | 5816 Crinittenden here in Indianapolis. |
| 11 | Q. Mr. Hennessy, because of the lateness of the |
| 12 | hour we are likely not to go very long today but we |
| 13 | intend to continue the deposition in the near future as |
| 14. | soon as arrangements can be made. I apologize for any |
| 15 | inconvenience. |
| 16 | A. Okay. |
| 17 | Q. Mr. Hennessy, what is the state of your |
| 18 | health? |
| 19 | A. I would say excellent, considering my age. |
| 20 | Q. I would probably agree with you. Mr. |
| 21 | Hennessy, you are no longer an employee of Reilly Tar & |
| 22 | Chemical, are you? |
| 23 | A. I retired in 1980. My last day on the |
| 24 | payroll was December 31, 1980. |

Mr. Hennessy, are you represented today as a

| i | witness by Ms. Comstock, Mr. Schwartzbauer or Mr. |
|-----|---|
| 2 | Polack? |
| · 3 | A. Yes. |
| 4 | Q. Mr. Hennessy, are you receiving a pension |
| 5 | currently from Reilly Tar & Chemical? |
| 6 | A. Yes, I am. |
| 7 | . Q. Mr. Hennessy, are you a shareholder or bond |
| 8 | holder or pension holder of Reilly Tar & Chemical? |
| 9 | A. No, I am not. |
| 10 | Q. Are you participating in any profit sharing |
| 11 | program of Reilly Tar & Chemical? |
| 12 | A. No, no profit sharing. |
| 13 | Q. Mr. Hennessy, did you review any documents in |
| 14 | preparation for your testimony today? |
| 15 | A. Yes, I did. |
| 16 | Q. Were these documents provided to you by |
| 17 | Counsel? |
| 18 | A. Yes. |
| 19 | Q. Did you review any documents that were not |
| 20 | provided to you by Counsel? |
| 21 | A. Well, yes, I reviewed some that I furnished |
| 22 | when I was an employee back in 1980, you know, drawings |
| 23 | and engineering documents. |
| 24 | Q. In connection with this lawsuit? |

Yes, correct.

at one period of time back in 1980 you did review those

| 1 | documents and sent them down to Rob Polack? |
|----|---|
| 2 | A. That is correct. |
| 3 | Q. What I am asking now, in 1982 I understand |
| 4 | that you would have reviewed a group of documents that |
| 5 | were provided by Counsel? |
| 6 | A. That's correct. |
| 7 | Q. I was asking in 1982 did you go back and look |
| 8 | at any other documents besides those provided by |
| 9 | Counsel, including those that you may have isolated |
| 10 | back in 1980? |
| 11 | A. I can't think of any. |
| 12 | Q. I apologize for the confusion but I think |
| 13 | that clears it up. Have you brought the documents |
| 14 | which were furnished to you by Counsel today? |
| 15 | A. No, I returned them to Counsel. They are a |
| 16 | big bundle. I didn't want to be carrying them home. |
| 17 | Q. I quite understand. |
| 18 | MR. HIRD: Counsel, I am going to repeat |
| j | a request made by Counsel for my co-plaintiff that |
| 20 | these documents be produced. I believe that we are |
| 21 | entitled to them under Rule 612 under the Federal Rules |
| 22 | of Evidence. |
| 23 | MR. SCHWARTZBAUER: Well, I previously |
| 24 | stated our position and I will adhere to that. |
| 25 | MR. HIRD: I understand that. Can you |

| 1 | keep those documents which were furnished to Mr. |
|----|---|
| 2 | Hennessy in tact? |
| 3 | MR. SCHWARTZBAUER: Yes, I will. |
| 4 | MR. HIRD: Thank you. |
| 5 | BY MR. HIRD: |
| 6 | Q. Mr. Hennessy, where are you from originally? |
| 7 | A. I was born in Saint Louis, Missouri and lived |
| 8 | there until I was 16 years old. |
| 9 | Q. Where did you go to college? |
| 10 | A. Notre Dame, Southbend, Indiana. |
| 11 | Q. What did you study there? |
| 12 | A. Civil engineering. |
| 13 | Q. When did you graduate from college? |
| 14 | A. I got my degree in 1933. |
| 15 | Q. Did you undertake any post-graduate education? |
| 16 | A. No, I didn't. |
| 17 | Q. Did you go to work following getting your |
| 18 | degree? |
| 19 | A. Yes, I was lucky because in those days jobs |
| 20 | were hard to find and I found one. |
| 21 | Q. With who? |
| 22 | A. Reilly Tar and Chemical. |
| 23 | Q. I gather you spent your entire professional |
| 24 | career at Reilly? |
| | |

That's correct.

20

21

22

23

24

25

Could you describe the various stages of your work career at Reilly Tar? Give us a sense of what your job title was and what your responsibility were.

I started out in the engineering department and I was in design and I would say I was a detail engineer, what we would call a detail engineer, up until maybe '44 or '45 or '46, somewhere in there. In other words, they would have a project like I would design a structure or I would design a support for something and then you keep getting into more and more design of more and more larger structures and more important structures until finally I became a project

That was in '45?

Say '45 or '46, somewhere around there, '45 I would be in charge of a project and I would then have engineers working under me on the project and then in 19 -- I don't know when I was made assistant chief engineer, but it must have been maybe in 1950 and then I was made chief engineer in 1962.

- All this time you were based in Indianapolis? Q.
- Α. Yes, correct.
- I am a little unclear as to the distinction Q. between a detail engineer and a project engineer.
 - When you get a fellow just out of college you Α.

wouldn't give him a big project like if you were going to build an addition to a plant, you wouldn't give him that job. You would give him the job of designing some part of it. Like he could design a shop building, or he could design steam piping, or maybe all the power piping through the plant. It would depend on what his background was too, what he took in college. He could design the electrical system, one part of it, one phase of it.

- Q. By a part or phase you mean a complete system?
- A. If you had an electrical engineer he would design the power wiring to the plant and maybe get into instrumentation as you go along. Okay. A mechanical engineer would design pressure vessels, a civil engineering would too. He would design pressure vessels, he would design boiler installations, he would design the process piping, that type of thing.
- Q. Were those the things that you in fact designed, pressures vessels?
- A. All of those. All of them, yes. In other words, as you get along you would learn more and more. For instance, I have designed power piping and I have designed power by the whole bit.
- Q. Turning your attention I guess first to your role as a detail engineer and then as a project

1 engineer, were you responsible for any specific plants in terms of any problems that would appear in those 2 plants or were you responsible on an ad hoc basis? 3 4 I was responsible for all our plants. 5 you talking now about which stage, when I am chief engineering or detail engineer? 6 7 Detail 'engineer. 0. Detail engineering, the project manager would 8 9 be given a project and he would give me -- like you 10 design this building or you design this process 'piping 11 or you design a pressure vessel. As I went along and 12 learned more and more how to do various things, 13 building codes, electrical codes and so forth, and he 14 would give me one part of it to design. 15 My question would be would you, in your role Q. 16 as a detail engineer, be put on say all the projects 17 involving Saint Louis Park, all the projects involving 18 Maywood, but not on the projects on Granite City? 19 Α. No. 20 In other words, you would have specific obligations for specific plants and other people have 21 22 obligations for other plants? 23 No, our engineering department did 24 engineering, that is cortain engineering we did for all 25 plants.

So you could be assigned to a project? 1 Q. 2 Any points. Α. In the beginning you could be assigned to a 3 4 project with any point? 5 Α. Yes. Did you over time develop particular 6 Q. 7 familiarity with processes at other plants? 8 Yes. Α. 9 Which plants were you most closely identified 10 with? 11 Well, of course, the plants I was most 12 closely identified was our Indianapolis pyridine plants 13 from 1952 on and and in 1960 when that really took off, it took a tremendous amount of engineering time, it 14 15 still is I understand. It grew like mad. Which others would you be closely identified 16 Q. 17 with and done a great deal of work on over the years? 18 I have done a great deal of work for the Cleveland plant. The ones where I did a great deal of 19 work, I would say I did a lot for the Cleveland plant, 20 21 a lot for the Seattle plant when it was in existence. 22 Ironton, Utah, Granite City, Illinois and Saint Louis 23 Park I did some. The plants where I did some but not as much would be Saint Louis Park and Chattanooga. I 24

did a tremendous amount for Loan Star Texas, that's an

| | 1 · · · · · · · · · · · · · · · · · · · |
|-----|--|
| 1 | enamel plant, that was built in 1950. I was more or |
| 2 | less project engineer on that job. |
| 3 | Q. At the time you joined the engineering |
| 4 | department how many engineers were in the department? |
| 5 | A. I would have to stop and think. You mean |
| 6 | counting myself or not counting myself? |
| 7 | Q. Either way, whichever is more convenient. |
| 8 | A. There is one, two, three, four, five, I would |
| 9 | say six counting myself. |
| 10 | Q. Would Mr. Horner and Mr. Mitchell be among |
| 11 | those six? |
| 1,2 | A. Yes, Mr. Horner was the chief engineer. |
| 13 | Q. How long had Mr. Horner been with the company |
| 14 | when you joined? |
| 15 | A. I would say he joined the company about 1924, |
| 16 | that's about then. You know, I might miss it a year or |
| 17 | two but somewhere around there. |
| 18 | Q. What was Mr. Mitchell's position at that time? |
| 19 | A. Mr. Mitchell was our process engineer. |
| 20 | Q. And he had been with the company about how |
| 21 | long? |
| 22 | A. I would guess he came with the company about |
| 23 | 1927 or '26 or maybe '28, somewhere. Late 20's. |
| 24 | Q. By the time you retired as chief of the |
| 25 | engineering department how many engineers were in the |

department? 1 Nine. Now that doesn't include draftsmen, 2 this is engineers. 3 4 Were there draftsmen in the department when you joined back in --5 6 No, there were none. When did you bring in draftsmen? 7 Q. After the war. About 1945 we started hiring 8 draftsmen. About how many draftsmen were in the 10 department? How many draftsmen did you hire about the 11 first time you started taking draftsmen in? 12 13 Two I would say. And about how many did you have when you left 14 Q. 15 the department? 16 Α. Four. Your testimony was that when you joined the 17 18 department there were six engineers and when you left there were nine. Was there ever any time when there 19 20 were more than nine engineers in the department that 21 you can recall? Not in the department, but things changed. 2.2 Α. In other words, when we went into synthetic products 23 plants a lot of the engineering or -- well, a lot of . 24 the processes were designed by Doctor Wheeler who had a 25

1 He had a Ph.D. in chemistry and he has a 2 chemical engineer, he has a bachlors degree in chemical engineering. He designed a lot of the processes or 3 4 oversaw the design of chemical process, let's put it 5 that way. 6 But he was not in the engineering department? 0. 7 A. No. 8 He was in the chemical division? Q. 9 Well, at the time I retired our company had a Α. 10 little different -- it's kind of hard to put titles on 11 He was, I would say, the assistant director of 12 research, that would be the title I would give him, and 13 then from 1950 or '52 on I would say he was more or 14 less in charge of all synthetic chemicals. He was more 15 or less in charge of the process design and Mr. 16 Mitchell continued on in charge of process design for 17 the tar plants. 18 To whom did the engineering department report 19 at the outset of your career with the department? 20 At the outset of my career they reported to 21 Mr. Reilly, Mr. P. C. Reilly. 22 Q. And what was his position at that time?

company as far as I know.

Q. Did the department, throughout the time you

He was president and practically owner of the

23

24

25

Α.

were there, continue to report to the president of the 1 2 company? 3 During the time I was there, no. Α. 4 When did you start reporting to someone in a 5 different position from your -- I think you are a little confused. 6 7 Α. Okay. Should I restate the question? I understand 8 Q. that at the beginning, at the time you joined the 9 10 department, you reported directly to the president. 11 The chief engineer reported directly to the 12 president. He might have also reported to the assistant, Mr. Edwards, but I think Mr. Reilly made the 13 14 final decision. Did the chief engineer, throughout the time 15 Q. 16 with your department, report directly to the president 17 recognizing that the individuals may have changed? When I first became chief engineer I reported 18 19 to Mr. T. E. Reilly. I can't tell you what he was. He 20 was president at one time but what he was in 1962 when 21 I became chief engineer I can't remember what his title He might have been a vice-president. I think Mr. 22 P. C. Reilly, Junior was president and Mr. Tom Reilly 23 was vice-president, I am not sure about the year. 24

Do you recall who Mr. Horner began to report

25

Q.

to after Mr. P. C. Reilly, Senior died? 1 2 . He reported to whoever was running the 3 And who would that be? That would be. I management. 4 believe, Mr. Edwards is still around. I can't remember who became president of the company but he reported to 5 people like Mr. Edwards and Tom Reilly and P. C. Reilly, 6 Junior, that's who he reported to. I can't remember 7 the titles because I can't remember what year they had 8 9 what position. When Mr. Finch was deposed he referred to a .10 department which he described as the production 11 12 department. Are you familiar with that term? 13 The production department would be the -well, the man in charge of production, of tar plants, 14 15 when he retired was Mr. Lesher and the man in charge of 16 the production of the synthetic plant was Doctor 17 Wheeler but he has since retired. 18 Q. So that it's likely that what Mr. Finch was referring to by the production department is the tar 19 20 department? 21 Various people held that job over the Yes. 22 years, yes.

his operation or install a new piece of equipment what

role would the engineering department play in effecting

If a plant manager wanted to change part of

23

24

that decision; in other words, would the manager have to seek the engineering department's advice?

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

To answer that question I will have to It would be none, or just advice, or do the job for him. Now, the engineering department played the role of more or less like a consultant to the plant and if they had an engineering problem they could call us and we would give them advice. Sometimes that's all it was. Other times, if they wanted to replace a pump or something, they could do it themselves if there was going to be no major change. They would buy the new one and throw the old one away and put it in. They had plant engineers, either plant engineers or maintenance that did it. They would maintain pumps and do things like that. However, if there were going to be a major change, either an improvement in the plant or something that that required engineering work, then we would get involved.

- Q. Did the plant engineers report to the engineering department or did they just report to the plant managers?
 - A. They just reported to the plant managers.
- Q. You mentioned that certain minor activities could be done by a plant manager without consulting the engineering department?

| 1 | A. That is correct, yes. |
|-----|---|
| 2 | Q. Would there have to be any kind of |
| 3 | notification prior to their going ahead with it? In |
| 4 | other words, would they have to submit a work order to |
| 5 | someone in Indianapolis or could they just simply |
| 6 ' | decide to buy a new pump? |
| 7 | A. Each plant had a limit of how much they could |
| 8 | spend without getting an authorization for the |
| 9 | expenditure, that's the way the company controlled our |
| 10 | cash flow, and if it went over that they had to submit |
| 11 | ,a work order to the management. All work orders really |
| 12 | originated in the plants. |
| 13 | Q. Is the limit I am sorry, did you finish? |
| 14 | A. They would just request a work order which |
| 15 | would be a request for authorization to do the job. |
| 16 | Q. Were there different limits at different |
| 1,7 | plants? |
| 18 | A. Yes, there were. |
| 19 | Q. Do you recall whether Saint Louis Park |
| 20 | generally had a lower limit than the other plants or a |
| 21 | higher limit or |
| 22 | A. Well, I am sure they would have a higher |
| 23 | limit than Chattanooga and much lower limit than |
| 24 | Indianapolis, I know that. |
| 25 | Q. Why do you say that? |

| | • |
|-----|--|
| 1 | A. Because the type of equipment involved. |
| 2 | Q. Indianapolis had much more expensive |
| 3 | equipment? |
| 4 | A. Yes. |
| 5 | Q. But Saint Louis Park had more expensive |
| . 6 | equipment than Chattanooga? |
| 7 | A. Yes, more of it. |
| 8 | Q. Would you happen to recall what these limits |
| 9 - | were at particular times in the first few years you |
| 10 | were there, '38 to '44? |
| 11 | A. I would just recall a ballpark figure which I |
| 12 | would say was around \$500. That's a long time ago. |
| 13 | Q. I understand. I appreciate your exercising |
| 14 | your recall. During the period that you were project |
| 15 | engineer from about '45 to '50, I believe, were your |
| 16 | approximate dates, do you recall what the |
| 17 | A. Project engineer? |
| 18 | Q. Yes. |
| 19 | A. The limit I can't recall. |
| 20 | Q. Do you have a ballpark figure? |
| 21 | A. Oh, I would guess it didn't go up very much. |
| 22 | I would say may be \$750 but I can't remember. But |
| 23 | that's a ballpark figure I would say. |
| 24 | Q. How about when you were assistant chief |

engineer from '50 to '62?

1 Probably about the same. There wasn't much difference, I don't think, between '50 and '60. 2 3 During the period that you were chief 4 engineering from the '60's until about the time that 5 the plant closed, what was your recollection of the limit for the Saint Louis Park plant? 6 7 Well, for making a minor repair without getting an authorization I would say it was around \$750, 8 9 but I don't remember. 10 Q. Would --11 Unless, of course, there was an emergency. 12 Now, that -- this is something else. If there was an · 13 emergency, like if there was something happened that 14 they had to fix right now they could call up and tell 15 them they were going to do it and they would let them 16 go. 17 Q. Who would they call? 18 Α. They would call the finance committee. 19 Well, who would constitute the finance Q. 20 committee, as you recall? At different times there were different 21 22 people. I think there was -- I think Tom Ryan, Tom 23 Reilly, P. C. Reilly. 24 P. C. Reilly, Junior? Q. 25 P. C. Reilly, Junior, I am sorry, yes. Α. I

| 1 | think McAdams was on it. |
|-----|---|
| . 2 | Q. Did this finance committee exist prior to the |
| 3 | death of Mr. P. C. Reilly, Senior? |
| 4 | A. No. |
| 5 | Q. So before then they would have called up in |
| 6 | an emergency? |
| 7 | A. They would have called him, yes. |
| 8 | Q. Would the Saint Louis Park plant have had a |
| 9 | lower or a higher limit than the Ironton plant? |
| 10 | A. I would say about the same. |
| 11 | Q. Now, assuming that a plant monitor wanted to |
| 12 | change a process or introduce a new piece of equipment |
| 13 | that would have involved an expenditure over the limit, |
| 14 | would he then be expected to contact the engineering |
| 15 | department? |
| 16 | A. If he needed engineering help on it, yes, he |
| 17 | would. |
| 18 | Q. If he did need it could he rely totally on |
| 19 | his plant engineer or would he |
| 20 | A. Oh, yes, sure. |
| 21 | Q. So if he did need engineering help he could |
| 22 | simply rely on his plant engineer and wouldn't have to |
| 23 | call the engineer |
| 24 | A. That's correct, yes. |
| | |

If the engineering department was called in

| 1 | Q. There would never be an instance where |
|------|---|
| 2 | something might be disturbing an engineer about a |
| 3 | plant's operation and the engineer would then call up |
| • 4 | the plant or arrange for a visit in the plant to check |
| 5 | it out without first receiving a request from the plant |
| 6 | manager? |
| 7 | A. The plant manager worked for the production |
| 8 | manager and if we found something like that we would |
| 9 | immediately go to the production manager, not to be |
| 10 | going over the guys head, but that's what you do, |
| . 11 | everybody has to know what is going on. So we would go |
| 12 | to the production manager and in a few telephone called |
| 13 | we would get it ironed out or start an investigation or |
| 14 | something. |
| 15 | Q. Did you do that on occasion? |
| 16 | A. I am sure we did but I can't recall the |
| 17 | specific occasions but I am sure we did. |
| 18 | Q. When |
| 19 | A. See, the plant managers did not work for the |
| 20 | engineering department, they were in production and we |
| | |

Q. I understand that.

A. Yes.

21

22

23

24

25

Q. I am just trying to understand the relationship in a little more detail.

were not their boss, never were their boss.

| 1 | A. Okay. |
|-----|---|
| 2 | Q. And I appreciate your assistance in enlightin |
| 3 | m e • |
| 4 | A. All right. |
| 5 | Q. When did you first visit the Saint Louis Park |
| 6 | plant? |
| 7 | A. In the early 1950s, I can't recall the exact |
| 8 | year, but it was in 1950, somewhere around '51 '52. |
| 9 | Q. You were never on the plant site before |
| 10 | the '50's? |
| 11 | A. No, it's the first time I ever went there. |
| 12 | Q. You had been in the engineering department |
| 13 | then over 12 years? |
| 14 | A. Correct, yes. |
| 15 | Q. Did anyone else from the engineering |
| 16 | department make visits to the Saint Louis Park plant |
| 17 | during those first 12 years? |
| 18 | A. I don't recall much going on in Saint Louis |
| 19 | Park before 1950 but I believe Mr. Horner made I |
| -20 | would say he probably made at least one or two trips in |
| 21 | that time to Saint Louis Park but I can't recall why. |
| 22 | Q. What about Mr. Mitchell? |
| 23 | A. I am sure Mr. Mitchell did too, yes. |
| 24 | Q. After you first visited the Saint Louis Park |
| 25 | plant in 1950, or approximately 1950, how frequently |

| | • |
|-------|---|
| 1 | did you go there thereafter? |
| 2 | A. I would say I went there how many times. |
| 3 | Q. Say |
| 4 | A. I would say 10 times during that decade of |
| 5 | the '50's? |
| 6 | A. I am guessing but that's close, 10 times. |
| 7 | Q. And how many times during the '60's? |
| . 8 . | A. '60's, probably only once. |
| 9 | Q. Only once. When was that? |
| 10 | A. I am trying to remember, probably '61-'62 |
| 11 | somewhere around in there. |
| 12 | . Q. Mr. Hennessy, did you assist in the |
| 13 | preparation of Reilly Tar's responses to the State of |
| 14 | Minnesota interrogatories? |
| 15 | A. Yes, I did. |
| 16 | Q. In this case? |
| 17 | A. Yes, I did. |
| 18 | Q. Were you an employee of the company at that |
| 19 | time? |
| 20 | A. Yes, I was. |
| 21 | Q. I believe you state in Interrogatory 63 that |
| 22 | you were one of the designers of the wastewater |
| 23 | separator at Saint Louis Park? |
| 24 | A. That's correct, I did the structural design |
| 25 | of the separator. |


| • | · |
|------|---|
| 1 | information he needed. Of course, if he had to go to |
| 2 | the site to design it, well, yes, he would. If he had |
| 3 | to go there if he needed information that wasn't |
| 4 | available any other way. |
| 5 | Q. In the response to the same interrogatory, |
| 6 | and this is 63, you also refer to the straw filter as |
| 7 | being designed by you in conjunction with Mr. Horner? |
| 8 | A. Uh-huh. |
| 9 | Q. Did you go to the site to participate in the |
| 10 | design of the straw filter? |
| 11 | A. What year was that? |
| 12 | Q. The year of the response. |
| 13 | A. No, the year that the straw filter was built. |
| 14 | I would say no, I did not. |
| 15 | Q. According to Mr. Lesher it was 1951? |
| 16 | A. 1951? Well, I may have been in there in 1951 |
| 17 | I could have but I don't remember it. I wasn't there |
| 18 | for that purpose but I might have been there, yes. |
| 19 | Q. Do you remember what occasioned your first |
| 20 | visit to Saint Louis Park? Why did you go there? |
| 21 | A. Yes, it was to design an electro pitch plant. |
| 22 | (At this time United States Deposition |
| 23 | Exhibit 1 was marked for identification by |
| 24 · | the Court Reporter.) |
| | |

BY MR. HIRD:

| - | · |
|----|---|
| 1 | Q. Mr. Hennessy, I have shown to you a document |
| 2 | marked United States 1 which consists of two pages of |
| 3 | Reilly Tar, date stamp number in succession 30688 and |
| 4 | 30689. It appears to be a memorandum from you to Mr. |
| 5 | Horner dated February 27, 1957. Do you recognize it? |
| 6 | A. Yes, I do. |
| 7 | Q. Is this a document which you authored? |
| 8 | A. Yes, I was the author. |
| 9 | Q. I notice that the office designation here is |
| 10 | "Minneapolis plant". You were located at the |
| 11 | Indianapolis plant at that time? |
| 12 | A. I think I was in Minneapolis when I wrote |
| 13 | this. I believe that's why. I believe I was reporting |
| 14 | back to Mr. Horner from Minneapolis. |
| 15 | Q. But you were not regularly stationed in |
| 16 | Minneapolis? |
| 17 | A. No. |
| 18 | · Q. You were visiting Minneapolis? |
| 19 | A. Correct. |
| 20 | Q. Does this document refresh your recollection |
| 21 | as to when was your first visit to the Saint Louis Par) |
| 22 | plant? |
| 23 | A. Well, as I say, the electro pitch plant is |
| 24 | all built. See, this is discussing the operation of it |
| 25 | Q. So this wasn't |

| | a marka danaka . Tananalka na kabana ka akamb |
|----|---|
| 1 | A. This isn't I wasn't up there to start |
| 2 | building the plant. I was up there looking at the |
| 3 | completed plant and seeing if it operates properly. |
| 4 | Q. So you had been at the plant prior to |
| 5 | February 27, 1957? |
| 6 | A. Oh, yes, correct. |
| 7 | MR. HIRD: Off the record. |
| 8 | (At this time a discussion was held off the |
| 9 | record.) |
| 10 | MR. HIRD: I would like to thank Mr. |
| 11 | Hennessy for coming today and I appreciate his making |
| 12 | himself available at this late time in the afternoon. |
| 13 | We are ending now but we intend to resume his |
| 14 | deposition at another date which will be specified in |
| 15 | the future. |
| 16 | THE WITNESS: Fine. |
| 17 | |
| 18 | |
| 19 | · |
| 20 | |
| 21 | t · |
| 22 | • |
| 23 | |
| 24 | |
| 25 | |

| STATE OF MINNESOTA)) ss. COUNTY OF WASHINGTON) Be it known that I took the deposit J. Hennessy on the 15th day of October, Indianapolis, Indiana; That I was then and there a Notary for the County of Washington, State of M that by virtue thereby I was duly author administer an oath; That the witness before testifying duly sworn to testify the whole truth an the truth relative to said cause; That the testimony of said witness Stenotype by myself and transcribed into under my direction; and that the deposit record of the testimony given by the wit | |
|---|----------------|
| 2 COUNTY OF WASHINGTON) 3 Be it known that I took the deposit J. Hennessy on the 15th day of October, Indianapolis, Indiana; 5 That I was then and there a Notary for the County of Washington, State of M that by virtue thereby I was duly author administer an oath; 8 That the witness before testifying duly sworn to testify the whole truth an the truth relative to said cause; 10 That the testimony of said witness Stenotype by myself and transcribed into under my direction; and that the deposit | |
| Be it known that I took the deposit J. Hennessy on the 15th day of October, Indianapolis, Indiana; That I was then and there a Notary for the County of Washington, State of M that by virtue thereby I was duly author administer an oath; That the witness before testifying duly sworn to testify the whole truth an the truth relative to said cause; That the testimony of said witness Stenotype by myself and transcribed into under my direction; and that the deposit | |
| J. Hennessy on the 15th day of October, Indianapolis, Indiana; That I was then and there a Notary for the County of Washington, State of M that by virtue thereby I was duly author administer an oath; That the witness before testifying duly sworn to testify the whole truth an the truth relative to said cause; That the testimony of said witness Stenotype by myself and transcribed into under my direction; and that the deposit | |
| That I was then and there a Notary for the County of Washington, State of M that by virtue thereby I was duly author administer an oath; That the witness before testifying duly sworn to testify the whole truth an the truth relative to said cause; That the testimony of said witness Stenotype by myself and transcribed into under my direction; and that the deposit | |
| for the County of Washington, State of M that by virtue thereby I was duly author administer an oath; That the witness before testifying duly sworn to testify the whole truth an the truth relative to said cause; That the testimony of said witness Stenotype by myself and transcribed into under my direction; and that the deposit | |
| that by virtue thereby I was duly author administer an oath; B That the witness before testifying duly sworn to testify the whole truth an the truth relative to said cause; C That the testimony of said witness Stenotype by myself and transcribed into under my direction; and that the deposit | |
| 7 administer an oath; 8 That the witness before testifying duly sworn to testify the whole truth an the truth relative to said cause; 10 That the testimony of said witness Stenotype by myself and transcribed into under my direction; and that the deposit | |
| duly sworn to testify the whole truth an the truth relative to said cause; That the testimony of said witness Stenotype by myself and transcribed into under my direction; and that the deposit | |
| 9 the truth relative to said cause; 10 That the testimony of said witness Stenotype by myself and transcribed into 11 under my direction; and that the deposit | - |
| That the testimony of said witness Stenotype by myself and transcribed into under my direction; and that the deposit | d nothing but |
| Stenotype by myself and transcribed into under my direction; and that the deposit | |
| ll under my direction; and that the deposit | |
| · · · · · · · · · · · · · · · · · · · | |
| I record of the restimony given by the wit | |
| l2 best of my ability; | ness to the |
| Dest of my ability; | |
| That I am not related to any of the | parties hereto |
| nor interested in the outcome of the act | ion; |
| That the reading and signing of the | denosition by |
| the witness was executed as evidenced by | _ |
| page; | |
| That Notice of Filing was waived. | |
| 17 | _ |
| WITNESS MY HAND AND SEAL this and | day of |
| 18 | |
| 19 | |
| 20 | |
| Kirby A. Kenned | |
| Court Reporter | |
| | |
| 2 2 | |
| 23 | |
| | |
| 24 | |
| 25 | |



1 **APPEARANCES** 2 DAVID HIRD, ESQUIRE, United States Attorney, Department of Justice, 10th Street and Penn Avenue, 3 Washington, D.C. 20530. 4 ROBERT E. LEININGER, ESQUIRE, Enforcement Attorney, 230 South Dearborn Street, Chicago, Illinois 60604, appeared for and on behalf of the United States 5 Environmental Protection Agency, Region V, Plaintiff, United States of America. 6 7 DENNIS M. COYNE, ESQUIRE, and STEPHEN SHAKMAN, ESQUIRE, Special Assistant Attorneys General, 1935 West County Road B2, Roseville, Minnesota 55113, 8 appeared for and on behalf of Plaintiff-Intervenor, 9 State of Minnesota. 10 ALLEN HINDERAKER, ESQUIRE, of the law firm of POPHAM, HAIK, SCHNOBRICH, KAUFMAN and DOTY, LIMITED, 4344 IDS Center, Minneapolis, Minnesota 55402, 11 appeared for and on behalf of Plaintiff-Intervenor. 12 City of Saint Louis Park. 13 EDWARD J. SCHWARTZBAUER, ESQUIRE, and BECKY COMSTOCK, ESQUIRE, of the law firm of DORSEY and WHITNEY, 2200 First Bank Place, Minneapolis, Minnesota 14 appeared for and on behalf of Defendant Reilly 15 Tar and Chemical Corporation. 16 17 18 19 20 21 22 23 24

| 1 | witness by Ms. Comstock, Mr. Schwartzbauer or Mr. |
|-----|---|
| 2 | Polack? |
| 3 | A. Yes. |
| 4 | Q. Mr. Hennessy, are you receiving a pension |
| 5 | currently from Reilly Tar & Chemical? |
| 6 | A. Yes, I am. |
| 7 | Q. Mr. Hennessy, are you a shareholder or bond |
| 8 | holder or pension holder of Reilly Tar & Chemical? |
| 9 | A. No, I am not. |
| 10 | Q. Are you participating in any profit sharing |
| 1.1 | program of Reilly Tar & Chemical? |
| 12 | A. No, no profit sharing. |
| 134 | Q. Mr. Hennessy, did you review any documents in |
| 14 | preparation for your testimony today? |
| 15 | A. Yes, I did. |
| 16 | Q. Were these documents provided to you by |
| 17 | Counsel? |
| 18 | A. Yes. |
| 19 | Q. Did you review any documents that were not |
| 20 | provided to you by Counsel? |
| 21 | A. Well, yes, I reviewed some that I furnished |
| 22 | when I was an employee back in 1980, you know, drawings |
| 23 | and engineering documents. |
| 24 | Q. In connection with this lawsuit? |
| 25 | A. Yes, correct. |

0 =

I understand that. Can you

MR. HIRD:

- Q. Could you describe the various stages of your work career at Reilly Tar? Give us a sense of what your job title was and what your responsibility were.
- A. I started out in the engineering department and I was in design and I would say I was a detail engineer, what we would call a detail engineer, up until maybe '44 or '45 or '46, somewhere in there. In other words, they would have a project like I would design a structure or I would design a support for something and then you keep getting into more and more design of more and more larger structures and more important structures until finally I became a project engineer.
 - Q. That was in '45?
- A. Say '45 or '46, somewhere around there, '45 maybe. I would be in charge of a project and I would then have engineers working under me on the project and then in 19 -- I don't know when I was made assistant chief engineer, but it must have been maybe in 1950 and then I was made chief engineer in 1962.
 - Q. All this time you were based in Indianapolis?
 - A. Yes, correct.
- Q. I am a little unclear as to the distinction between a detail engineer and a project engineer.
 - A. When you get a fellow just out of college you

wouldn't give him a big project like if you were going to build an addition to a plant, you wouldn't give him that job. You would give him the job of designing some part of it. Like he could design a shop building, or he could design steam piping, or maybe all the power piping through the plant. It would depend on what his background was too, what he took in college. He could design the electrical system, one part of it, one phase of it.

- Q. By a part or phase you mean a complete system?
- A. If you had an electrical engineer he would design the power wiring to the plant and maybe get into instrumentation as you go along. Okay. A mechanical engineer would design pressure vessels, a civil engineering would too. He would design pressure vessels, he would design boiler installations, he would design the process piping, that type of thing.
- Q. Were those the things that you in fact designed, pressures vessels?
- A. All of those. All of them, yes. In other words, as you get along you would learn more and more. For instance, I have designed power piping and I have designed power wiring and process piping the whole bit.
- Q. Turning your attention I guess first to your role as a detail engineer and then as a project

engineer, were you responsible for any specific plants in terms of any problems that would appear in those plants or were you responsible on an ad hoc basis?

A. I was responsible for all our plants. Are you talking now about which stage, when I am chief engineering or detail engineer?

Q. Detail engineer.

A. Detail engineering, the project manager would be given a project and he would give me -- like you design this building or you design this process piping or you design a pressure vessel. As I went along and learned more and more how to do various things, building codes, electrical codes and so forth, and he would give me one part of it to design. Okay.

Q. My question would be would you, in your role as a detail engineer, be put on say all the projects involving Saint Louis Park, all the projects involving Maywood, but not on the projects on Granite City?

A. No.

Q. In other words, you would have specific obligations for specific plants and other people have obligations for other plants?

A. No, our engineering department did engineering, that is certain engineering we did for all plants.

engineering department how many engineers were in the

- He was in the chemical division? 0.
- Well, at the time I retired our company had a Α. little different -- it's kind of hard to put titles on He was, I would say, the assistant director of research, that would be the title I would give him, and then from 1950 or '52 on I would say he was more or less in charge of all synthetic chemicals. He was more or less in charge of the process design and Mr. Mitchell continued on in charge of process design for the tar plants.
- To whom did the engineering department report 0. at the outset of your career with the department?
- At the outset of my career they reported to Mr. Reilly, Mr. P. C. Reilly.
 - And what was his position at that time? Q.
- He was president and practically owner of the company as far as I know.
 - Did the department, throughout the time you Q.

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

were there, continue to report to the president of the company?

- A. During the time I was there, no.
- Q. When did you start reporting to someone in a different position from your -- I think you are a little confused.
 - A. Okay.
- Q. Should I restate the question? I understand that at the beginning, at the time you joined the department, you reported directly to the president.

The chief engineer reported directly to the president. He might have also reported to the assistant, Mr. Edwards, but I think Mr. Reilly made the final decision.

- Q. Did the chief engineer, throughout the time with your department, report directly to the president recognizing that the individuals may have changed?
- A. When I first became chief engineer I reported to Mr. T. E. Reilly. I can't tell you what he was. He was president at one time but what he was in 1962 when I became chief engineer I can't remember what his title was. He might have been a vice-president. I think Mr. P. C. Reilly, Junior was president and Mr. Tom Reilly was vice-president, I am not sure about the year.
 - Q. Do you recall who Mr. Horner began to report

to after Mr. P. C. Reilly, Senior died?

A. He reported to whoever was running the management. And who would that be? That would be, I believe, Mr. Edwards is still around. I can't remember who became president of the company but he reported to people like Mr. Edwards and Tom Reilly and P. C. Reilly, Junior, that's who he reported to. I can't remember the titles because I can't remember what year they had what position.

- Q. When Mr. Finch was deposed he referred to a department which he described as the production department. Are you familiar with that term?
- A. The production department would be the -well, the man in charge of production, of tar plants,
 when he retired was Mr. Lesher and the man in charge of
 the production of the synthetic plant was Doctor
 Wheeler but he has since retired.
- Q. So that it's likely that what Mr. Finch was referring to by the production department is the tar department?
- A. Yes. Various people held that job over the years, yes.
- Q. If a plant manager wanted to change part of his operation or install a new piece of equipment what role would the engineering department play in effecting

To answer that question I will have to Α. explain. It would be none, or just advice, or do the job for him. Now, the engineering department played the role of more or less like a consultant to the plant and if they had an engineering problem they could call us and we would give them advice. Sometimes that's all it was. Other times, if they wanted to replace a pump or something, they could do it themselves if there was going to be no major change. They would buy the new one and throw the old one away and put it in. They had plant engineers, either plant engineers or maintenance that did it. They would maintain pumps and do things like that. However, if there were going to be a major change, either an improvement in the plant or something that that required engineering work, then we would get involved.

- Q. Did the plant engineers report to the engineering department or did they just report to the plant managers?
 - A. They just reported to the plant managers.
- Q. You mentioned that certain minor activities could be done by a plant manager without consulting the engineering department?

1

2

3

4

5

6

7

8

9

10

. 11

12

13

14

15

16

17

18

19

2.0

21

22

23

24

3

4 5

6

7 8

9

10

11

12

13

14 15

16

17

18

19

20

21

22

23

24

25

A. That is correct, yes.

Would there have to be any kind of notification prior to their going ahead with it? In other words, would they have to submit a work order to someone in Indianapolis or could they just simply decide to buy a new pump?

Each plant had a limit of how much they could spend without getting an authorization for the expenditure, that's the way the company controlled our cash flow, and if it went over that they had to submit a work order to the management. All work orders really originated in the plants.

- Is the limit -- I am sorry, did you finish? Q.
- They would just request a work order which would be a request for authorization to do the job.
- Were there different limits at different Q. plants?
 - A. Yes, there were.
- Do you recall whether Saint Louis Park Q. generally had a lower limit than the other plants or a higher limit or --
- Well, I am sure they would have a higher limit than Chattanooga and much lower limit than Indianapolis, I know that.
 - Q. Why do you say that?

A. Probably about the same. There wasn't much difference, I don't think, between '50 and '60.

Q. During the period that you were chief engineering from the '60's until about the time that the plant closed, what was your recollection of the limit for the Saint Louis Park plant?

A. Well, for making a minor repair without getting an authorization I would say it was around \$750, but I don't remember.

Q. Would --

Now, that -- this is something else. If there was an emergency, like if there was something happened that they had to fix right now they could call up and tell them they were going to do it and they would let them go.

- Q. Who would they call?
- A. They would call the finance committee.
- Q. Well, who would constitute the finance committee, as you recall?
- A. At different times there were different people. I think there was -- I think Tom Ryan, Tom Reilly, P. C. Reilly.
 - Q. P. C. Reilly, Junior?
 - A. P. C. Reilly, Junior, I am sorry, yes. I

think McAdams was on it. 1 2 Did this finance committee exist prior to the death of Mr. P. C. Reilly, Senior? 3 4 A. No. So before then they would have called up in 5 Q. 6 an emergency? 7 They would have called him, yes. Would the Saint Louis Park plant have had a 8 9 lower or a higher limit than the Ironton plant? 10 Α. I would say about the same. 11 Q. Now, assuming that a plant monitor wanted to 12 change a process or introduce a new piece of equipment . . . 1.3 _that would have involved an expenditure over the limit, 14 would he then be expected to contact the engineering 15 department? 16 If he needed engineering help on it, yes, he A. 17 would. 18 If he did need it could he rely totally on 19 his plant engineer or would he --

- - Α. Oh, yes, sure.

20

21

22

23

24

2.2

- So if he did need engineering help he could Q. simply rely on his plant engineer and wouldn't have to call the engineer --
 - That's correct, yes.
 - If the engineering department was called in Q.

on a specific project, was it then required that the

1

25

I don't know of any case where we ever did it.

`15

2 5

Something might be disturbing an engineer about a plant's operation and the engineer would then call up the plant or arrange for a visit in the plant to check it out without first receiving a request from the plant manager?

A. The plant manager worked for the production manager and if we found something like that we would immediately go to the production manager, not to be going over the guys head, but that's what you do, everybody has to know what is going on. So we would go to the production manager and in a few telephone called we would get it ironed out or start an investigation or something.

- Q. Did you do that on occasion?
- A. I am sure we did but I can't recall the specific occasions but I am sure we did.
 - Q. When --
- A. See, the plant managers did not work for the engineering department, they were in production and we were not their boss, never were their boss.
 - Q. I understand that.
 - A. Yes.
- Q. I am just trying to understand the relationship in a little more detail.

· 7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

1

- Q. And I appreciate your assistance in enlighting
- 3 me.
- 4 A. All right.

Okay.

- 5 Q. When did you first visit the Saint Louis Park 6 plant?
 - A. In the early 1950s, I can't recall the exact year, but it was in 1950, somewhere around '51 -- '52.
 - Q. You were never on the plant site before the '50's?
 - A. No, it's the first time I ever went there.
 - Q. You had been in the engineering department then over 12 years?
 - A. Correct, yes.
 - Q. Did anyone else from the engineering department make visits to the Saint Louis Park plant during those first 12 years?
 - A. I don't recall much going on in Saint Louis

 Park before 1950 but I believe Mr. Horner made -- I

 would say he probably made at least one or two trips in
 that time to Saint Louis Park but I can't recall why.
 - Q. What about Mr. Mitchell?
 - A. I am sure Mr. Mitchell did too, yes.
 - Q. After you first visited the Saint Louis Park plant in 1950, or approximately 1950, how frequently

- Q. But you did that without having been at the site at that point?
- A. Yes, I was at that time. As I said, a detail engineer, what you might call a detail engineer, and I was given the project for designing this wastewater separator. All the engineering was done and what was required was done and I was given the job of designing the separator, which I did.
- Q. Was it typical for you to work on detail engineering projects without ever having been to the site?
 - A. In those days it was, yes.
- Q. Would that practice have changed over the time you were with the engineering department?
- A. Well, somewhat. Even today we start new engineers on small projects on detailed design. In other words, if we hired a brand new engineer out of college we would give him a design like design a separator or design pipe supports or design power piping and see what he could do and help him out that's what we would do.
- Q. But you would generally have him do do design work without having to go to the site itself?
- A. The project engineer or someone that was in charge of the project would be at the site and get the

| 1 | STATE OF MINNESOTA) |
|-----------|--|
| 2 |) ss. County of Washington) |
| 3 | |
| 4 | Be it known that I took the deposition of Richard J. Hennessy on the 15th day of October, 1982, at |
| '5 | Indianapolis, Indiana; |
| ľ | That I was then and there a Notary Public in and |
| 6 | for the County of Washington, State of Minnesota, and that by virtue thereby I was duly authorized to |
| 7 | administer an oath; |
| 8 | That the witness before testifying was by me first |
| 9 | duly sworn to testify the whole truth and nothing but the truth relative to said cause; |
| 10 | That the testimony of said witness was recorded in |
| 11 | Stenotype by myself and transcribed into typewriting under my direction; and that the deposition is a true |
| | record of the testimony given by the witness to the |
| 12 | best of my ability; |
| 13 | That I am not related to any of the parties hereto nor interested in the outcome of the action: |
| 14 | |
| 15 | That the reading and signing of the deposition by the witness was executed as evidenced by the preceding page; |
| 16 | That Notice of Filing was waived. |
| 17 | |
| 18 | WITNESS MY HAND AND SEAL this are day of and day |
| 19 | · |
| 20 | · · · · · · · · · · · · · · · · · · · |
| 21 | Kirby A. Kennedy Court Reporter |
| .22 | |
| | |
| 23 | · |
| 24 | |
| 25 | |

6.3

APPEARANCES

DAVID HIRD, ESQUIRE, Trial Attorney, Department of Justice, 10th Street and Penn Avenue, Washington, D.C. 20530.

ROBERT E. LEININGER, ESQUIRE, Enforcement Attorney, 230 South Dearborn Street, Chicago, Illinois 60604, appeared for and on behalf of the United States Environmental Protection Agency, Region V, Plaintiff, United States of America.

DENNIS M. COYNE, ESQUIRE, and STEPHEN SHAKMAN, ESQUIRE, Special Assistant Attorneys General, 1935 West County Road B2, Roseville, Minnesota 55113, appeared for and on behalf of Plaintiff-Intervenor, State of Minnesota.

ALLEN HINDERAKER, ESQUIRE, of the law firm of POPHAM, HAIK, SCHNOBRICH, KAUFMAN and DOTY, LIMITED, 4344 IDS Center, Minneapolis, Minnesota 55402, appeared for and on behalf of Plaintiff-Intervenor, City of Saint Louis Park.

EDWARD J. SCHWARTZBAUER, ESQUIRE, and BECKY COMSTOCK, ESQUIRE, of the law firm of DORSEY and WHITNEY, 2200 First Bank Place, Minneapolis, Minnesota 55402, appeared for and on behalf of Defendant Reilly Tar and Chemical Corporation.

ROBERT POLAK, Vice President and General Counsel, Reilly Tar and Chemical Corporation, 1510 Market Square Center, 151 North Delaware Street, Indianapolis, Indiana 46204, appeared for and on behalf of Defendant Reilly Tar and Chemical Corporation.

ALSO PRESENT:

WARREN S. THOMPSON, Director, Mississippi State University, Forest Products Utilization Laboratory, Box 552, Mississippi State, Mississippi 39762.

SCOTT FULTON, ESQUIRE, Trial Attorney, Department of Justice, 10th Street and Penn Avenue, Washington, D.C. 20530.

| ŀ | INDEX | |
|----|---|------|
| 2 | | PAGE |
| 3 | JANUARY 10, 1983 | |
| 4 | CONTINUED CROSS-EXAMINATION BY MR. HIRD | 5 |
| 5 | • | |
| 6 | · | |
| 7 | JANUARY 11, 1983 | |
| 8 | CROSS-EXAMINATION BY MR. HINDERAKER | 141 |
| 9 | CONTINUED CROSS-EXAMINATION BY MR. HIRD | 216 |
| 10 | - | |
| 11 | JANUARY 12, 1983 | |
| 12 | CONTINUED CROSS-EXAMINATION BY MR. HIRD | 285 |
| 13 | | |
| 14 | JANUARY 13, 1983 | |
| 15 | CONTINUED CROSS-EXAMINATION BY MR. HIRD | 459 |
| 16 | CROSS-EXAMINATION BY MR. COYNE | 563 |
| 17 | | |
| 18 | | |
| 19 | , | |
| 20 | | |
| 21 | | |
| 22 | | |
| 23 | | |
| 24 | , | |
| 25 | | |

Well, of course, after I was there I learned

25

Α.

2.2

Α.

Yes.

they call it? I can't remember.

Was the West Virginia plant being built

1

Q.

- the engineering department?
- Yes. The only time I would really get into Α. something like that in those days as far as safety was concerned or something of that nature.

17

18

19

20

21

22

23

24

- Was this true for the other engineers as well? Q.
- Yes. Yes. Yes. I wasn't the only one doing Α. this work. We all did the same type work, you know, depending on how long we'd been with the company and what our experience was.
- Does this kind of proportion or back-out Q. where the majority of your work was spent on new

A. No. Because I would say about 1970 or maybe a little later the Indianapolis plant which was a synthetic plant was hiring chemical engineers for operating and maintenance work in the plant. They did not work for the engineering department. But, you know, we interviewed them and they were hired just to check their engineering background and so forth. But they were hired by a personnel director we had at that time and they were hired by the plant manager, and they actually were reporting to the plant manager. Some of these men were in operations. Some were in maintenance or preventative maintenance. But this is only for the Indianapolis plant.

- Q. Leaving aside what happened with the Indianapolis plant in 1970 or thereafter between the time you joined the company, which I believe was 1938
 - A. '38, right.

ı 7

Q. -- and 1970, would I be correct in saying that the majority of your time and the time of your colleagues in the engineering department was spent in working on new projects and not in dealing with repairs or difficulties that would come up in existing

make is I'm sure I spent more time on new projects than

24

25

I did on problems.

Would you take it up with anyone beyond the

25

Q.

Q.

A. No. Usually we just discussed it with him.

I can't ever remember getting in a big fight with a plant manager or coming at loggerheads with one and not being able to decide on a course of action. I don't think that ever happened.

Q. So you never would go over the plant manager's head to the head of the refinery division, for example?

A. I don't remember ever doing that. I don't remember ever doing that. I could have done it, but I could try to do it, then the product manager then could either make the decision. He could either side with me or side with the plant manager. But I don't think this has ever happened. I can't remember it ever happening.

Do you remember Mr. Horner ever doing that?

A. No. I can remember various things. For instance, just to give you a for instance, the naphthalene plant at Cleveland there was an arguement between Shulty (ph.) and Horner where it should be located. They came along. Where Mr. Horner wanted it we put it. But this wasn't because we overruled Shulty(ph.). Shulty(ph.) was finally talked into it and agreed that was the best location. But as far as

actually coming to -- I can't remember ever even trying to overrule a plant manager. I just talked with them.

- Q. Did you or Mr. Horner or anyone in the engineering department for that matter ever have any disagreement with Mr. Holstrom or Mr. Finch?
- A. I'm sure we did. Disagreement, yes. But going over their head, no. You know, I don't even remember what the disagreement was. But I'm sure we, did. I mean, any people that work together for that number of years are going to have disagreements, let's face it.
- Q. Do you remember any specific disagreements that you may have had?
 - A. No. I don't remember any, no.
- O. When you were deposed last time we talked a little bit about the process by which a plant manager if he wanted some change or alteration would seek the approval of Mr. Reilly in the beginning, Mr. P. C. Reilly in the beginning, and then later the finance committee.
 - A. Right.
- Q. Perhaps seek the advice of the engineering department along the line of going through that process.

 I wonder if you could tell me what kind of written documents would be generally found in that process. In

of initiating a request be done?

A. Well, there again I'm talking from memory again. I think what happened was that the plant manager and the production manager here in Indianapolis would consider a change or an addition to a plant, okay, either because some customer wanted something. Then when they decided that they would go ahead or not go ahead then either would contact us, usually the production manager but sometimes the plant manager would. We would discuss the problem with him and then the first thing we would do would be make a ballpark estimate of what this would cost. This estimate was given to the finance committee. From there they decided whether we should do engineering work on it or not.

Q. Would the manager typically put a request in writing for something?

A. I don't believe so, no. Sometimes they would.

Sometimes they wouldn't. I think most of it was
handled by telephone.

Q. If someone got --

- A. And if you did get an oral authorization, you got a written authorization confirming it always. You had to have that for your own protection. Well, not your own protection if anybody was out to get you. But it was just good business. That's the only way they could control the thing.
- Q. If a specific project was proposed and ultimately executed, one would be expected to find in the Reilly files a work order authorizing that project to go forward?
- A. If we spent money there should be a work order. If the engineering department spent money there should.
- Q. What if simply the plant spent money and it was something that the engineering office was just asked for advice on?
- A. Okay. The plant can do this. For instance, the plant could spend up to a certain amount of money without an authorization. If it went over that and they needed no engineering work, they could request a work order. For instance, if they had to replace a still or repair fire tubes in a still which would go several thousand dollars, they would request a work

- Q. Which were the tanks that you moved and why were they?
- A. They went out of the acid business and the coal tar base business. I don't know when. Before I ever went to Saint Louis Park. Probably right after the war. There were a lot of tanks that were used for those processes and some of them were moved to various parts of the plant for other uses.
 - Q. How were they moved?

- A. Bring in a rigger and pick them up and move them and build a new foundation to set them down.
- , Q. Did you have any sense at the time when they were moved how old these tanks were?
- '50's, say, and the plant was probably built -- I don't know when the original creosoting plant was built.

 About 1918 I think when this byproducts plant was built. I don't know. Probably in the late '20's. So the tanks were probably at the most 20 years old I would say or maybe 30 years old.
- Q. You were not on the property yourself supervising the movement?
 - A. No. I never went to the property until 1950,

I can't remember whether they put steam coils or steam

bayonets in them. They didn't just pick them up and

24

move them and pipe them up again. That's for sure. For instance, all the tanks at the creosoting plant either had to have steam coils or steam bayonets and the tanks at the refinery had to have steam coils and steam bayonets in them.

Q. I'm a little unclear about what a steam bayonet is.

A. A steam bayonet is a way we made them. We used a 6 inch pipe and put the full length of the tank with a cap on it and then we ran the steam in a one inch pipe inside the 6 inch pipe down to the end.

Steam came out against the 6 inch pipe and condensed.

And there was a steam trap outside the tank, the 6 inch pipe extended through the tank, and it was flanged so you could pull a bayonet in case you ever wanted to for maintenance reasons. That's what it was. Just a steam heater is what it was.

Q. Do you know whether the tanks were cleaned out or emptied before they were moved?

A. They would have been emptied for two reasons. I don't remember them being emptied because I wasn't there. They would have been emptied for two reasons.

One so the rigger could move them. The second so that we could weld on them. You wouldn't dare weld on a tank with residue in it.

2 3 4

pit or they buried tanks in the ground and then they

that time the way they built tar plants is they built a

had the oils that were condensed out of the tar went to

a header where the proper cut of oil was put into the

5 proper tank.

> By header you mean a sort of valve? 0.

7

6

I mean a pipe with other pipes coming off of Α. it with valves so that you could put first cut in one

8 9

tank, second cut in another tank, third cut in another

10

tank, fourth cut in another tank. These lines flowed

11

by -- the oils flowed by gravity into the underground

12

tanks. About the early -- okay.

13

14 something. Are you talking about the tanks that would

15

be used after the refining process when you're dealing

Q. If I could just stop for a minute to clarify

A. These are receiving tanks, the first tanks

16

with the various cuts that have been refined?

17

18

that are immediately after the condensers. In other

19

words, you condense the oil and the oil then flows into

20

a receiving tank. I'm talking about the receiving

21

Okay. I'm sorry to have interrupted you. I

23

22

Then later in about I think it was the early

24 25

'60's we replaced all these ground tanks with

tanks that received the oil from the pans.

just wanted to be clear.

attention these tanks were leaking?

3

4

5 6

7

9

8

11

10

12 13

14

15

16

17

1.8

19

20

21 22

23

24

25

I'm sure he had to account for all the monies he spent. But, you know, he could do it. He could do this of his own judgment.

Q. What was involved in the changing of the stills that you mentioned you were more concerned about or concerned in at Saint Louis Park?

Α. The stills were built in I guess '21 or '22. And the way they built them they had a still which was essentially a big cylinder with pans in it, and they had brick work all the way around it, and they fired in the brick work so that the heat went through the shell of the still. The tar was just like in a big pot. It boiled and then scrapers came over and were condensed. All right. We changed that. We went into a fire tube still. What we did is we put fire tubes in there. We took all the brick work out. Just took it all out. No brick work. We had a still which was insulated on the outside and the ends were insulated and we had fire tubes in. We had pipes that went in the still and came back out again. So you'd fire into the pipe and the heat from these pipes would boil the tar in the still.

Did you have to replace any connecting piping Q.or just simply the stills in this process?

A. Well, we had to reconnect all the burner piping, of course, because they were entirely different

types of burners. The other piping on top of the stills I think we removed the piping in order to tear out this old setting. I'm sure we had to do that. We put new piping back in over the stills, pretty sure, because then there was a platform for people to work on. They couldn't work on this insulation. We had walk ways on top of the stills where people could get to all of the valves whereas with the old one you could walk on top of it, but you couldn't walk on these.

- Q. Was this the Lesher still?
- A. Yes. Right. Wait a minute. Well, I don't know. Let's call it the Lesher still. The still evolution there were -- okay, this was the third, stepmark three you might call it. We'll call it the Lesher still. I always think of mark two as the Lesher still.
- Q. I don't want to put a label on it that doesn't belong. I've just heard the phrase "Lesher still" used.
- A. That's a good term. Let's use it. He developed it when I was in the engineering department.
- Q. This still change was accomplished at what time was it done?
 - A. Let's see. I thing early '60's.
 - Q. Did you change all 17 of the plant stills?
 - A. No. We only used four at that time. See,

in these new stills 13 through 16?

24

25

12?

Q. Now, you mentioned tearing down stills 1
through 8 to make way for the electrode pitch plant.
What different type of equipment did you install when you created the electrode pitch plant and how did it differ from the still structure?

A. Well, we found out that an elevated pan could be turned over I believe in two days, in 48 hours. So what we did is we built two big pans and every 24 hours dug one pan and one pan was enough to load a car. I believe that's correct.

Q. About what were the dimentions of these pans?

A. Oh, boy, I don't know. But they held about -if you wanted me to make a guess, I don't know, they
held somewhere around 40 tons of pitch I would say.

Q. Apiece?

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

A. Apiece, yes.

O. How would they be used? And forgive me if I show my ignorance of these processes. How would the

Α.

I don't know. They were operating the last

Q. Is electrode pitch the same thing as hard pitch?

·7

- A. Well, electrode pitch yes and no. Electrode pitch is harder than roofing pitch but it's less hard than coal pitch. See, there is all kinds of products. Electrode pitch has a softening point of about 100 degrees C. So whether you call that a hard pitch or not I don't know.
- Q. Is there any particular type of pitch that would be generally called hard pitch?
- A. I myself if someone asked me what a hard pitch was, of course I don't know, but I would say I think anything over a roofing pitch is a hard pitch. A roofing pitch is a soft pitch. I don't know. Maybe somebody else would say no, that's not right. Electrode pitch is not a hard pitch. I don't know. To me that term is a matter of opinion I guess. I don't know if those terms are used. Maybe they are. I don't know.
- Q. I think we encountered the term and have been a little bit confused about its meaning which is why

I'm asking.

- Q. This pole barn would be installed over the three elevated pitch pans?
 - A. No. Over one. Over the last one. See, the first two pans were built when the old stills were in a brick building.
 - Q. I see.

- A. Then the third one there wasn't any more room in this building for the third one so we built a pole barn to house it.
 - Q. That you said was the late '60's?
 - A. Late '50's.
 - Q. Late '50's. I'm sorry.
 - A. That's as close as I can guess.
- Q. I hate to continue to strain your memory to think for projects, but it would help me a great deal if we could just make sure that we touch on all the projects you were involved with there. Can you think of any other projects that you did at Saint Louis Park?
- A. The only project that was done under my direction or I was directly in charge were three electrode pitch pans and converting the stills to Lesher stills. What else was there? Oh, getting rid of underground tanks and replacing with above-ground tanks, with above-ground piping and a pump to pump it. The only other thing I can remember is we built a tank

At the creosoting plant. I don't know when that was.

My only involvement there was -- the tank was already

available. I don't know where they got it. But I had

to design a piling foundation for it because all those

tanks and the creosoting and everything was on a piling.

- Q. What was the purpose of this tank?
- A. It was just one of the creosote working tanks.

 I don't remember whether that was used for tar-oil

 mixing or whether it just held a certain cut of

 creosote. I think it held some of the oils that were

 used in the treating.
- Q. I gather from what you said it was an old tank and you needed to pile it?
- A. It was an old tank but it was in good condition. The piling was to hold it up. You couldn't built a foundation on the ground or it would sink. The ground was terrible there.
- Q. What was the capacity of this tank, if you recall?
- A. If I had to guess I'd say 40,000 gallons, maybe 30,000 gallons. It wasn't a real big tank.
- Q. Just to avoid confusion, I'm not sure whether when you talk about processes here you're referring to my earlier distinction between a process as something new that was installed in a plant or repair work or

24

him.

Q. Would you have talked to anyone below the plant manager level that you can recall?

- A. I can't remember if I did.
- Q. At the time Mr. Horner gave you the assignment of doing the structural engineering work on the oil-water separator, had he been to Saint Louis Park and seen the problem and described to you anything about the terrain and the nature of the drainage at Saint Louis Park?
- A. I can't remember. All I remember is I was told what to design and I designed it. But I can't remember whether he made a trip to the plant or not. He certainly seemed familiar with it.
- Q. So the instructions that you remember is design a settling basin, perhaps he said use tongue and groove lumber, and the only other specific instruction you recall is a one hour retention time?
 - A. I think that's correct.
- Q. What factors did you have to take into account to achieve the one hour retention time?
- A. We had a graph showing the flows through the plant effluent system and it was hourly for 24 hours for a number of days, and we picked the maximum flow that we had in that time and designed it for a one hour

measure the height of the water over the weir and that

tells you how much water is flowing over it if it's 1 2 designed properly. It's fairly easy to do. 3 Q. Did Mr. Horner design the weir? A. I don't know who designed the weir. I know I 4 5 designed I designed the straw filters that were put in. 6 I don't know that Mr. Horner designed a weir at that 7 time. I don't even know how they measured it. There 8 are all kinds of ways of measuring flow of water. 9 So you had a specific figure about the water 10 Α. Um-hum. 11 -- volume coming through? 12 Yeah. ` Q. 13 At what time of year was that measurement 14 made? 15 I don't remember. I think it was -- I would guess it was in the winter time. I don't know. 16 17 (At this time a discussion was held 18 off the record.) 19 (At this time a recess was held.) 20 BY MR. HIRD: . 21 22 If I can take you back for just a minute, I 23 think when we were talking about the tanks I asked you

- A. Well, we got tanks -- of course, it depends on what you store in them. We have tanks that are 50 years old that are still sound, not leaking.
- Q. Is there a projected useful life when one would install a new tank?
- A. I would say 50 years. I'm guessing again.

 But that's what I would say if someone asked me that

 question that's what I'd say, 50 years, depending, of

 course, on what you're going to put in it.
 - Q. For tar refinery?

A. For tar refinery, yes, because actually a lot of the stuff you put in tanks, for instance, enamel actually protects the tank. We make pipeline enamel. They coat underground pipelines with that to protect the pipe from corrosion. If you got a tank full of that stuff why, you know, it should except for rotting from the outside and that takes for years, you know, if you keep it painted there is no problem at all. That

A. Just plain old, you know, you paint the tank when you put it in but after awhile, why, the ground water would eventually eat through the paint and start attacking the steel and start causing pitting.

21

22

23

24

25

Q. Would it be usual to dig them up every so often to repaint them?

- A. No. No. No.
- Q. In other words, the first time you ever dig
 - A. Yes.
- Q. Whereas above-ground tanks you can repaint on a more frequent basis?
 - A. Um-hum.
- Q. Returning your attention to the oil-water separator, you mentioned that you figured out what one needed for the one hour retention time on the basis of a flow measurement coming through the sewer at Saint Louis Park. What kind of a sewer was this?
- A. It was just a tile sewer which now is a ditch, but it ran under the yard, under the tracks, to the west side of the plant then down the west side of the plant to the fence line and along the fence line to where it crossed under Walker Street.
- Number 9, is the dotted line that is going from, say, the point marked south of hay filter down to the lower left-hand corner and around the bottom the sewer line that you're referring to?
- A. Yes. That used to be a sewer line. Then it was a trench. It's shown there as a sewer line.
 - Q. It was a sewer line about the time that you

I think so. I remember it was a ditch.

I

system somebody had dug it out?

24

25

Α.

again --

1

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

- 2 A. All right.
- Q. -- to draw me a diagram of the oil-water separator that you designed.
 - A. Oh, boy.
 - Q. Would you like a finer point pen?
 - This is going to be very rough. Actually all A. it was, I can't remember the dimentions, but all it was was a box. Looking at the top it would look something like this. Here's the ground level here. Something like this, you know. The water level would be somewhere in here. There would be baffles. Let's see now. I believe we had baffles like this. So this would be the top of it. I don't know where the baffles were. It's been so long I can't remember. There was definitely -- I believe these baffles overlapped like this. Up here there was another baffle about here so that light oil would be skimmed off here and skimmed off here. Let's see. How did this work? This then went to a sump I believe. This went to a sump which pumped it out. The heavy oils would collect in here like that. The light oil would collect here and here and here. Okay? And the flow would be like this. That's as I remember it.
 - Q. Okay. Please don't put your pen down for the

out a little. A baffle and a baffle here. I guess this baffle would be pretty close to this distillage, you see, so you wouldn't get currents throughout the whole thing.

Q. I'm going to ask you to kind of identify the pieces of your drawing so that if we refer to it later we could know. So could you mark what are baffles and mark what is the pipe by writing "pipe" or "baffles" next to them so that people will have it clearly indicated?

A. This brings back old memories of years ago.

I better put "light" on there. Okay. This is your effluent. This is a sumpto Here's a pump down here pumping it out to the sewer. This is your sewer.

Something like that.

- Q. That point would be what?
- A. This is your contaminated water influent or water to be treated. This is influent let's call it.
- Q. In the plan view could you just mark the baffles so I can be clear? I see they correspond. They're vertically on top of the other one?
- A. That's right. Then these two are heavy oil baffles. I don't know whether I got the exact number of baffles right, but this is the general idea. There were at least that amount.

At least four?

At least four, yes, I'm sure there were. This would be light oil baffle. There you go.

MR. HIRD: Could I have this drawing marked as United States Exhibit 2, please? (At this time United States Deposition Exhibit 2 was marked for identification by

Could you give an explanation referring to the United States Exhibit 2 of exactly how the process worked, how the oil and water separator would work starting at the influent and going through the end?

All right. We have very much more heavy oil than we do light oil. So most of the oil settles to the bottom. Okay? The oil that settles to the bottom is periodically pumped out to a tank and recovered and reused. The oil that settles out to the top is skimmed off. It is skimmed off and pumped to another tank and reclaimed. Then only the oil that escapes through here is all that's in the effluent.

- So by coming in through the influent pipe the contaminated water would first hit the settling baffle?
- Distilling. See, you don't want to set up currents in this thing or it will inhibit the settling.

So the retention time would be between the

25

Q.

It had to be lower so the heavy oil could

1 | flow into it.

Q. Was there something similar? You had the second heavy oil baffle.

A. No. Because here all you're worried about is this level. You're just taking water from the middle of the thing and pumping it out and this actually pumped in slugs I believe. What it did is it had a high-level and a low-level. The level reached this area, the pump would come on and pump it down to there and then it would fill up here and the pump would go off when it got to that level.

- Q. Could you mark those levels with an "A" and a "B" that you were just referring to? So "A" would be the upper level and "B" would be the lower level in terms --
 - A. Yeah. "A" is high-level.
- Q. Could you mark the sump back near the heavy oil baffle, the first heavy oil baffle? There would be a pump in that sump as well?

A. I believe there was. Now, whether it was this kind of pump or whether it was a steam pump -- back in those days they used a lot of steam pumps that could lift. There might have been a steam pump right beside there with a pipe; but regardless of what it was, it was a pump that pumped from this level up. Back in

- Q. -- and the quality of the oil and to see where it would be used again?
 - A. Um-hum.
- Q. Would they be likely to keep records of quality of the oil that would come from the heavy oil pumped off as part of their evaluation?
- A. I'm sure they kept records for a short time because they'd have to know what they were going to do with it. The plant manager would have to give instructions to somebody to treat it or mix it with something. Now, after it was used I don't know why they would keep those records. I mean, what would be the point?
- Q. Would this heavy oil always be useful or would it be likely in certain circumstances not to have the specifications that would make it useful in the process?
- A. Unless it's had a lot of dirt washed in with it, it would be useful, yes, if it came from our treating operations only.
- Q. Would that be only the wood treating operations? What if it came mixed with oils that were a product of the tar refining operations? Would it then be useful?
- A. Yes. It would be mixed with creosote oil or

Not very many, no.

25

Α.

the volume anything you want. If you starting out designing your maximum flow over a certain number of days, you take that and say if you got so many gallons per minute, you multiply by 6 on your maximum flow rate and it gives you the number of gallons you got to retain. That would be one hour retention and you make your basin that big. You can make it any size you want. I think we were generous as I remember on the size of the basin. We said we'd have a one hour retention which is plenty, and I can't remember, but it seems to me like if it came out to 36 and a half feet long or something we made it, well, let's make it 40 feet, you know.

- Q. So if I understand you correctly, you take the flow rate and you figure out how many gallons are likely to flow a specific distance in an hour?
 - A. Right.
- Q. You measure a capacity that will enclose that volume?
- A. Will hold it for one hour, yes. Take it one hour to flow through there.
- Q. How could you determine how to space what distance to space the baffle apart in this capacity?
- A. Back in those days it was all empirical. I never saw any technical literature on how to do it. We

Q. Do you remember roughly what time of the year it was when you designed this?

24

of the process would write it.

would be no point to writing it. But the man in charge

24

| 1 | A. That's correct. Somewhere around there. '48 |
|----|--|
| 2 | or '49. |
| 3 | Q. What other plants did you design oil-water |
| 4 | separators for? |
| 5 | A. One was designed under my direction both for |
| 6 | Chattanooga and for Cleveland. |
| 7 | Q. At what time period were these designed? |
| 8 | A. Early '50's. |
| 9 | Q. Were these both API separators? |
| 10 | A. They were modified API separators because the |
| 11 | flow was so very low, very, very low. |
| 12 | Q. What would be the major differences between |
| 13 | an API separator and the kind of separator that you |
| 14 | designed for Saint Louis Park? |
| 15 | A. Well, the major differences would be the way |
| 16 | the water is admitted to the separator. In an API |
| 17 | separator it's admitted over a weir so you don't need |
| 18 | stilling baffle. Actually the weir is its own stilling |
| 19 | baffle. The water comes in and |
| 20 | Q. Is this a V notch we're |
| 21 | A. No. This is a weir going clear across the |
| 22 | separator. The water is only maybe a quarter or half |
| 23 | inch deep going over the weir depending on the flow. |
| 24 | And what this does is it evens out the flow over the |
| 25 | whole basin so you don't get a channel. You get an |

۲<u>....</u> دریس

(E:

1 even flow all the way along the basin. Then it has a chain on it. So it has hoppers at the far end, the end 2 3 opposite the inlet. It scrapes the heavy oil down into two big hoppers. Then it comes up and it moves the 4 5 light oil toward the inlet side, and there is a skimmer which goes clear across the basin. It's a pipe that's 6 7 got the top cut out of it. You turn the pipe so that 8 it just barely -- just the very surface, see, the oil 9 on top that floats on top is very, very thin. 10 just thousandths of an inch thick. So what you do is 11 you turn this thing to just skim the surface and the 12 oil comes into the pipe and then goes to your light oil sump. There is a concrete sump beside it to pump. __1-3--14 Then on the heavy oil side it goes into a hopper and 15 there is two pipes going down to an electrical sludge 16 pump which is -- it's not like a steam pump in that 17 it's got a cylinder but it's got a diaphragm. By 18 pumping this diaphragm it can lift. It lifts this 19 stuff into a tank sitting beside the separator. Then it can be pumped anywhere in the plant you want to pump 20 21 it. Heavy oil. 22 Let me just go over that again so I can try 23

and clear up a few areas of my confusion. When you mentioned a chain you mean some sort of --

Two chains. One on each side.

24

- Q. Sure.
 - A. Okay.
 - Q. Do you recognize Minnesota 20?
 - A. I see the drawing. That's all right.
- Q. I'm about to show you the drawing. The original Minnesota 20 when previously identified I think by Mr. Finch came without a drawing. So I'd like you to take a look at this drawing that I'm showing you now which is Reilly Tar date stamp number 302542. It has in the corner a Republic Creosoting Company number 701210-1 which I believe corresponds to a number mentioned in the opening line of Minnesota 20. Do you recognize this drawing as the drawing that was attached to Minnesota 20?
- A. I recognize it, but this drawing shows a concrete basin, right?
 - Q. I'm not sure.
- A. Yeah, it does. Which at one time we were considering building which is an API basin. Then down here the letter says, "We're going to use an Edens separator." That's beside the point. An Edens separator is just one that is manufactured in a plant rather than built in place. Same thing.
- Q. So do you believe this drawing to be one of the two drawings that are mentioned in the first line

You might say, yes. Um-hum.

25

A.

| 1 | Q. How wide are these chains? Are they the |
|----|--|
| 2 | length? |
| 3 | A. The chains are just about that wide, but |
| 4 | there is one chain on each side and then there is these |
| 5 | baffles that the chains carry, or flights that the |
| 6 | chains carry, go clear across the separator. |
| 7 | Q. So when you said about that wide you measured |
| 8 | about three four inches? |
| 9 | A. Say two inches. |
| 10 | Q. Two inches. And they have baffles that go |
| 11 | around the treadmill? |
| 12 | A. The baffle is the width of the separator less |
| 13 | maybe half inch or so so that they won't scrape the |
| 14 | sides. |
| 15 | Q. I see. So two chains pull around a baffle? |
| 16 | A. Two chains pull the baffle, correct. |
| 17 | Q. How high are the baffles in terms of their |
| 18 | height? |
| 19 | A. They are either 6 or 8 inches. I don't |
| 20 | remember. Something on that order. 6 or 8 inches. |
| 21 | They are pieces of creosoted wood is what they are. |
| 22 | Q. The skimmer essentially stays in place but |
| 23 | rotates, however there is an opening at a certain place? |
| 24 | A. The skimmer is rotated by hand. What you do |
| 25 | is you see the baffle outflow, weir outfall, weir is |
| | (B) 사용 (B) |

- Q. When you mentioned a hopper, would that be the part that's marked "sump" on the upper drawing section A?
 - A. Yes. There is two of those, correct.
- Q. Why wouldn't an API separator be more effective than the type of separator design that was installed in Saint Louis Park?
 - A. It would be.

19

20

21

2.2

23

24

25

Q. Why would it be?

Q. Yeah.

2.0

21

22

23

24

25

Because people have done work on that in the meantime have found out that there should be a definite relation between depth, width and height of water depth, width, height. They have a more sophisticated method of collecting the oil. See, our original design the oil just was like filling in the bottom of the tank and then you just pumped it out. But this the oil is scraped into a hopper and when you pump that you get very little water in it. If you're careful you can get mostly all oil; whereas ours, you know, when you finally break and start getting oil you get a tremendous amount of water because once -- if you have _your_ pipe just a few inches above the bottom and then you pump all the oil down to where the oil gets down to the level of the pipe, why, the pump is going to pump water in preference to pumping oil because it's less viscous and lighter.

Q. So you get more oil?

A. You get more water, hot heavy oil. This way you get much less. What you do is you wait till the hopper fills up and then you don't pump it all the way down. You just pump it down a few feet. That way you get practically all oil, you know, just very little

O. When you said that you designed the Saint Louis Park basin for less than 1,000 gallons per hour, did you mean gallons per minute and not per hour? I think we gave an estimate about 200 gallons per hour. I'm just trying to be clear.

21

22

23

24

25

A. I think it was far less than 1,000 gallons a minute, yes. But it was -- let's see. 1,000 gallons

13

14

15

16

17

18

19

20

21

22

23

24

25

So the big advantage is in how much oil you Ο. save, not necessarily --

Well, you pump mostly oil and very little water. See, this light oil baffle that you skim a very thin film off and then these hoppers that you pump out quite a bit of oil without getting any water in it. Okay?

When you said that you designed the Saint Louis Park basin for less than 1,000 gallons per hour, did you mean gallons per minute and not per hour? ·I think we gave an estimate about 200 gallons per hour. I'm just trying to be clear.

I think it was far less than 1,000 gallons a minute, yes. But it was -- let's see. 1,000 gallons

- an hour would be -- yeah, it was more than 1,000 gallons a minute.
 - Q. So something in the range of 200 gallons?
- A. Somewhere down there. 100, 200. This letter says 100 to 200 which you handed me. It says a maximum flow would be 200 gallons per minute but normally less than 100 gallons per minute. It's right in this document here. That's better than my memory.
- Q. Since you were the one who wrote this document where would you get those figures?
- A. From actual measurements which are very easy to do. We had several ways of measuring it. We had weirs. We had sumps. A lot of ways you can measure it You can measure it very accurately.
- Q. Do you know why the one hour settling time ; was selected by Mr. Horner in your design?
- A. Because it was very conservative. I believe that one-half hour is all you need. But we wanted to be conservative. So we said one hour settling time at the maximum rate flow.
- Q. What advantage do you get from being that conservative?
- A. Probably get a little better settling but not much. I think most of your settling takes place in a

- I would queus late '50's. But I'm not sure.
- When was the Chattanooga one installed?
- I would say maybe early '60's. Α.
- These were all API design separators? Q.
- Um-hum. Α.

23

24

25

Did you ever install or design and install a Q. separator of the variety of the one that was installed

4

5

6

7

8

9

1

2

10

12

11

13

14

15

16

17

18

19

20

21

22

23

24

25

in Saint Louis Park in any other plant?

I never did, but we had all our separators ۸. that were built prior to 1941 were built that way. had creosoting plants in quite a few areas in those days.

Do you know when the API design for a 0. separator came into existance?

The data I used in 19 -- whatever it was, Λ. late '40's, was not off the press I'll quarantee. was brand new. Now, whether there was -- I won't say that there weren't other articles previous to that, but the one I had was a very late article. It was only less than a year old I'm sure.

When you installed those separators, the Indianapolis, Cleveland and Chattanooga separators, did you give maintenance and operation instructions to the plant staff?

Α. Oh, yes.

Written instructions? 0.

I'm sure I did. Α.

Perhaps why don't we go back this way. Q. the time you did the detail engineering work on the Saint Louis Park separator you had been asked to provide written instructions on the operation and maintenance of that separator, what kind of

23

24

| instructions would | you have given | them on the | basis o |
|--------------------|-----------------|-------------|----------|
| your understanding | of the equipmen | nt that you | had just |
| designed? | | | 1 t |

- A. I'm sure I would have told them to keep it pumped out. They had to pump it out every so often, not let the heavy oil get beyond a certain depth and not let the light oil accumulate to too great a depth on the top.
 - Q. How often would every so often have been?
- A. That's something that the plant would have to determine by operating it. I mean, you know, I don't know. Because some days it would catch practically nothing. You'd have mostly clean water. Other days, it would be dirty. It would catch a lot. So I don't know
 - Q. Would you say at least a daily basis?
 - A. Oh, no. No.
 - Q. Weekly?
 - A. No. I think weekly is plenty.
 - Q. But at a minimal basis would be about a week?
- A. I would think a week or maybe twice a month at the very most -- or very least I would say.
- Q. What other operating or maintenance instructions would you give?
- A. The operating instructions I would give would be for the plant manager who is a technical man and he

Я

18 '

would write his own instructions to the operators, the guys that he put in charge of the thing. My operating instructions would be how you had to operate the equipment based on the design. Now, what instructions are given to the actual operators I don't know. I never saw those.

- Q. But you could give the instructions generally to the plant manager who would in turn --
- A. I would make sure the plant manager understood the basis for the design and what he had to do. In fact, he would know the basis for the design before it was ever designed. Then after I did it, after the design was submitted to him, why, there would be what you might call operating instructions, you know what you have to do to keep it in operating condition.
- Q. Other than pumping out periodically, which I guess you said every week or twice a month?
 - A. That's a guess, yes.
- Q. What other operating instructions would be necessary to be given to run this piece of equipment properly, to run the oil and water separator that was installed at Saint Louis Park?
- A. Well, normally if you buy manufactured pequipment such as pumps, any type of equipment, you give them the manufacturer's instructions on

| mair | itena | ance, | preve | entati | ve mai | ntena | nce a | nd so | fort | h of |
|------|-------|-------|--------|---------|--------|-------|--------|--------|-------|-------|
| any | new | manu | factu | red eq | uipmen | t you | give | him. | I w | ould |
| just | giv | ve hi | m the | infor | mation | on t | he gei | nerai | desi | gn of |
| the | bas | in or | gener | cal op | eratin | g con | ditio | ns re | quire | d for |
| the | basi | in, p | lus I | would | give | him t | he mai | nufact | turer | 's |
| lite | eratı | ure c | n how | you'd | maint | ain t | he ne | w manı | ufacț | ured |
| equi | lpmer | nt th | at wer | nt with | h it. | | | | | |

- Q. This was something that was built from scratch by Reilly, as I understand.
 - A. The basin itself was. The pumps weren t.
 - Q. The pumps were manufactured?
 - A. The pumps were manufactured, yes.
- O. So you'd give them instructions about how to maintain the pumps that were purchased elsewhere and you'd tell them --
- A. When you buy a pump you always get the instructions with it, and they would be forwarded to them, yes. We would keep a copy of it and send them a copy.
- Q. Do you know whether a creosote-petroleum blend was ever used to treat crossties at the Saint Louis Park plant?
- A. To my knowledge, no. I don't know if it was
 I couldn't say.
 - Q. You couldn't say one way or the other?

| | ļ ⁱ |
|----|---|
| 1 | A. No, huh-uh. |
| 2 | Q. If it was used, wouldn't the petroleum in |
| 3 | that indicate a great deal of light oil coming in |
| 4 | A. It sure would, yes. |
| 5 | Q. Coming into the separator? |
| G | A. Um-hum. |
| 7 | O. At the time you worked on the oil-water |
| 8 | separator, were you given any information about the |
| 9 | sources of waste water in the plant to assist you in |
| 10 | making your calculation? |
| 11 | Λ. I'm sure I was. I had to be. Sure. |
| 12 | O. Was the separator installed so that all wast |
| 13 | water would go through the separator? |
| 14 | A. It was installed so that all contaminated |
| 15 | waste water went through the separator, yes. |
| 16 | MR. HIRD: Maybe now might be a good |
| 17 | time for a break. THE WITNESS: Okay. |
| 18 | THE WITNESS: Okay. |
| 19 | (At this time a recess was held.) |
| 20 | BY MR. HIRD: |
| 21 | Q. When you designed the oil-water separator, |
| 22 | what was it that would move the light oil on the |
| 23 | surface into the pipe that would draw it off? Was tha |
| 24 | just accomplished by the flow of the water? |

Are you speaking of the one in Saint Louis

25

Λ.

1 | Park?

2

4

5

6

7

8

9

10

11

12

1.3

14

15

16

17

18

19

20

21

22

``23

24

- Q. The one in Saint Louis Park. I'm sorry.
- 3 A. Just the flow of the water.
 - Q. Still there would be sufficient flow that: it would move water into the pipe?
 - A. Yes. The general flow was from the influent end to the effluent end, right.
 - Q. If the heavy oil coming into the Saint Louis
 Park separator had dirt and sand mixed in with it, what
 effect would this separator have on that heavy oil?
 - A. Well, the separator would also separate out solids which would be in the heavy oil and it would create a problem then. They would have to settle it out in the tank and then periodically clean out the tank.
 - Ω. How would they go about cleaning out the tank?
 - A. I suppose what they did would be to first of all pump all the liquid out of it and then open the tank up and send a labor crew in with shovels to clean it out. That's the only thing I can think of. I never saw them clean one in Saint Louis Park, but that's the general procedure.
 - Q. Did you see it done at the Indianapolis plant?
 - A. Oh, yes, I've seen it done many times at the Indianapolis plant.

- O. Would you expect that to occur periodically in the life of an oil-water separator such as the one you designed at Saint Louis Park?
- A. I wouldn't expect it to occur too

 periodically. You're not going to get a whole lot of

 solids out of the creosoting operation. You're going

 to get some bark and things like that. You shouldn't

 get mud and cinders and that type of thing in it.
- O. But if it ran through a ditch, wouldn't it be likely to pick up dirt and sand and the like?
- A. If it ran through an open ditch, it would pick up dirt and sand, yes.
- O. When you actually saw the settling tank in operation for the first time, I believe you said that at that point the sewer had been dug out. Was there a still a tile?
- A. This was the effluent, yes. I don't remember how far the tile went, but I know further down in the plant it was definitely a ditch.
- Q. Further down past the separator or before the separator?
- A. Oh, past the separator. It was in pipes before the separator.
- Q. So when you did look at it, when you came to to Saint Louis Park for the first time and you looked



then pumped it up into the sewer.

15

16

17

18

19

20

21

22

23

24

25

Q. I'm sorry. If I could refer your attention again to U.S. Exhibit 2, could you mark where these sumps are that you were talking about?

Well, this sump isn't shown. But say there Λ. is a pump here. Here's your influent sump here, okay, and pump. If I remember correctly, this came out and; pumped through this pipe down to this end of the separator.

So I see. So it went all the way across the separator?

This is the influent pipe. And the Could you mark this influent sump? Um-hum. Don't take my locations literally. But as far as the thing operated, that's the way it was So before it got to the influent sump there. would be tile all the way back through the process? Several tiles emptied into the influent sump. Were those tiles when you observed them dirty Couldn't observe them. They were underground You said when you came there that the trench I'm speaking of the effluent trench. speaking of the one this pump pumps into. The tiles feeding the influent pump are not dug up, no. So every time you saw them they were They were covered, yes. I believe you mentioned at one point that the

levels that you drew in U.S. 2 of materials or the water level would vary on how often you pumped it out I assume that means that if you were less likely to pump it out, if you pumped it out less frequently, the levels would tend to be higher?

date stamp numbering of 302831 and 302832. Would these two charts indicate the flow rate of drainage from the Saint Louis Park facility around the time that you were designing the oil and tar separator? I believe if you look at the --

A. I can't find a date on it, but actually that's what these show. They show the actual flow in our effluent from the plant.

Exhibit, page signed by Mr. Horner for a moment, he seems to indicate on his list of Exhibits, list of attachments, number two.

A. Dry weather effluent flow dated January 25, '41. Okay. These must have been what I used. Okay. This is January 25, '41. So probably these are the graphs that I was speaking of that I used for designing the basin.

Q. Do you recall whether the notations on the left side of these two pages 302831 and 302832 indicate the gallonage in a specific figure? Is that gallons per minute?

A. It says gallons per minute. That's probably what it is. So it shows a flow generally of around 35, 30 gallons a minute with peaks at 85 gallons a minute.

Q. These readings were taken over I guess a two



- 1
- 2

- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 1.1
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23
- 24
- 25

- it, but I didn't stay and watch them operate it, no.
- I didn't see them pump it out or anything like that.
- was there for another purpose.
 - Ω. About how long did you spend looking at it?
 - Probably 5 minutes. I don't know. Α.
- Did you see anything that indicated at the Q. time that it was wasn't operating properly?
 - It looked clear at that time. Λ. No.
- Q. Can you tell by looking through the surface of the water if oils are building up to a high-level?
 - A. I couldn't tell, no.
- But could you tell if it were? I mean, can. Q. one tell by looking over the oil-water separator and seeing the tar level under the water level whether that was building up to a high-level?
- I never saw that at Saint Louis Park. At Indianapolis you couldn't see it because it was scraped into those hoppers and pumped out. I don't know whether you could see it or not. I never saw it at Saint Louis Park.
- Did you ask anybody any questions about its Q. operation when you first saw it at Saint Louis Park?
 - When I first saw it, no, huh-uh. Α.
 - Q. When did -- I'm sorry.
 - I just started to say I just walked around λ.

the plant and was looking at various things. It was the first time I'd seen the plant. I'd never been there before.

- Q. When did you next see the oil-water separator in operation?
- A. Well, I was at Saint Louis Park probably ten times in twelve years. I won't say every time I went there I looked at it, but I saw it several times during that time, that period of time, which would be in the '!
- Q. Did you ever see anything that indicated that it wasn't operating properly or it wasn't maintained properly?
- A. Well, I was there one time during the flood, and I understand they had much worse floods than that, but that's the only thing I saw.
- Q. When were you there during the flood, about what time?
- A. I'd say it was after Louisiana Street was put through whenever that was, which I think was in the mid '50's. I don't know. I can't remember. It was after that time.
 - Q. So probably the late '50's?
 - A. Probably, yes.
- O. What happened when you saw the flood? How did it --

- A. I can't remember to be honest anybody telling me any reason why we're cleaning up the water other than we had to clean it up. We wanted to clean it up. I don't know that there was any other reason.
- Q. Were you told that there had been any other type of oil-water separator or equipment that would control oils leaving in the effluent at the plant prior to the time that you designed this oil-water separator?
- A. I can't remember any. Of course, I knew that we had separated oil and water in a tank. But that's the same thing. It isn't as good as this, but, of course, a cone bottom tank might be better. But that's the only thing. Just separation by retention of the oil, you know, it takes so much time. You have to have a 30 minute settling time.
- Q. Were you told that there were any such tanks in operation at the time that you designed this oil-water separator?
- A. Not for that reason. We had a lot of cone bottom tanks in operation for separating various oils and various materials that had different weights.
- O. So prior to the time that you designed this oil-water separator and the separator was installed, as far as you knew the oils that would be caught by this

В

would have gone right out the pipe and continued out of
the Reilly property?

A. Prior to the installation of the settling basin, any water that went out with oil in it, yes, the oil would go right out with it, sure. That was the purpose for building the separator.

Q. I understand at a certain point later in time a straw filter was used in conjunction with the separator. Where in the process was that installed? Was that installed before the water got to the separator? Was that installed after the water got away from the separator?

A. It was installed after the water got away from the separator.

Q. What was the purpose of the straw filter?

A. The purpose of the straw filter was to absorb any iridescent oil that floated on the surface. These light oils were -- just a few drops of light oil will cover a tremendous area. You don't need very much. They form a very thin film and they spread out and they're very difficult to skim off because they are so thin. You get a lot of water with them when you skim them off. So what you can do any light oil that escapes you can built a straw filter and the straw will absorb that oil.





. 1

25

the straw filter.

What

Did you give any written instructions to the Q. plant manager when you designed the straw filter?

take the dirty straw out and put clean straw in.

it and then put it back and lift out the second one and

17

18

19

20

21

22

23

24

- Well, I'm sure I did. But I can't remember doing it. But I'm sure that some written instructions were given.
 - What instructions do you think you gave him? Ω.
 - Α. When to change the straw and the straw filter

В

. 21

also contained a weir which measured the flow of the sewage or the effluent, how to read that and change that from inches to gallons per minute or something.

- Q. How frequently would you have instructed him to change the straw?
- A. It depended. You can tell by looking at the straw. If you didn't have much of that iridescent oil the straw might last, I don't know, maybe two weeks.

 On the other hand, if you had a lot of it, why, you'd have to change it a couple times a week. You had to do that by observation.
- Q. What would happen if someone did not change the straw as frequently as necessary?
- A. Then as soon as the straw absorbed all of that iridescent oil it could, it wouldn't absorb any more and it would look the same downstream as it did upstream.
- Q. Now, was this straw lowered into a trench?
 Was the procedure that the straw filter would be
 lowered into the trench which the effluent would be
 coming through?
- A. Okay. If you can visualize a box, a wooden, box. I don't know how big this box was. Say it was four feet wide by maybe three feet deep, say. Okay.

 You would have a cage which would be that wide and

water would start turning brown.

11

KIPRY A.

KENNEDY & ASSOCIATES

١.

they give you an explanation?

A. When they put Louisina Avenue through they put storm sewers in draining that whole area. And the storm sewer effluent in the storm sewer was in their plants, they just ran it inside our property line and stopped it. So when we had a heavy rain that whole area of Saint Louis Park drained into the storm sewer and ran across our plant. That's what caused the serious flooding.

O. Pid they give any thought to establishing dikes so that there wouldn't be a flooding of the oil-water separator?

A. No. Well, we talked with them about completing the storm sewer and getting rid of it. We talked ourselves about putting our own ditch in to route it around the plant and up across Walker Street. It was sort of impractical.

Q. Why was it impractical?

A. Well, Wheeler Lumber Bridge and Supply was right there in the way. We would have had to go around them. All our railroad tracks that were entering the plant we would have had to gone under those. We would have to tunnel under the street where it came in and that would have been a job. Build bridges and

| everything, | tunnels |
|-------------|---------|
|-------------|---------|

В

2]

- Q. Was there any thought to building a dike in the system that would simply take the water off so that it would not run past the oil-water separator?
- A. You mean build a dike across our plant to do this? No. No. Huh-uh.
 - Q. Or build a trench?
- A. Build a trench? There was some thought to building a trench, but it would have been a very expensive proposition. It would have to be a pretty good size trench and go through all those places I talked about.
- Q. How about simply a dike around the area where the oil-water separator was?
- A. It would have to contain a lot of water, a dike would. You'd have a big pond there plus the fact also right here near where that came in somebody, I believe Ready Mix Concrete Company, had a plant there, I believe. They were renting part of the land from us and were making concrete there, I believe. I believe it was one of the Ready Mix Concrete companies.
- Q. In the design of the oil-water separator was there a settling pond that came immediately prior to the separator? In other words, that water could go through the settling pond and then into the separator?

A. What was your question again?

Q. Was there a settling pond of some sort on the property that effluent would go into on its way to the oil-water separator?

A. I wouldn't call it a pond. There were sumps. For instance, at the edge of the cylinder there was a sump and there were sumps under the cylinders. The cylinders were riveted tanks. And if they sprung a leak, the oil would go into this you might call it a gutter under the cylinders and run out into the sump at the end and it was pumped to a tank and it was settled in a tank. Poes that answer your question?

Q. Actually it leaves me with a little bit of a confusion. Let me tell you where my question comes from. In some of the Reilly documents that we've seem there is references to a pond and a settling pond. In mot sure whether this is a -- and I believe Hert Finch in his deposition referred to a pond that is somehow in an earlier stage before one gets to the oil water separator. Would there have been a particularly large sump that might have been what you're thinking about and might have been called a pond by somebody else?

A. I can't remember any sump that could by any conceivable stretch of the imagination be called a pond.

I can't remember. I don't believe there was a lake in

the same thing?

15 THE WITNESS: Correct. That's correct.

MR. HINDERAKER: This discussion about a settling pond is something different from the settling basin that's been discussed?

the plant or a pond. I can't place -- the only body of

water, the biggest body of water in the plant I can

MR. HIRD: That has been my understanding or my import of my question.

THE WITNESS: I think if Herb Finch used the term settling pond I think he was referring to the settling basin or the separator. I don't know. I don't know of any pond.

'MR. COYNE: You'll note on Minnesota



14

16

17

18

19

20

21

22

23

24

25

1



1 Exhibit 9 there is a pond shown. 2 THE WITNESS: Okay. There is I forgot. I can explain that pond to you. That is not a settling 3 4 pond though. What that pond is is that pond is a pond we use to cool our condensers in the refinery. In 5 other words, we had a pump there that pumped make-up 6 7 water, you know, to the pond and the water was pumped 8 out of the pond and went through the condenser coils 9 and then the warm water came back into the pond where 10 it evaporated and the evaporation was made up by pumping water into the pond. 11 BY MR. HIRD: 12 13 So that would be a returning cycle to and 0. 14 from the pond? 15 Right. That water was not contaminated Λ. 16 That water was all in coils and never came into contact 17 with the product. Would it have come in contact with 18 Q. product if the coils had been leaking? 19 20 Oh, yes. Yes. If the coils leaked, they would leak into the water going through the doils. 21 22 Normally the leakage was the other way because the

23

24

25

, at 7

KIRBY A. KENNEDY & ASSOCIATES

1:

Ω. What do you mean by blown down?

14

15

16

17

18

19

20

21

22

23

24

25

A. Well, when you make steam you buildup dissolved solids in a boiler. In order to keep from coating the tubes and scale, you've got to blow it down every once in awhile. You blow the water. There are two ways you blow it down. Blow down water -- of course, we had two different kinds of boilers. So I'll confuse you. But anyway, you have to blow down the water to put more treated water in to prevent scale formation on the tubes which you burn which would burn the boiler out. It floats right on top. That skims off water with dissolved solids right where the steam

separates. A skimmer then skims off and that water is contaminated. Went to the settling basin also.

- O. From both boilers?
- A. From both boilers except that, in order to clarify that, the one boiler was used as a standby for the other. There was a 20,000 pound Riley tube boiler which was a water tube boiler and then a smaller boiler which was about the same size but it was a Bros fire tube boiler. And the fire tube boiler was used only as a standby for the Riley. When the Riley boiler went out or down we went to the Bros boiler.
 - Q. By Riley you mean the Riley R-I-L-E-Y?
- A. Riley Stoker Corporation. Right. No connection. Just the same name. Spelled differently.

MR. SHAKMAN: Bros boiler is B-R-O-S.

- A. Bros boiler made in Minneapolis.
- Q. Were the two boilers located right next to each other?
- A. They were right next to each other in the boiler room.
 - Q. Marked on Minnesota Exhibit 9?
 - A. Correct. Right. Um-hum.
- Q. Now, you were talking before about water from the cylinder in the treating plant. Do you mean the treatment cylinder where pressure was applied to ties

A. Right.

1

2

3

5 '

6

7 i

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

Q. In the course of the process of treating the ties was steam plown across the ties inside the cylinder?

ti k pandi

I think on our ties which was most, to my knowledge. Now, I won't say they didn't do it. But to my knowledge the process that was mostly used on ties at the Saint Louis Park plant was first thing they did is they put the white ties in the cylinder, okay. second thing they did is they filled the cylinder with oil. Then the next thing they did was they pulled a vacuum on the oil and this pulled the sap out of the Okay? Then this, of course, contaminated the wood. oil with water. The next thing they did is they heated the oil and applied pressure. I forget how much pressure. Around 200 pounds per square inch I think. And this forced the oil into the wood. Then depending on who the customer was or how he wanted it treated, they just pulled it out that way. They put the oil back in the tank and pulled it out or they put the oil back in the tank and pulled another vacuum on it. There are several different methods of treating. would depend on what the customer was going to use the lumber for. He would tell you how he wanted it treated.

Q. Were there any methods of treating that was used which involved blowing steam across the wood during the treatment process?

A. There may have been because we did treat some lumber for Wheeler Lumber Bridge and Supply and how that was treated I don't know. I wasn't in on the operation of the thing. But I think our ties were all seasoned in the yard. The process was to season the ties in the yard, to bring them to the adzing and boring mill or the machine, what you might call the tie machining plant where were adzinged and bored and anti-splitting devices were put in the ends and they were put in the cylinder and treated and pulled out and shipped.

Q. But in the cylinder did the process, for example, heating up the preservative call for blowing steam across?

A. For heating up the oil they had steam coils in the bottom of the cylinder and they'd put steam if the steam coils --

Q. But loose steam wasn't blown across?

A. I won't say it wasn't, but to my knowledge -as I say, I wasn't involved in the plant. I think most
of the treating was railroad ties. And I think most of
the ties were seasoned in the yard until -- there was a

Sometimes they distay there a lot longer because they had to wait until they got an order. They never treated it except to order. A lot of these ties belonged to railroads. They didn't belong to us. So what we did is we put the ties in the cylinder when we got an order and put ties in the cylinder and then we

Harry March

O. Was there any pan or process at the end of the cylinders that would collect condensate of any sort steam condensate?

A. Well, to answer your question about the only thing I can do is tell you what I know. And that is when they blew pressure off the cylinder they relieved it into a tank. Then they pumped the cylinder out with a centrifugal pump, I believe, a big centrifugal pump that pumped it from the cylinder back into the tank. Then they opened up the end of the cylinder and pulled the ties out. They were pulled out onto a big long concrete pad which was above ground. Now, to answer your question I'm trying to remember.

- Q. I understand.
- A. To answer your question, when they opened the cylinder doors you would get oil and water out the end of the cylinder door down into the sump, right at the

22

23

24

. 24

A. Well, our contaminated water when that settling basin was designed was coming from the refinery and from the creosoting plant. This includes the boiler room because the boiler room was in the creosoting plant. Those are the only two sources that went into the settling basin that were actually piped into the settling basin. Anything else got in there by accident.

O. Was there any type of contaminated water that might not have gone through the settling basin that you can think of in terms of how it was discharged? I'm talking now about the time when you were planning the basin and its location.

A. Well, in later years -- there were a couple years or a few years there that, in fact, that was one of the things we were doing when they decided to close the plant. We had a tar pit. This tar pit was a concrete basin. It had steam coils in it. The tar was brought into a building that covered the tar pit, the tar sump. The tar was unloaded from cars into this tar sump just by opening, connecting a hose, putting the end of the hose down into the tar pit and opening a valve and then a tank car. It would run by gravity out

2

3

4

5

6

7

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

of the tank car into the tar sump. The reason it was built that way is because it's cold up there and sometimes that tar gets awful hard to handle. You have to put steam on the coils of the car which is clean, of course. That steam air comes in contact with any product. But in later years that building went into disrepair because it was so old. The thing was built about 1920 or '21 or '22. So we tore the building down before it fell down. We had a roof designed to go over it, but before the roof was designed the drawings were made, but before we built it the plant shut down. it never got covered again. That's the only other contaminated water I can think of that did not go through the settling basin. Because when it rained on that tar you had water floating up on top of the tar. Of course, it stayed pretty clean. It hooked clean. You can't say it wasn't contaminated because it was contact with tar.

- Ω. Was this tar sump that you described also referred to sometimes as a tar cistern?
 - Λ. Yes. Yes. Um-hum.
- Q. Could you point on Minnesota 9 to the location of the tar cistern?
 - A. That's it.
 - Q. Where it's indicated --



If water were fed into a boiler which

25

Q.

3

4

5

G

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

Q. When you talked about flooding of the basin, you mentioned, I believe, earlier that the basin was elevated about a foot from the ground.

(The witness shook his head affirmatively.)

So that the flooding would essentially come Q. over the top. At least the way it was described to you by the gentleman at the plant, would it carry the heavy oils that were in the bottom of the basin out as well or just the surface water?

Well, if the water came from the east side of the plant, I would say most of it would just be surface water. But the time it came from the north side of the plant -- well, I saw it come from the east side. never saw it come from the north side but I know it happened. That flooded the boiler room and the treating cylinder and everything. The boiler room floor was inundated. The treating centers were inundated. The level was clear up. It wasn't up to the cylinder, but it was washed over that floor where we caught the oil that leaked out of the cylinders and it also flooded the sumps at the end of the cylinder.

0. Would it running over the settling basin be of sufficient force to carry with it any heavy oil that might have been sitting at the bottom of the basin?

It would certainly upset the settling basin.

25

It would

tar would then coke. Then you'd have a layer of coke

which is real good scale on the inside. The tube would

| 1 | get red hot and could rupture because steel when it |
|-----|---|
| 2 | gets that hot the strength of steel goes way down in |
| 3 | temperature. You get above 1,000 and it's pretty low. |
| 4 | The tube would just rupture from stress. |
| 5 | NR. HIRD: Thank you, Mr. Hennessy, for |
| 6 | today's deposition. I guess we'll see you tomorrow. |
| 7 | (At this time a discussion was held |
| 8 | off the record.) |
| 9 | |
| 10 | (At this time the deposition was adjourned |
| 11 | and set to be resumed at 9:00 a.m. on the |
| 12 | 11th day of January, 1983.) |
| 13 | |
| 14 | |
| 15 | |
| 16 | |
| 17 | |
| 18 | |
| 19 | |
| 20 | |
| 21 | |
| 2 2 | |
| 2 3 | |
| 24 | |
| 2 E | |

BY MR. HINDERAKER:

3 Mr. Hennessy, I'm first going to sort of go Q. over some things that were touched upon yesterday, 4 matters that I wasn't clear about in our discussion 5 6 with Mr. Hird. I may be touching on one topic for a 7 very short period of time and then going on to another. I will try to identify for you that I'm doing this so 8 9 that we're tracking on a similar vein. If for any 10 reason you have a question or you don't fully 11 understand my question, tell me so that I can rephrase 12 it.

13

A. Co ahead.

14 15

16

17

18

O. Let me first for my purposes get in context your employment history with Reilly. I don't want to repeat yesterday so I'll ask you questions and you can tell me if I'm tracking right. You were employed by Reilly in Indianapolis as an engineer in approximately

19

19387

A. Right.

20 21

O. Then in the late '40's you had a job title change to assistant chief engineer?

22

A. That's correct, yes.

24

 Ω . Then I understand sometime in the early

25

1970's you --

| 1 | A. '60's I think. Well, wait a minute. Middle |
|----|---|
| 2 | of '60's. Somewhere around there. |
| 3 | Ω. Middle '60's. And your job title was changed |
| 4 | to what? |
| 5 | A. Chief engineer. It might have been the late |
| 6 | '60's. It's when Mr. Horner retired, whenever that was |
| 7 | But anyway go ahead. |
| 8 | Q. All right. So you became chief engineer |
| 9 | after Mr. Horner retired? |
| 10 | A. Yes, that is correct. Now, Mr. Horner was |
| 11 | still chief engineer in emeritus. But he was more or |
| 12 | less on special projects. He wasn't running the |
| 13 | engineoring department any more. |
| 14 | Q. Do you have a sense of how many years Mr. |
| 15 | Horner was still at Reilly Tar in this emeritus status? |
| 16 | A. Just a few years. I can't remember. It |
| 17 | wasn't very long. Very few. |
| 18 | Q. For example, try to get a handle on this time |
| 19 | frame, one of the documents that you looked at |
| 20 | yesterday, and if it's important to pull it out we will |
| 21 | but it was Saint Louis Park Exhibit 43 and it happens |
| 22 | to be dated November 19, 1969. That document is one |
| 23 | which references Mr. Horner as an attendee at a |
| 24 | particular meeting. With that time reference in mind, |
| 25 | would that be, as best you can recall, would Mr. Horner |

1.

- the appraisals or the engineering department made all the appraisals for insurance values.
 - Q. What type of appraisals of what is what I'm asking.
 - A. Building, equipment. We did not appraise the inventory. I think the plant managers did that. But building and equipment and things like yard piping, cranes, things of that nature, trams, whatever, rolling stock.
 - Q. For what period of years did you personally do that?
 - Λ. Well, I personally do it or supervise it, one or the other.
 - O. Yes.
 - A. I would say from late '40's until they computerized that operation which was in the early '70' maybe late '60's.
 - Q. Did you also appraise land?
 - A. No.
 - Q. That was not an element of the insurance appraisal tasks?
 - A. No. Because you only appraised -- the purpose for the appraisal was to buy insurance. We appraised the plant and sent it to the management and they bought the insurance.

So

Participant of the second

| 1 | Ω. | You were not a member of the finance |
|---------------------|------------|--|
| 2 | committee | at any time? |
| 3 | Α. | Oh, no. No. |
| 4 | Q. | I'm going to pull out a piece of paper here. |
| 5 | | (At this time Saint Louis Park Deposition |
| 6 | | Exhibit 49 was marked for identification by |
| 7 | | the Court Reporter.) |
| 8 | BY MR. HIN | NDERAKER: |
| 9 | Q. | Mr. Hennessy, I'm going to show you the copy |
| 10 | of this do | ocument that the court reporter has marked for |
| 11 | identifica | ation as Saint Louis Park Exhibit 49. This is |
| 12 | a memorand | dum of July 9, 1970, from yourself to Mr. P. |
| 13 | C. Reilly | . I want you to take whatever time you desire |
| 14 | to review | that document and I'll have some questions. |
| 15 | Have you l | had a chance to look at that? |
| 16 | Α. | I read it over, um-hum. |
| 17 | Ω. | This memorandum was prepared by you? |
| 18 | Α. | Yes. |
| 19 | Q. | It is relative to an appraisal of the Saint |
| 20 | Louis Park | k plant? |
| 21 | Α. | This is an appraisal made for actually |
| 22 | selling th | he plant, or part of it. |
| 23 | Q. | I take it that it was at the request of the |
| 24 | finance co | ommittee? |
| THE PERSON NAMED IN | | |

25

Α.

Well, it's addressed to Mr. P. C. Reilly.

supporting these values are attached." I have a question regarding the process by which you came up with these figures in light of your practices with regard to appraisals for insurance.

A. Well, this is entirely different than an appraisal for insurance. Appraisal for insurance -- you only insure that part of the plant you only appraise that part of the plant which is insured which is appraising the whole plant. For instance, a railroad track is not insured. You never insured our fences. This includes everything. You never insured a railroad track.

Q. Do you have a recollection of what the supporting papers were?

A. You can imagine the calculations to arrive at this. They must have been -- I'd say they're as thick as thin tablet here probably.

MS. COMSTOCK: Quarter of an inch?

- A. Maybe half an inch. They had to be 20 or 25 papers, sheets of paper. I don't know. You can imagine what it was appraising the whole plant. It's no small job.
- Q. Would you tell me the process that you went through?
 - A. We obviously used Boeckh's Manual of

Λ.

1 Appraisals because they even asked me for -- his index 2 is here. So all buildings were appraised by using 3 Boeckh's index and Boeckh's Manual of Appraisals. 4 Equipment like tanks and railroad tracks and so forth 5 we knew the costs of them. We buy tanks every once in 6 awhile. We know the cost of a 20,000 gallon tank. We 7 know the cost of a 30,000 gallon tank or we know the 8 cost of a 100,000 gallon tank which would have to be 9 field crected. We buy them every once in awhile at 10 various plants. Then there is a Marshall and Steven's 11 index where if you know the price in Chicago, say, you 12 can transfer it to Minneapolis or you can transfer it 13 to somewhere else. You can also correct it for 14 inflation during the years. This Marshall and Steven's 15 index is used for equipment. What else is there? Well, cranes and things of that nature. It's like work 16 17 order, old work orders would tell us how much we paid 18 for the crane and we would know how old it was and what kind of shape it was in. We'd know its condition. 19 20 know how much use we had of it. We'd know that it was 21 the type of crane that we'd replace it with. This all 22 has to do with the value. 23 Then how about the evaluation of the land Q. 24 itself?

The evaluation of the land itself. How did I

, , , ,

| 1 | A. Okay. |
|-----|---|
| 2 | Q. Is that a price which you consider to be fair |
| 3 | market value price for a purchase on that basis? |
| 4 | A. This is they asked me for my appraisal and I |
| 5 | gave them my appraisal and this is what I came up with. |
| G | Q. Because then the cost of leveling is added to |
| 7 | that price |
| 8 | A. Correct. |
| 9 | Q to determine what price in your view would |
| 10 | be a fair market value for selling the property with |
| 11 | just the land, is that right? |
| 1 2 | A. Well, this would be level all the buildings |
| 13 | and I assume I had in that cost removal of the rubble. |
| 14 | I don't remember how we were going to dispose of the |
| 15 | bricks and so forth. But yes, essentially you're |
| 16 | correct. This was the cost of leveling the plant. |
| 17 | Q. That figure then is \$1,654,400, correct? |
| 18 | A. It's \$1,687,000, well, 88, and then \$400, |
| 19 | yeah. You add the figures. You add \$1,554,600 and |
| 20 | then the \$1,834,800. Is that your question? |
| 21 | A. Then do you subtract the \$34,000? |
| 22 | A. Yes. The \$34,000 is what you sell the a |
| 2 3 | lot of the material is salvageable and can be sold. At |
| 24 | that time back in when was this written? 1970. |
| 25 | That's what I figured the value of the salvage would be |

| 1 | Q. So then what would be as you calculated what |
|----|--|
| 2 | was the fair market value for the Saint Louis Park |
| 3 | plant property sold on a sold leveled? |
| 4 | Λ . Sold leveled with no salvage would be well |
| 5 | it would be the sum of \$1,554,600 and \$133,800. That's |
| 6 | my appraisal. |
| 7 | Q. Then if there was salvage you'd subtract |
| 8 | \$34,000 from that? |
| 9 | A. Yes. Because that would be income. That's |
| 10 | material you sold. |
| 11 | Q. That evaluation, was that for the entire 80 |
| 12 | acres of the site? |
| 13 | A. I believe it was. The only there was |
| 14 | several acres, I don't know how many, that Mr. Reilly |
| 15 | had deeded to Saint Louis Park years ago. It did not |
| 16 | include that. It included only that that we still had |
| 17 | title to. |
| 18 | Q. Did it include everything that you had title |
| 19 | t.0? |
| 20 | A. Yes, um-hum. Now, this also does not include |
| 21 | any inventory, you know, that was done by someone else. |
| 22 | Q. I understand. |
| 23 | Q. You notice on the bottom that Mr. T. J. Ryan |
| 24 | is carbon copied? |
| 25 | A. Um-hum. |
| | |

- 1

11:

j - il

He

You're welcome.

25

Α.

I'm

10 the early 1940's?

A. All right. We designed -- well, we were going to put in an Edens separator. We did a lot of work on that and run a sewer to the city sewer and we revamped, had some plans for revamping tile for doing that. But I did quite a bit of work on that. But that's all I can remember.

Reilly Tar plant in addition to the settling basin of

17

9

11

12

13

14

15

16

were in the early 1970's?

19

18

A. Yes. Correct.

20

Q. Did the plant close before the Edens separator was installed?

21

A. The Edens separator was never purchased.

23

Q. Was the plant closed before any of the waste

Would your recollection be that those tasks

24

water was disposed into the sewer system?

25

A. We never connected to the sewer system

| because we never could get permission. We did get | |
|--|-------|
| permission, but by that time the plant was we did | đ |
| get permission just before they decided to close the | 1.3 |
| plant or just about the time they decided to close | t h e |
| plant, yes. | |

- Q. So I take it that the tiles -- there was never a reason to revamp the tiles?
 - A. No. That's correct.
- Q. With regard to the Edens separator, were there any limitations regarding the quality of the effluent from that which you were operating under?
- A. By that question I assume you mean did the city tell us what they would accept.
 - Q. City, State or any governmental agency.
- A. Well, the people that finally gave us permission to go into the sewer gave us a limit on oil but they did not give us a limit on phenol. They said that would come later. That's as I remember.
- Q. Do I understand this right that to get the water of necessary quality to go into the sewer you would install the Edens separator?
 - A. That is correct, yes. That's right.
- Q. The compounds or the things that were being measured regarding the quality of the water into the sewer were oil and phenols?

, 1

1 \ λ. Correct.

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

.19

20

21

22

23

24

25

Q. That was all there was? Is that all that there was that was being measured?

- A. That's all that I remember.
- Q. And you got certain paramaters for the oil and never did get the paramaters for the phenols?
 - A. Right.
- Q. What was the nature of your involvement in those matters, the Edens separator and the sewer?

Α. Well, the nature was we got off to a false start. We designed an API separator and then we heard about this Edens separator which is a manufactured piece of equipment. And Mr. Justin and I went and looked at it and talked with the manufacturer. He assured us it could do the job, and we were assured by ourselves in our own mind that it could do the job. we were going to buy it. We told him as soon as we got the authorization to proceed we would buy the separator We had a quotation. We had delivery and everything This would have speeded up the work quite a bit because we could have put in a foundation for it and this thing was going to sit -- the bottom of the Edens separator was going to be right at ground level sitting on a foundation. So this would have been a lot quicker than building forms and building a concrete one. I &

25

Yes.

Q.

1.5

- Q. Could you tell me the subject matters of that involvement?
- A. The Army requested permits, you know, for disposal of waste water. I did all the work necessary to fill out the permits for the Army. I say I did all the work. I had the form filled out and so forth and work was done by Twin Cities Testing Lab or somebody up in Minneapolis. Herb Finch hired them to do it. Then we found out we didn't have to file it for two plants, for Minneapolis and for Ironton. Then there was a lausuit up at Ironton against the Army. And the whole result of that, we weren't involved in the suit, but the result is we had to file at Ironton. So that was my involvement.
- Q. Any other involvement relative to the Saint Louis Park facility?
- A. Well, of course, as I testified yesterday or told you yesterday, I did the structural design on the basin that was there in 1941 I think it was.
 - Q. Yes. Yes. Anything else?
- A. I was involved in the design of the straw filters that were put into the effluent sewer.
 - Q. Okay. Yes. Anything else?
- A. Well, I wasn't involved in any of the settling tanks so I guess there's nothing else.

| 1. | A. Yes, I would say so. Because I wasn't |
|-----|--|
| 2 | involved at all. |
| 3 | Q. Yesterday there was some discussion about, |
| 4 | changing of tankage from underground to above ground. |
| 5 | Part of the discussion involved the fact that |
| 6 | below-ground tanks could, if they were not full, could |
| 7 | float with sufficient flooding or waters around them. |
| 8 | As a consequence there could be bending at the |
| 9 | connection to the piping and potential leaking. Did |
| 10 | you see any of that yourself? |
| 11 | A. No, because only people that would go down |
| 1 2 | there and look at them would see it. I mean, this |
| 13 | would be plant personnel that would do that. I didn't |
| 14 | see it myself, no. |
| 15 | Q. Do you know what was done with any residue |
| 16 | the tankage when tanks were removed to above ground? |
| 17 | A. I don't know what Herb Finch did with the |
| 18 | residue from the tankage. |
| 19 | Q. When you changed the stills, would there be |
| 20 | any I take it whatever residue in the stills would |
| 21 | be the scaling? |
| 22 | A. No. There would be no residue in the still |
| 23 | They would have been blown clean before they were |
| | |

You mentioned yesterday some of your

24

25

charged again.

Q.

deposition or otherwise have you seen reference to stabilizing the yard for the tie area?

A. Well, I don't remember seeing it, but they did stabilize the yard, yes.

Q. Why was that necessary?

- A. Well, you had to build a road. They have big lift trucks that handled tie piles or ties and they have cranes that run on the roads. And in order that they don't mar down in mud during the rainy season, they have to more or less build roads just like you'd build a tar road with gravel or whatever. Same way you build a road outside except that the road wasn't as good. They didn't go to as much trouble as you'd go outside. Just enough to stabilize it.
- Q. So stablization in your background means building a road?
- A. Yes. Building a surface that can run their equipment over without marring down in the mud. That's what stablization is.
- Q. It doesn't relate to settling of the ground because of the weight of the ties?
- A. No. They don't care if the ties settle. The only thing the customer would complain bitterly if you

2

3

4

5

6

7

છ

9

10

. 11

12

13

14

15

16

17

18

19

20

21

22

23

24

- Q. In other words, you would have been twice as good as the city limits?
 - A. That's correct.
- Q. Okay. A simple question is to say that the separator does not remove 100 percent of the oils?
- A. Oh, no. No. It's impossible. That would be perfect settling.
 - Ω . Right. I take it that the basin designed in the early '40's also did not remove 100 percent of the oil?
 - A. No, it did not.
- O. As between the basin of the early '40's and the settling basin referenced in State Exhibit 20, was one more effective in the removal of oils than the other?
 - A. I'm sure it was, yes.
 - Q. Which one was more effective?
 - A. The later design was more effective.
- Q. So the later design would remove a greater percentage of oils than the 1940 design?
 - A. Yes.
- Q. Perhaps a difficult question, but do you have any way of making a relative comparison with more precision than greater than?
 - A. No. Because I know that chemists have

- A. Right.
 - Q. But it was not taken into account in the '40'
- A. No. No. That's correct.
- O. Between the '40's and the planning for the Edens separator there was no change in size of the settling basin at Saint Louis Park, was there?
 - A. No. No. Huh-uh.
- Q. After the settling basin was installed you were then asked some questions about operating instructions given to plant managers in written form. By question is whether you have a present recollection of written operating instructions for the settling basin or instead whether you are assuming on your experience that that would have been done. Do you understand that question?
- A. I understand the question. I think I'd have to answer it by saying that I assume because I can't remember distinctly writing anything. But I assume that we gave the plant manager a general operating instruction for the basin and then the plant manager would give detailed instructions to the men that were in charge of operating it.
- Q. Jumping forward now to I think early 1950's or maybe 1951, in any event, the first installation of the straw filter at the Saint Louis Park facility.

| 1 | beliove that yesterday you said that the purpose for |
|-----|--|
| . 2 | that was to improve the appearance of the discharged |
| 3 | water? |
| 4 | A. That's correct. |
| 5 | Ω. To your knowledge was there any other purpos |
| 6 | A. Well, it would take out the floating oil and |
| 7 | it would clean up the effluent that much more, sure. |
| 8 | That would be the purpose of it. |
| 9 | Q. Sure. |
| 10 | A. It wasn't just cosmetic. I didn't mean to |
| 11 | leave you under that impression. |
| 12 | Q. I guess where I am coming from is that |
| 13 | appearance will be improved because the oil will be |
| 14 | filtered out? |
| 15 | A. It definitely will be improved. Very |
| 16 | definitely improved. |
| 17 | Q. Sure. That's like apples are red because |
| 18 | it's an apple, you know. Because the straw filter |
| 19 | works the appearance will be improved. |
| 20 | A. That's correct. |
| 21 | Q. Do you have a recollection of what the |
| 22 | reasons were that prompted consideration of the |
| 23 | installation of the straw filter? |
| 24 | A. I don't remember why or what prompted the |
| 25 | installation of the straw filter. |
| | |

| | | | | | ow-up, | | | | [|
|-----------|-------|-------|--------|--------|--------|-------|-------|------|------|
| recollect | ion o | fany | body : | in the | early | 1950 |) ' s | rais | ing |
| environme | ntal | conce | rns wi | th co | ntamin | ation | 101 | sur | face |
| waters? | | | | | | ' ; | , | | |

- A. No. I never heard of any.
- Q. Any recollection of environmental concerns of health risks arising?
 - A. No.
- Ω. Getting back to flooding again, during maybe the twelve times that you were at the Saint Louis Park facilities am I correct that you saw it flooded on one occasion?
- A. Yes. I saw the refinery floor was under water and warer was over the road and cars running to the west of the refinery if you'd open the door I think water would have run into the car. I mean it was that deep.
- Q. Is that the only occasion that you personally saw flooding?
- A. That is the only occasion I personally saw flooding, yes.
- Q. Would your additional understanding regarding that topic have been acquired through being carbon copied on memoranda or just general discussion with personnel either by telephone or in person?



| 0. | bid | it | ao | under | a | bridge | or | railroad | bridge |
|-----|----------|-----|----|---------|-----|---------|----------|-----------------|--------|
| ~ • | 20 22 04 | - · | 90 | GII C L | 4.4 | Dr 7090 | 9 | T W T T T O U U | |

- A. No. The pipe just came into our plant and pended just right there. There was the effluent right there.
 - Q. On the east side?
 - A. Um-hum.
- Q. With reference to state Exhibit 9 can you locate on the east side approximately where on the east side that was?
- A. Well, let's see. I would say it was, I believe, probably right about in here or over in here maybe. I believe Louisiana Avenue came down here later on. I think this is an older map, if I'm not mistaken. I don't know what the date is. But anyway, it was right around in this area.
- Q. Right around an area approximately equal distance between the words "Wheeler building" and "stills, condenser pans"?
 - A. Yes. Um-hum. I'd say somewhere in here.
- Q. To your knowledge was the engineering department ever charged with the task of coming up with a remedy for the plant flooding?
- made several proposals. Several proposals were made to

around the south end -- you know, to the south end of 1 2 the plant. Here these proposals that were initiated at 3 0. the engineering department? 5 I believe they were initiated in the main' Α. office by Mr. Reilly himself. G 7 Mr. Reilly's proposals were directed not to the engineering department for workup but to plant 8 9 managers, is that what you're saying? 10 He suggested to us that we figure out a way of making a big ditch around the plant to carry all 11 12 this water to the sewer under Raymond Street or under 13 Walker Street I guess it is. Raymond Street's in 14 Indianapolis. 15 Was there any follow-up on that? Q. 16 λ. Well, no, there was no follow-up. We did what he suggested. We told him how much we thought it 17 would cost and what was involved and he immediately. 18 lost interest I think. I think that was the follow-up 19 20 on it. Might we take a break 21 MS. COMSTOCK: 22 sometime? 23 Let's take a MR. HINDERAKER: Yeah. 24 break about 10:30. I have one page of yesterday's

notes and then just a few quick questions. After that

. 1

That's strictly legal.

I wouldn't get

25

Α.

No.

- Q. See that in big words "Republic deep well"?
- A. Oh, yes. Okay. Yes. That's the one. I believe that's it. That's the well that I had some involvement with.
 - Q. Do you have any knowledge of the quality of the water that came from that well?
 - A. It contained sand and it contained little balls of oil after it was pumped for awhile.
 - Q. Do you have any knowledge of the quality of the water of any other wells on the plant site?
 - A. No. I don't know that they were being pumped when I was there. I think that was the only one being pumped. I could be wrong.
 - variety of people.
 - A. Who know more about the wells than I do.
 - Q. I just want to know -- I don't want to go beyond your knowledge. Obviously you had different responsibilities than other people at the plant or at Reilly Tar.
 - A. Yes.
 - Q. To the extent you have any understanding or knowledge regarding the quality of any of the wells on the Reilly property, it would be with regard to the Republic deep well only?

A. Okay. Go ahead.

21

22

23

24

- Q. I'll ask the question again. I don't want to talk about from '74 to today.
- A. Okay. All right. That's where I read all this stuff about phenolic contamination is EPA and this

- 1 | contamination?
 - A. No. It was a discussion about well water

 tasting terrible in wells, and there was an argument

 between some of the residents about when it started

 tasting terrible.
 - 6 O. Let's put this Saint Louis Park Exhibit 4
 - A. All right.
 - Q. Let's look at State Exhibit 48 for a moment.
 - A. 48?

9

10

11

13

14

15

16

17

18

19

20

21

- Q. Take a moment to read that.
- 12 A. I read it.
 - O. I see you're carbon copied on it of August 4, With regard to the last paragraph it says, "The problem of contamination has been pretty well solved at the Cleveland plant." The question is the problem of contamination in what?
 - A. The question is what contaminants were they?
 - Q. No. What was contaminated?
 - A. Our effluent. The flow from the plant in Cleveland.
 - Q. Speaking about the waste water?
- 23 A. The waste water, yes, right.
- Q. Can you tell me how that problem was solved at the Cleveland plant?

| A. Well, it was solved in stages. First of all |
|---|
| we put in an API separator. We reported to the State |
| of Ohio for a few years on what we were putting into |
| Cuyahoga Creek I think it was. Then we asked for after |
| much negotiation, I wasn't involved in those |
| negotiations either, but we finally got permission to |
| enter the city sewer. Cleveland did the same thing |
| Saint Louis Park did. They gave us permission, but |
| they told us what we had to do to enter the sewer. The |
| only thing we had to do, which surprised me, was we had |
| to put in a cooling tar because our water was too hot. |
| They weren't complaining about the amount of oil we had |
| or phenol. They knew what we had because they tested |
| it themselves. They had some laboratory in Cleveland |
| test it. But they complained about the temperature of |
| the water. So we put in a cooling tar to cool the |
| water. That was it. |
| 그 사람들은 사람들이 가장 살아 가장 살아 가장 살아 먹었다. |

- Q. With those accommodations discharge to the sewer?
- A. Sewer and it's still that way today. As far as we know there is no problem. The only problem we ever had is when the water gets too hot, why, we hear about that. But that doesn't happen very often. They really watch it.
 - Q. So the Cleveland plant is in operation up to

5

6

9

10

14

15

16

17

18

19

20

21

22

23

24

- A. Of the effluent, yes, um-hum.
- 2 O. Let's look at one more, number 23. You'll
 3 see it's dated May 20, 1968, about 6 days after the
 4 last document.
 - A. Okay. I've read that.
 - Q. We're looking at a work order, are we not?
- 7 A. That is correct, yes. Wait a minute. No.
- 8 This is a request for a work order.
 - Q. I see. Okay.
 - A. By Mr. White who was the plant engineer.
- 12 by Mr. Lesher and Mr. Hennessy.
- 13 A. Yes.
 - Q. What was the subject matter? What was your focus here?
 - A. Focus was to get rid of the ground tanks, put in overhead piping between the condensers and the grounds tanks. I'm sure that's what he says here.

 Well, that's a work record for collecting data and control. This covers cleaning of the separator, hauling residue away. He's going to clean the separator, clean out the trench system. Insulation of second straw filter. Installation of elevated blow down tank for the boiler blow down water so that can bypass the settling basin which it really should do, of



- Q. Previous to that time it did not bypass the settling basin?
- A. Previous to this time it went into a blow down tank which was at ground level, and there it was mixed with water to knock the temperature down and then it was run through the settling basin. That was previous. Now he's recommending and we did it. I'm sure this is a project that went. We put in an elevated blow down tank so that you could get the solids out of the boiler water, settle it and then let the effluent bypass the settling basin and go right down the sewer because that's clean distilled water really, you know. There is no point to putting it through the settling basin.
 - Q. Were these modifications or improvements directed to improving the quality of the waste water or the effluent from the plant?
 - A. Yes, um-hum, definitely.
 - Q. That was the purpose?
 - A. That was the purpose.
 - Q. So on the document on the second line refers to water pollution are we referring to the quality of the waste water disposed of?
 - A. That's correct. Water pollution control.

2.

| Q. | Let me a | sk this gen | eral question | n. I thin |
|----------|-------------|-------------|---------------|------------|
| that I'l | ll probably | ask two qu | estions along | g the line |
| that we | did earlie | r; that is, | the first qu | uestion I' |
| going to | ask about | your knowl | edge and the | second, , |
| assuming | the answe | to that t | hen if there | is a |
| follow-u | up, I'll as | k if you ha | d any unders | tanding. |
| Again my | y time fram | e will be p | rior to 1974 | Okay? |
| Α. | Okay. | | | 1 |

- Q. Do you have any knowledge of any threat to the quality of the Saint Louis Park drinking water supply as a result of the operations of the Reilly plant at Saint Louis Park?
- A. No. I had no knowledge of any threats to the Saint Louis Park drinking water supply.
- O. Did you have any understanding whether any threat was presented or not to the drinking water supply at Saint Louis Park as a result of your Reilly operations?
 - A. No. I had no such understanding.
- Q. A couple more questions, same time frame, same two questions, knowledge and then understanding. Did you have any knowledge of any threat to health of people as a result of the Reilly tar operations in Saint Louis Park?
 - A. No.



because these people if anything came of it and we had

to do some work we were the ones that would have to do

24

- Q. Various things that you mentioned do I understand correctly would improve the quality of the waste water disposed of from the plant?
 - A. I think so, yes, um-hum.
- Q. Did you have any understanding of whether the method of disposition of the waste water at the plant was such that it could contaminate the underground water supply of the area?
 - A. No.

not I don't know.

6

7

B

9

10

11

12

13

14

16

17

18

19

20

21

22

23

24

25

··· 15

- Q. No understanding?
- A. No, huh-uh.
- Q. Let's look at a Saint Louis Park Exhibit for a change. Number 10. I notice that you're carboned on it. Why don't you review it. My question will be whether you had any discussions with anyone relative to the subject matter of this proposed meeting with the PCA.
 - A. All right. I read it.
 - Q. Do you recall any discussions with Mr. Finch

to further prepare him for his meeting with the PCAP

- A. Well, I obviously discussed it with Mr. Finch I can't remember what we discussed though. But probably it would be the -- he says I told him that it would be July before we could have the system in operation which was true. Edens separator is built to order and it's not something that you just go into a store and buy off the shelf, you know. It's built to your means, your specifications.
- Q. Do you recall any other discussions that you may have had with Mr. Finch or anyone else?
 - A. About?
 - Q. About what would be --
 - A. This meeting?
- Q. -- said to the Minnesota Pollution Control
 Agency?
- A. No, I don't. I really don't. Because I never met with him.
- Q. Looking at the fourth paragraph, the last sentence of that paragraph saying, "Any possible contamination on our part would be remedied by natural forces over a period of time." Do you have any understanding of -- what do you understand that sentence to mean, if anything?
 - A. Well, I guess I don't know what he means by

22

23

24

1 natural forces whether he means biological forces or what. 2 Q. Did you have any discussions about biodegration of any phenols from the product? You mean for the Saint Louis Park plant? 5 Α. Right. 6 0. 7 No. Α. 8 Ω . As we sit here today you're not sure what Mr. 9 Finch may have meant by that sentence? 10 No, I don't know what he meant. 11 0. You don't recall any discussions with him about that? 12 13 I'm sure I did not discuss this part of iti, This is one of his own ideas I think. 14 have to talk with him about it to be able to tell you 15 16 what he meant. 17 When you were at the plant in the '50's, you ever observe that the ground was contaminated with 18 any of the products either raw materials or end 19 products of the Saint Louis Park plant? 20 21 Some of the ground around the tank farm was It wasn't bad. Actually I thought the 22 discolored.

23

24

25

ground looked pretty good. As I mentioned before, the

treating cylinders, the trams were pulled down on a big

concrete pad. So any dripping from the trams as it

.17

left the cylinder would not go on the ground. Most of the yard out there where they stored white ties, nothing to contaminate the ground. The black ties, they were only made to order, you know. There was very little storage of black ties because they only treated ties when they had a purchase order for them. They were either loaded out directly from the cylinder or stored for a very short time in the yard until they completed the order. Then they shipped them.

Q. From your observations did you get any sense of the extent of penetration of this contamination into the soil?

A. Well, I'll tell you a little story. No, at Saint Louis Park I did not. But in Indianapolis Mr. Horner and I had a discussion one time. It got pretty heated. We discussed how creosote oil would penetrate the ground. He said, "If you go over there in front of those cylinders and you dig down," he said, "you'll hit clean gravel in about two inches." I said, "No way." No way." So we went over there with a shovel and a pick and we dug through the real oily sand and gravel that had been pulling these trams out for years and he hit clean gravel about two or three inches down. It was perfectly clean. It was just white. I couldn't believe it.





A. He convinced me. He took a shovel and said,
"You dig a hole." Yes, He convinced me.

- Q. From that empirical work would you assume that Saint Louis Park would be of similar condition?
- A. Well, you know, they build roads with this road tar. Of course, I realize a light oil is nothing like road tar and would have more penetrating ability, but the stuff does form a matrix with sand and gravel and rocks and things of that nature. It forms a very impervious layer too. At least that's been my experience.
- Q. So based on your experience is it right that you'd assume that the Saint Louis Park facility was, similar to the one you looked at with Mr. Horner?
- A. Well, it wasn't as bad because the

 Indianapolis plant had no concrete pad. This was

 within 20 feet of the end of the cylinders. The plant

 had been built in maybe '22 or '23 or somewhere around

 in the early '20's. This must have happened in the '50

 that this happened. So they had been pulling those

 trams out for about 30 years and that's when we had our

 little discussion.
- Q. So your understanding would be that the Saint Louis Park facility would be better than the

٠, ۲

2

3

4

5

6

8

9

10

. 11

12

13

17

18

19

20

21

22

23

24

25

1 Indianapolis one?

A. Yes. Because in the first place all that drippage would land on concrete, not on the soil.

- Q. Awhile ago when I was asking about the quality of well water you mentioned a Republic deep well and we kind of let that sit. Let me ask some questions about that. You mentioned that after awhile, after a period of time of pumping, it would bring up, what did you say, what type of substance?
 - A. Oil, little balls of oil.
 - Q. Did it have any characteristics of tar?
 - A. I don't believe it was tar.
 - Q. Pid you see it yourself?
- 14 A. Yes.
- 15 Q. Did you undertake to determine the source of those balls?
 - A. I didn't undertake. Maybe I assumed something I didn't know. But I was sure I knew where they came from.
 - Q. What did you conclude?
 - A. Well, for years before the installation of the electric pump they lifted the water with air. They used air to lift the water. The air came from a huge (reciprocate go) compressor we had in either the treating room or I think it was in the boiler room.

| Anyway, we had a very large compressor. This |
|---|
| compressor had cylinder oil added to it, naturally, as |
| all (reciprocate yo) compressors do except the oil is |
| tight. But this certainly wasn't an oilist type. Of |
| course, I just said, "Well, there is where the oil came |
| from." For years and years they've been lifting that |
| water with compressed air. There is a direct pipe |
| right to the well which would be cylinder oil which is |
| a petroleum oil. |

- Q. Did you do any or have done any chemical analysis of this material?
 - A. No, I did not, no.
- o. When you began to give your explanation you said maybe you assumed things you shouldn't have assumed. What did you mean?
- A. Well, what I meant is, you know, when the oil balls came up I said, "Oh, what do you expect? They lifted the water with compressed air for years and years." I don't know when it must have been. I dom't know when it must have been. I dom't know when they installed the electric pump. But that's in here somewhere too. I know that they had to use that compressor for 30 or 40 years, 30 years anyway, very minimum.
- Q. Did you form this conclusion before or after you saw the balls?

| A. OII | Toltunately 1 alan t see the balls soon |
|--------------|---|
| enough becau | se we went ahead and installed a pressure |
| tank with al | l its equipment in order to use the water |
| in the well. | The pressure tank worked perfectly for |
| maybe a mont | h or so and then it quit. We wanted to, |
| find out why | it quit. We found that they had oil and |
| sand in all | the parts, all the controls were all gummed |
| up with oil | and sand. Of course, that's when I assumed |
| well, that i | t's that cylinder oil. |

- Q. Did you look at the little balls in the water after this pressure tank had been installed and a new pumping system?
 - A. I'm sure I saw the balls, yes.
 - Q. Relative in time do you have a recollection?
- A. It was quite a bit after that, yes, because I wasn't at the plant when it quit.
- Q. Quite a bit after the time that the new pumping system and the pressure tank was installed?
 - A. Yes, um-hum.
- Q. Then when you went to the plant did you form your conclusion right away on seeing the materials?
- A. I may have even formed my conclusion before because it's such an obvious source of oil.
- Q. So your reasoning was you thought where the sources of oil were you remembered the pump and you

l concluded that was a source?

- A. It couldn't have gotten in from the ground because even the deep floods we had would never have flown in the pipe. The thing was about waist high when you stand up, the top of the pipe was. So it had to come -- that's the only way I could figure out that it got in there.
- Q. Were you involved at all with any filling of that well?
 - A. No.
 - Q. Let's look at State Exhibit 13.
 - A. State Exhibit 13. All right. I read it.
- Q. Notice in the first paragraph Mr. Finch references product losses about the fifth line.
 - A. The fifth line?
- Q. Fifth line of the first paragraph. You see in that sentence requests were made for engineering assistance in this project because of product losses?
 - A. Um-hum.
- Q. Do you have any knowledge of what products were lost and the extent of that loss?
- A. Yes. He had a header in the refinery building which went to various tanks, you know, first cut all in one tank, second tank to another, third to another and so forth. These valves were old and

Q. Then the paragraph identified as Arabic number 1, says, "Loss in inventory as a result of leaks of undetermined origin as evidenced in the material being pumped in our settles basin." Do you have any understanding of what he meant by that?

product loss because he had to rework all that stuff.

A. Well, evidently the settling basin was darker than usual. There was more oil being collected than usual. So he said loss of inventory as a result of undetermined origin as evidence of material being pumped to our settling basin. In other words, he was catching much more oil in the settling basin than normal. That's what I get out of that.

Q. Would you have been to the plant site to either observe the condition described in the paragraph identified as number 1 or to observe the condition of the header at the piping?

- A. Mr. Fenoglio went. Sent him.
- Q. So your knowledge is based upon what Mr. (Phe

- Were you in any way part of the decision-maki
 - Α. No, I wasn't.

13

14

15

16

17

18

19

20

21

22

23

24

25

Do you have any knowledge beyond what is memorialized in the Exhibit as to why the Saint Louis. Park facility was closed?

Α. Well, I'm sure it wasn't too profitable a I believe that. I can't swear to it, but I believe it was not too profitable of a plant. Plus difficulties we were having or had had. It says right here it's primarily based on economical and ecological factors. So evidently the difficulties we had in disposing of our waste and evidently the plant wasn't economical so the management decided to close it. That's what it says. Rising cost, dwindling raw material supplies. I don't know anything other than

2

3

5

6

7

8

9

10

11

. 13

14

15

16

17

18

19

20

21

22

24

- what this letter says. I wasn't in on the decision to
 - Q. Would you look at State Exhibit 82, please?

 My question will be whether that Exhibit is the memorandum you had in mind when you referred to Mr. P.

 C. Reilly's suggestion of ditching around the perimeter of the property.
 - A. Okay. I read it.
 - Q. Would that be the memorandum that you had
- A. Yes.
 - Q. -- in mind when you talked about --
- 12 A. I'm sure it is.
 - Q. I better finish my question. You and I understand what we're saying but the transcript won't be complete. This is the memorandum you had in mind when you referenced Mr. Reilly's suggestion to dike the perimeter of the property as a way of responding to surface waters during heavy rains and so forth?
 - A. That is correct.
 - MR. HINDERAKER: If I could have 5 minutes to see if I'm not done.
 - (At this time a recess was held.)
- 23 MR. HINDERAKER:
 - Q. Mr. Hennessy, do you have any knowledge of how the surface waters naturally drained in the area

1 outside and including the Saint Louis Park plant?

- A. Well, obviously that swamp is a low point.

 So it probably drains -- my guess is it would drain -
 I have no knowledge, no. But obviously it must drain

 from north, south, east and west into the swamp I would
 imagine.
- Q. Why don't you pull out State Exhibit 83 here.

 I know you said that you're not a chemist. But
 nevertheless, just because we're here we'll forge on.

 I'm going to look at the third page of that Exhibit and
 you'll see the heading on the left-hand margin KOO1?
 - A. F001?

- Q. Go down from "F" to "K".
- A. KOOl. Right.
- Q. If you following the designation KOOl there are a number of compounds listed.
- A. Right.
 - Q. My question is going to be for that period of time before 1974, all right?
 - A. All right.
 - Q. Did you know if any of those compounds were in creosote or coal tar or any of the products of the Reilly facility?
 - A. They must have been in the products because, we never separated them. We never refined any of this

| material | at Sair | nt Louis | Park. | We never | separated | 1 |
|----------|---------|----------|---------|-----------|-----------|------|
| phenol. | We neve | er separ | ated ch | loramine, | creosote, | none |
| of these | things | • | | | | 1 |

- Q. Did you know at that time that those compounds were in those products?
- A. Well, I knew that some of them we took out at Haywood, at Newark, New Jersey, we took phenol out.

 Yes, I knew they were in there, some of them.
- O. You knew phenol was in there. Did you know of any others in there?
- A. Paracresol and metacresol, we had a plant in Indianapolis to separate those. So I knew they were in there. Some of these I can't. I don't know what that is. Acenaphthalene, I knew that was in there.

 Naphthalene. Yes, we had three naphthalene plants at various locations. I knew that was in there.
 - Q. In coal tar creosote?
 - A. In coal tar. It can be taken out, Okay
- Q. Prior to 1974 did you have an understanding whether any of those compounds were carcinogenic?
 - A. No.
 - Q. Or potentially carcinogenic?
- 23 A. No.
- Q. Or co-carcinogens?
- 25 A. No. Because people worked with them all our

lives.

Q. Did you have any understanding that any of those compounds presented any kind of threat to health when one comes in contact with them in a regular way?

- A. I have to stop and think. Red wax which is the very last thing you get before you get pitch or before you get coke, after pitch, that will burn your skin. Some people especially people with fair skin cannot handle creosote ties because their skin will blister. What else? I'm trying to think of any health hazards we had. Those are the only ones I can think of
- (). If you look at the designation K035 which happens to be a little more than midway down on the middle column.
 - A. All right.
- Q. My question will be whether prior to 1974 you knew whether any of those compounds were in coal tar, creosote or any of the Reilly products.
- A. Of course, creosote, that's a mixture of all kinds of things. I knew naphthalene was in there. I don't know about henzol. I guess I don't know. A lot of tar has benzol in it, but it's not supposed to have I don't think -- well, at least they always complain when they get benzol in the tar. Anthracene, of course we had an anthracene plant here in Indianapolis here at

one time.

- Q. From coal tar?
- A. Oh, yes, from coal tar.
- (). Prior to 1974 did you have an understanding that any of those compounds were carcinogenic?
 - Λ . No.
 - (). Or co-carcinogenic?
- A. No.
 - Q. Did you have an understanding that any of those compounds presented a threat to health?
 - A. Of course, you can't breath benzene. That's in there. But that will kill you if you breath benzene But any of these others I don't know of any. Of course naphthalene is a terrible irritant when you breath it. That is, if you get a real concentrated solution of the scrapers. But then it can't be too dangerous because they make mothballs out of it and put it around homes. You put it in closets. You can buy it at a dime store in a package. We used to package mothballs. So they can't be terrible.
 - Q. With regard to both the compounds that you we identified under KOOl and under KO35 prior to 1974, did you have any understanding whether those compounds would present a risk to health as a result of ingestion through the drinking water supply at Saint Louis Park?

No. No. Α.

Was it your understanding that they did not present such a risk?

Well, I never even thought about them being in drinking water. You certainly wouldn't want to drink any of this stuff, I'll tell you.

It was something that just never came up?

Just something that never came up.

MR. HINDERAKER: That is all the questions I have for this morning. Thank you.

(At this time a lunch recess was held.)

17

18

19

20

21

22

23

24

25

CONTINUED CROSS-EXAMINATION

BY MR. HIRD:

Hennessy, yesterday when you and I were O. talking we discussed at some length the operation of the treatment cylinders and the wood treating plant at Saint Louis Park. I'm a little unclear as to whether your answers referred to specific knowledge of those treatment cylinders or your general knowledge of Reilly treatment cylinders located in various plants.

It depends on what I was talking about. If I Α. was talking about the operation of the cylinder, this is just very general knowledge. But if I was talking about the design of the cylinders or how they were

2

3

5

ß

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

- supported or where, some sort or things of that hature, then I had knowledge of that.
- Q. By "the operation" you would include such things as what kinds of things were done in the course of treating specific ties? In other words, what preservative is used, how steam is used?
 - A. That's correct.
- (). So that information would be on the basis of your general knowledge?
 - A. That's correct.
 - Q. As opposed to your specific knowledge?
- A. I'm sure that most of the oils used were creosote oil from our refinery. Now, the railroads did slip some oils in, but I'm pretty sure they were all coal tar oils.
- Q. You're answering with respect to the use of steam in the processes with respect to your knowledge of how steam is used generally or used in other plants?
- A. Yes, generally. I was a little bit surprised when you asked about the steam because I didn't think that they steamed at Saint Louis Park. But I could be wrong. I said so at the time.
- Q. Okay. I just wanted to be clear. Just when I reviewed the transcript of the very first day I noticed that I had asked you one question and where I

- think I'd asked you whether you were a debenture holder of Reilly and the transcript came out saying I asked you if you were a pension holder. I don't know whether you were confused at the time when I asked.
 - A. What do you mean by debenture holder?
 - Q. What I meant was I was trying to determine whether you were in any way a creditor of Reilly Tar.

 Are you in any way a creditor?
 - A. No.

Я

- Q. But you do hold a pension?
- A. Oh, yes. They pay me a pension, um-hum. But they don't owe me any money other than that unfortunately.
- Q. I'd like to turn your attention back to I guess an Exhibit which has been referred to under various designations. This is I think Saint Louis Park Exhibit 43 which is comprised of Minnesota 58 and 95 and an additional page in between.

MR. HINDERAKER: Which one are you looking at? The State or the Minnesota?

Q. The entire composite. Saint Louis Park
Exhibit 43 is the composite of the two. You will
recall I think we discussed the flow charts that appear
later on in Saint Louis Park Exhibit Exhibit 43 at
pages 302831 and 302832. I'd like to turn your

2

3

5

6

7

8

9

| attention to the third page of Saint Louis Park Exhibi |
|--|
| 43, which is a one sheet supplement by Mr. Horner. I |
| believe Mr. Horner when he described the attachments |
| refers to dry weather effluent flow dated January 25, |
| 1941. That's those two sheets, those two flow sheets, |
| if I'm correct. |

Yes. Λ.

- What is meant by a dry weather effluent flow? Q. What would it be distinct from?
- Evidently he must have meant that it didn't rain during that time. That's the way I would read it. Dry weather.
- Do you have any idea how these specific flows were measured? Were they measured through the weir that you had discussed yesterday?
- Α. I do not know whether these were measured by the weir or by the sump pump. They could have been! measured very accurately either way.
- How would they be measured by the sump pump? Q. We're talking about the days before the Excuse me. oil-water separator was installed. Was there a sump pump there before the oil-water separator was installed
- I don't know. That's a good question. thought there was, but I don't know.
 - Q. The sump pump would have been immediately

24

before the oil-water separator in physical location?

Es

A. Well, when we built the oil-water separator, we put a new sump pump in I'm sure. That one was new. But I was under the impression there was one there before. See, the sewers are underground. They had to lift this up into the sewer. So I really -- I suspect I can't swear. I suspect there was a sump pump there. But anyway, whoever measured it I'm sure either used a weir or he could use the sump pump if there was a sump pump. Either one's very easy to do.

- O. Looking at those flow records on those sheets would you say that they show a dry weather estimated discharge from the plant of about 50,000 gallons per day?
 - A. Let's see. I never thought about it that way
- Q. If you'd like to do some calculations from the figures that are there.
- A. I would say the average is what, 35, say 40 gallons a minute to make it easy to calculate. 40 times 60 times 24. Now is that? That gives you 57,600 gallons. Is that what your question was?
- Ω. I was saying about 50,000 gallons since we started by rounding up. That might give you a rough approximation.
 - A. That's what it looks like.

| Ω. | Could yo | u turn to | an early | part o | f that |
|-----------|------------|------------|------------|---------|-------------|
| document | from the | Hinnesota | Departmen | nt of H | ealth dated |
| May 19387 | You rec | eived thi | s report | as part | of this |
| package v | when the w | whole pack | age was co | pied? | |

- A. Yes. Part of the whole package.
- Q. Had you seen this report before that time?
- A. I don't remember seeing it before that time because I was in college when this was written, May of 1938.
 - Q. Did you join the firm in --
 - A. June 13th of '38.
 - Q. June 13th of '38.
- A. I won't say I didn't see it, but I don't remember it.
- Q. Do you recall seeing any documents by the Minnesota Department of Health talking about the effluent from the Saint Louis Park plant during your first few years with the company before you designed the oil-water separator?
 - A. No. I don't remember seeing those at all.
- Q. Do you remember seeing any memoranda, interoffice memoranda, concerning the Minnesota Department of Health's interest in the effluent from the Saint Louis Park plant during that period?
 - A. I can't remember seeing any.

in very good condition. I don't know just what the

1 problem is. 1 think it's cancer.

- else who might have worked on that phenol extraction tank project?
- A. No, unless it was some of the other engineers more experienced engineers than I. They weren't in the department at that time. They had done some detail work on it I don't know. But I did not.
- O. Are any of the engineers who were in the department at that time other than yourself, Mr. Mitchell and Mr. Horner still living?
- A. Not to my knowledge they're not. The only ones I know about are deceased.
- about how the phenol extraction tank would fit into the oil-water separator that you were designing? In other words, the relationship between the two pieces of equipment.
- A. No. I can't remember when that phenol extraction tank was put in. Do you remember? Do you have a date on it? I don't know. Seems to me it came after the separator, but I could be wrong.
- Q. Well, we're a bit unclear ourselves as to when it was put in or quite frankly if it was put in.
 - A. Well, I wouldn't even swear if it was put in.



G

- 1 If it's mentioned somewhere it must have been put in.
- 2 O. Do you remember ever seeing it when you went
 3 and visited the plant?
 - A. Oh, no. When I first went to the Saint Louis
 Park plant in 1951 or '52, whenever it was, the
 byproducts plant was completely gutted. There was
 nothing there, but I think there was one air compressor
 left in the plant that was still running and that was
 it. All the equipment had been removed.
 - Q. So your understanding was the phenol extraction tank if it was installed was installed in connection with the hyproducts plant?
 - A. Oh, yes.

б

- Q. Really dealing specifically with the effluent from that plant?
 - A. I think so, um-hum.
- Q. So it would be likely if it had been installed it might have been installed sufficiently upstream so it would only deal with the effluent from the byproducts plant as opposed to effluent from other plants?
- A. If it was installed I'm sure that's where it would have been.
 - Q. So in that case waste water --
 - A. See, we never extracted phenol anywhere else

but in the byproducts plant.

- Q. So waste water from other sources would have come to the oil-water separator without going through the phenol extraction tank?
- A. Oh, that's correct, yes. The phenol extraction tank is just for that one process.
- O. Do you recall whether the Reilly lab did any testing on phenol extraction during those early years?
 - A. I wouldn't be able to say. I don't know.
- O. Did you ever work on phenol extraction operations anywhere in any of Reilly's plants?
- A. No, I did not because I think the only two places in the company where we extracted phenol, the only places I can think of, is Newark, New Jersey, and we may have in Chicago, but we also did in Saint Louis Park. Okay. Um-hum.
 - Q. Why in Newark was that done?
- A. Because that's where our phenol formaldehyde resin plant was.
 - Q. Makes sense. Why in Chicago?
- A. I think they had a market for it. I don't really know now. But I think they had a market for it to somebody that was became a light or somebody was making resins and wanted it.
 - Q. They were selling the phenol?





12

13

14

15

16

17

18

19

20

21

22

23

24

25

So the purpose is in Newark and Chicago would be to extract phonols for resale?

- That's correct as opposed to not correct, the effluentfrom being contaminated.
- If I could ask you to look again at the Minnesota Department of Nealth report which is part of one of the attachments in Saint Louis Park Exhibit 43. Could you look to the second sentence of the second
 - All right. Um-hum. Λ.
- If I'm correct, that would read that this gentleman who prepared the report who I believe is Mr. Kempe you will see at the final page had information that on May 16, 1938 the volume of waste water flowing through the ditch in the area where you later installed the separator was 200 gallons per minute and on May 19th the flow rate was 150 gallons per minute.
 - A. Um-hum.
- I meant the flow rate when I was also talking about May 16th. Wouldn't that yield you a higher volume of gallons per day than 50,000 gallons per day?
 - Read the next sentence though. Α.
- The next sentence says, "This was mostly Q. surface runoff and ground water." What do you think

| Mr. | Kempe | meant | by | surface | runoff | and | ground | water | and |
|-----|-------|-------|----|---------|--------|-----|--------|-------|-----|
| hau | | 4.4. | | | | | | | |

- A. It must have rained pretty hard. That's all I can say to raise it from 35 gallons a minute to 200 gallons a minute and then the next day it dropped down to 150 gallons a minute. Let's see, May the 16th to May the 19th it must have been a pretty good rain storm That's my guess. I don't know.
- Q. But when you calculated the capacity of the separator using the flow rate, you used only the dry weather flow rate?
- thing was to contain the contaminated water at its source and keep as much rain water out as possible and only run it through the separator.
- Q. How would rain water be kept out of the ''s separator?
- A. Well, it would be kept out by -- any rain water that fell outside that area would not be channeled through the sewer. It could go in downstream but not through the separator.
- Q. I'm a little confused because here Mr. Kemple refers to obviously surface runoff and ground water I guess which are the products of a rain storm getting into the ditch. How were they getting to the ditch if

, 1

25

Α.

Well, where it says untreated lumber area

right in there. That's where I thought the open ditch.

- Q. You're referring to Minnesota Exhibit 9 when you say that?
 - A. Yes. Correct.
- Q. Okay. But my question is if your memory was faulty and this was indeed an open ditch leading into the oil-water separator, then rain water and surface runoff would go through the oil-water separator?
 - A. Yes, it would. It would.
- Q. If you read further on in the paragraph I think the fourth sentence it says, "A thick accumulation of tar was present on the sides and the bottom of the ditch," and then goes on to say, "The waste was milky containing floating oil, emulsified oil and settled tar." Would this milkiness be the product of an oil and water emulsion or a water and oil emulsion?
- A. Any milky oil-water mixture I've seen was an emulsion. Now, I don't know what this man saw. But I would suspect it was an emulsion, yes.
- Q. And the settling basin that you designed would not be very effective --
 - A. No.
 - Q. -- in settling out an --
 - A. It will not settle out emulsified oil, no.

1 You have to keep emulsions out of it.

Q. If you read further in the same paragraph the next couple of sentences I believe say as follows, "The road ditch between Walker Street and the plant contained a tar accumulation of about 6 inches deep. Oily water extended over the surface of the bog and much of the vegetation and peat was covered with tar."

Do you have a sense from reading those two sentences at what part of the plant area or the area just outside of the plant Mr. Kempe was referring to? And if it would help you to refer to Minnesota 9, please do so.

A. He says it extended over the surface of the bog and just reading his English I would say that he was talking about this area -- let's see. Where's our sewer here? I'd say he was talking about this area right here.

Q. Or perhaps it might be better here on this map which is Reilly Tar 3. Do you mean this area below where State Highway 7 is marked?

A. Let's see. Where's our plant? Here we go.

I don't know where it crosses but somewhere right in here.

- Q. Around where?
- A. Where it says State Highway.
- Q. Just above Lake Street?

| | Α. | Yes. | Between | State | Highway | and | Lakė | Street. |
|--|----|------|---------|-------|---------|-----|------|---------|
|--|----|------|---------|-------|---------|-----|------|---------|

- Q. Below the curve, directly below the curve and Walker Street?
- A. Hold it. Wait a minute. That's right. This is Walker Street. I think the bog extends clear over here. So it would be here along Walker Street.
 - O. Along where Walker takes a curve upward?
 - A. Beginning of the curve I'd say right there.
- O. When you were involved in designing the oil-water separator, were you aware of any efforts to clean up the surface of the bog or the vegetation about the same time that you were constructing the separator?
 - A. No, I was not.
- On any of your visits to the plant did you observe oily water on the surface of the bog or peat covered with tar as Mr. Kempe observed in this location
- A. When I walked down to that bog which was about 1961 or somewhere around in there, the grass was growing real high and there was some -- well, the grass was brown right near the water, but right a few feet away from the water it was growing like mad and it was very high.
- Q. By brown do you mean covered with some sort of tarry substance?
 - A. Not tarry substance. It looked like it had

- been stained with oil I would say.

 Q. Did you see any oily water on the surface of
- A. I saw very little where the sewer flowed into

6 MR. HIRD: Off the record.
7 (At this time a recess was held.)

(At this time the requested portion of the record was read aloud by the Court Reporter.)

BY MR. NIRD:

the bog?

- Q. I think the question that I asked was when you visited the plant, and I believe you testified that the only time you really went down and looked at the bog was in about 1962, did you see any oily water on the surface of the bog as Mr. Kempe apparently saw in May 1938?
- A. As I remember, there was a very slow flow into the bog and there was a back flow against the shore and there was a little bit of oil right up against the grass just floating and the rest of it was clear. That's my recollection. This was a nice, sunny warm day.
 - Q. Were you ever involved in any testing of

- water that came through or into the swamp or bog?
- A. No, I wasn't.
 - Q. Whether before or after the installation?
 - A. I wasn't involved in testing of water at all.
 - Q. Were you aware of the tests and their procedures and results?
 - A. Which tests now?
 - Ω. Any tests and their procedures and results.
 - A. I was familiar with the test made for the Army to fill out their forms made by Twin City Testing Labs.
 - Q. Any tests of this water before that date?

 Were you aware of any tests of this water before that date?
 - A. No, I wasn't.
 - Q. Why were you involved in the Twin City testing?
 - A. They gave me the job of filling out all these forms that the Army required for all our plants. At that time I don't remember how many plants we had, but it was quite voluminous, the paperwork. So I had a couple of my engineers helping me and then we had the samples taken by -- I don't even remember who took the samples. But anyway, each plant manager hired a chemical laboratory that they knew was competent in



| 1 | their area and they had these tests that the Army w |
|-----|--|
| 2 | had to run the tests to answer the questions because w |
| 3 | didn't know. |
| 4 | Q. What kind of tests were taken? |
| 5 | A. You know, we discussed it yesterday. There |
| 6 | were about ten paramaters they wanted to know. |
| , 7 | Q. Were there any tests taken in the ditch that |
| 8 | came out after the oil-water separator at Saint Louis |
| 9 | Park? |
| 10 | A. I would assume that the samples were taken |
| 11 | just before the water left the plant, but I wasn't |
| 12 | there when the people sampled it. But that's why it |
| 13 | should have been taken. |
| 14 | Q. But after leaving the separator? |
| 15 | A. Oh, yes. Yes. That's what they were |
| 16 | interested in. |
| 17 | MS. COMSTOCK: It seems there is some |
| 18 | confusion about the time period you're talking about. |
| 19 | You're talking about in general as opposed to |
| 20 | Q. I think we're both talking about the Twin |
| 21 | City testing that was done about the time of the Army |
| 22 | materials permit which I believe was |
| 23 | A. '69. |
| 24 | Q. '69, '70 I think we were both clear as our |
| 25 | testing period. |
| | ! |

A. On the benzol separating tank I'm not quite certain where that was. But I believe it was at the refinery. Water from tar acid distillation, yes, I would say that was considered. Yes, it was. Free water from separating from storage tanks, that was considered. Sulfate water resulting from springing of carbolated, I don't remember anything about that. I know what it is, but I can't remember it. I don't remember it. Blow off water from boilers at creosoting plant and surface drainage water resulting from rain to melting snow. The only thing I can't remember is number 4, the sulfate water.

- Q. But other than number four, each of these sources of water was considered in your design of the oil-water separator?
 - A. Pardon?

3.

would be extracted in the phenol extraction tank.

- o. For the figure 4,800 gallons of water -- I'm sorry. Could you distinguish between the first cut and the wet cut for me?
- A. Well, when you take water off you get some oil with it. It depends on how they cut it. But you can't take just plain water off without a column, you know. If you just distill it you'll get some oil off with the water, so-called water cut. This would be your very light oils which contain some phenol. And of course, phenol would be dissolved in the water. Then the first cut oil, I'm quite certain that was also used for phenol extraction.
 - Q. So the wet cut would proceed the first cut --
 - A. Yes.
 - Q. -- in tar distillation?
- 17 A. Right.

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

18

19

20

21

22

23

24

- Q. So if I gather correctly, your testimony is that what Mr. McLellan is referring to here when he uses the figure 4,800 gallons of water per month is the wet cut or is it the water?
 - A. It's the water in the wet cut, yes.
- Q. That would generally go through the drainage system?
 - A. After the phenol was extracted. Now, see,

- 1 Do you recognize the handwriting on this Q. 2 document, Minnesota 10, as Mr. Finch's handwriting? No. 1 do not. 3 Α. Q. Could you recognize Mr. Finch's handwriting 5 ordinarily? Α. No. 7 So basically you're not sufficiently --8 The reason I don't know and the reason I Α. 9 doubt that it is Mr. Finch's handwriting is -- well, |it doesn't say it's a copy, does it? Let's see. He asked 10 me to send copies. I was thinking this might be a copy 11 12 that someone in Indianapolis copied off, but I can't 13 prove it. It doesn't say there is any copy sent to anybody, does it? I'm sure I must have gotten a copy 14 15 though. Wait a minute. No, that's later. I can't 16 tell you whose writing that is. 17 If you look under paragraph 4 there is a reference under 1A of a figure for flow and the gallons 18 per day figure. I see listed here the figure of 4,800 19 gallons per day. 20 21 A. Yes. 22 Would you consider that figure likely to be Q. 23
 - Q. Would you consider that figure likely to be accurate based on the calculations that you made at the time and the figures that you had based on at the time when you originally constructed the oil-water separator

. 25

- A. Yes, I would consider this to be accurate because the February 1971 I don't think there was a whole lot going on at the plant. I think they had very accurate methods at that time for measuring flow. I have no reason to doubt the accuracy and figure at all.
- Q. So this figure 4,800 gallons would not be based on a plant in full operation as in earlier years?
- A. This is based on what we were doing which is what I think they really asked us.
- Q. What processes were shut down by February 1971?
- A. I don't believe we were making electrode

 pitch at that time. I think the creosoting operations

 were greatly curtailed because they weren't bringing in

 any more lumber and they were just treating what they

 had to order. So I think that both operations were

 severely curtailed.
- Q. So this figure 4,800 gallons per day would not be representative of the flow during the years when the plant was in full operation?
- A. No. But it was representative of the flow at this time, um-hum.
- Q. Thank you. If I can refer you back to

 Minnesota 79. If you look under "F" on the second page

 of the document under the heading, "Page 1 Byproducts

A. I believe when you extract tar acid oil from neutral oil you do get a layer of emulsion between the two.

· 6

11.

- Q. Would this have been produced in the course of running the byproducts department at Saint Louis
- A. That's what it says. Ryproducts department, um-hum.
- Q. Perhaps you can help me a little bit further in tracing this down because I am with my lack of technical expertise not entirely clear what Mr.

 McLellan is referring to here. Is your reading of that paragraph that the emulsion has been separated into oil into different substances, or that the material remains in an emulsion?
- A. He says that there are several ways of breaking an emulsion. He says he's breaking it by heating it. You can break it with pressure. You can break it chemically or with heat. It depends on what the emulsion is. He says it's placed in a storage tank where heating and settling over a period of time.

1 | the plant grounds to kill weeds?

IJ

- A. Well, we made our own weed killers and we also purchased commercial weed killers.
 - Q. But products would be used in other Reilly' plants?
 - A. Certain products would be used, yes.
 - Q. Which products in particular?
 - A. Well, this obviously is one. There is an oil from the chemical plant in Indianapolis which is used for weed killing. I can't tell you what it is though.

 Synthetic plant.
 - The author of the document says that this material that is spread around for weed killing amounts to about 600 gallons per month. But none of it goes to the ditch. Where else could it drain off to?
 - A. Well, he didn't spray it on that heavy. When you spray with a weed killer I don't think you have a flow across the ground. See, he's covering a big area with this 600 gallons a month. He's covering a huge area. I don't think there would be any flow across the ground.
 - Q. About how huge an area would he cover by spraying 600 gallons a month?
 - A. Well, he obviously was killing all the weeds in his storage yard because of the fire hazard involved.

- Q. Would that be the area marked "treated" and "
 lumber area" on Minnesota 9?
 - A. Right.
 - Q. If you move down --
- A. Also up here where it's marked "untreated cross tie storage area" and also "untreated lumber pilings and poles."
 - Q. So those areas as well?
- A. Sure.
 - Q. Basically spray it around the entire plant?
 - A. In other words, out of the 80 acres maybe he'd be spraying maybe 60. I don't know. I'm guessing Something of that order of magnitude. So he'd be spraying 60 acres maybe. That's a lot of area.
 - Q. If you move down to the area under the heading on page 2 next to last paragraph Mr. McLellan refers to about 2,000 gallons of sulfate water being produced per week and 1,200 gallons of waste from benzol tanks which would bring the total of waste material entering the ditch to between 3,000 and 4,000 gallons. Were you familiar with any sulfate water discharges in that level?
 - A. No, huh-uh, I wasn't.
 - Q. Let me turn you to the last page of the document and the second to last paragraph at which





int

- A. I hadn't seen this letter. I would have said "no" before I saw this. This is the first time I remember seeing this letter. To my knowledge there wasn't. But of course, I hadn't been there very long.
- O. When he's talking about settling basin similar to Mobile and Maywood, would he be referring by Maywood to the settling basin that you observed at the time when you designed the settling basin --
 - A. Yes.
 - Q. -- at Saint Louis Park?
- A. Um-hum.

8

9

10

11

12

13

14

15

16

18

19

20

21

22

23

24

- Q. Was to your knowledge the settling basin in Mobile constructed along the same principles?
- A. I don't know because -- I can remember the settling basin. Yes, it was a basin where -- I don't know. I had nothing to do with the settling basin at Mobile but it was a similar basin.

remove any materials soluble in water." Would that suggest to you that Mr. McLellan was concerned that a settling basin installed at the Saint Louis Park plant might not eliminate a portion of the oil or tar that was getting into the waste water, specifically that portion which is soluble to water?

- A. A settling basin will not remove any materials soluble in water. That's obvious.
- Q. Doesn't this express a concern that a settling basin might not be sufficiently effective because of materials that would be soluble in water passing through the basin?
- A. Well, I have no idea what he had in mind when he wrote this back in 1938. I don't know.
- Q. Rut that was just three years before the settling basin was installed?
 - A. That's right.
- Q. So if Mr. McLellan was concerned that it wouldn't remove materials soluble in water, your design or rather the design that was installed would not deal with that concern?
 - A. No. That's correct.

 (At this time United States Deposition

 Exhibit 3 was marked for identification by the Court Reporter.)

1 BY MR. HIRD:

Q. First of all, let the record reflect that while we were circulating Exhibits Miss Comstock conferred with the witness. Mr. Hennessy, could you take some time to take a look at the opening of --- well, why don't you review the entire Exhibit 3.

A. All right. Let me read the letter. I did not get a copy of this one, did I? Of course, I was too young at that time to get a copy.

A. Okay. I read it.

- Q. Let the record reflect that United States 3 is a document from Mr. Mitchell to Mr. A. E. Larkin dated May 1, 1940, and bears the date stamp number 303040 and appears to be on Republic Creosoting Company interoffice correspondence stationery. Mr. Hennessy, as of this date, May 1, 1940, were you familiar with Mr. Mitchell?
 - A. Oh, yes, I knew Mr. Mitchell May 1, 1940.
- Q. Was he an employee of the Reilly Tar and Chemical Company in the engineering document?
 - A. Yes, he was.
- O. Does this document appear to you on the basis of your experience with the Reilly Tar and Chemical Company to be an interoffice memorandum --
 - A. It is.

include the creosoting operation?

Q. I'm sorry. It's a month figure. I will withdraw that question. In any event, this indicates Mr. Mitchell indicated a -- if I could refer you then to the second to the last paragraph, about the second to the last sentence. I believe Mr. Mitchell says that the excess water from the distillation of tar should be processed in a similar manner, referring to the process that he describes above.

A. Right.

18

19

20

21

22

23

24

- O. Can I ask you first whether the process that he describes above would be the process that you understood would be operating at the phenol extraction tank if that tank had been installed?
 - A. That is it. That's correct.
- O. I believe you testified that the phenol extraction tank if it was installed was only installed in order to remove phenols from byproducts production.
- A. Well, he obviously pumped the tar wet cut over there. It says so right here in the letter.
- Q. Does it say that he did or does it say that it should be done?
- A. Well, let's see. Is this before the fact or after the fact? Let's see. Okay. Distillation of tars, water and light oils. So those are the cuts.

 2,400 gallons a week. So he's planning on extracting the phenol from those waters and light oils. Number two in that list.
- Q. But this has been written, I believe, as a proposal for adding on a phenol tank and does not refer to a phenol extraction tank in existance.
- A. I think that is correct. This is before the fact because he says, "A 10,000 or 12,000 gallon digestion gallon tank with a head at the bottom to facility separation of water and oil is to be





- Q. But your understanding on the basis of the tanks that you saw elsewhere in Reilly and the tank that you understood may or may not have been installed at the Saint Louis Park plant was that it was only to do deal with the byproducts operation?
- A. The tank was -- well, extraction of phenol is part of your acid plant. It was in the byproducts operation, but it took -- it got its light oil and water from which to extract it from the refinery. The water and oil was pumped from the refinery. Water and light oil was pumped from the refinery to the acid extraction process.
- Q. So hasically you don't know whether the phenol tank was used for the refinery process or just for the byproducts process or installed at all?
- A. It was used to extract tar acids from the oils and water from the tar. Does that answer your question or am I confusing you?
- Q. I'm trying to make it clear because I think you testified before that it was only used in connection with the byproducts operation where it was used at the Reilly plants and that you were not sure

ر پا

,.: 7

whether or not it was used at Saint Louis Park. If you really don't remember then perhaps that's the best answer.

A. I don't remember. But this letter indicates that he's going to build it and I didn't know what was going on then. This is back in May 1940. I'm trying to read the letter and tell you what I think it says.

Q. All right. I understand.

A. Okay.

O. I was just trying to relieve some confusion on my part. Let me ask you -- just a second. We may be able to skip through a number of these documents if you give me a minute. All right. I'd like you to take a look now at Minnesota 80 if you would and I'd also like to show you a new document in conjunction with Minnesota 80.

(At this time United States Deposition Exhibit 4 was marked for identification by the Court Reporter.)

BY MR. HIRD:

Q. Let the record reflect that United States 4 is a document from A. E. Larkin to C. B. Edwards dated July 11, 1951 and appears on Republic Creosoting Company stationery and is date stamped 303071. Mr. Hennessy, I'd like you to take a look at both Minnesota



- 80 and United States 4 and ask whether you have seen 1 either of those documents before. 2 I don't remember seeing those documents 3 before today. Of course, I saw this one this morning. 4 I think I saw both of these this morning. 5 MR. HIRD: Off the record. 6 (At this time a discussion was held 7 off the record.) 8 DY MR. HIRD: c) Did you at this time know Mr. Horner, Mr. 10 11 Edwards and Mr. Larkin to be employees of the Reilly 12 Tar and Chemical Company? Yes, I did, um-hum. 13 Do these two documents each appear to be 14 15 ordinary Reilly and Republic Creosoting interoffice correspondence? 16 17 Yes. This looks like Mr. Edwards' signature. 18 I can't vouch for Mr. Larkin's, but I'm sure they're 19 legitimate letters, yes. Mr. Hennessy, referring first to Minnesota 80 20 when Mr. Edwards discusses a settling basin similar to 21 the one in Indianapolis, is it your understanding that 22
 - A. Yes. I'm sure that's the one.

Maywood plant in 1948?

23

24

25

he is referring to the one that you constructed at the

| Q |). V | dere y | cu i | avare | at th | nis t | ime o | n whi | ch I | |
|--------|------|--------|------|-------|--------|-------|-------|-------|----------|----|
| believ | e is | July | of | 1951 | of an | inte | rest | by th | e Saint | |
| Louis | Park | plant | in | rebu | ilding | jits | oil- | water | separato | r? |

- A. I do not remember doing any work or talking with anyone about it, no.
- Q. Do you remember it being proposed to be considered?
- A. No. I never made any estimates or any designs or anything else for it that I can remember.
- Q. How much larger was the Maywood basin that you designed than the Saint Louis Park basin?
- A. The Maywood basin I remember was designed for a maximum flow of 1,000 callons a minute. I believe letters yesterday showed that the Saint Louis Park basin was designed for a flow of 200 gallons a minute.
- Q. What was Mr. Larkin's position at this time, July of 1951?
- A. He was plant manager of the Saint Louis Park plant.
- Q. In United States 4 Mr. Larkin says that after meeting with Mr. Horner he learned that the plant that he has can be expanded and changed in a way which will give him pure water released from the plant when certain changes are made. Is he referring to the waste water coming through the oil-water separator, to your





n

- A. I never even knew of this conversation. So don't know what he's referring to, but I would assume he's referring to the effluent, yes.
- O. Do you know of any complaints from Mr. Larkin or his staff in the years immediately proceeding that about the purity of the water?
- A. To be honest about it, I don't remember ever having any discussion with Mr. Larkin about anything at Saint Louis Park.
- Q. Later down in the final two lines of paragraph 3 in United States 4 Mr. Larkin says, "We must get our discharge water taken care of adequately, and as soon as possible." Does that indicate to you that Mr. Larkin was concerned that the discharged water may not be clean enough leaving the plant after going through the oil-water separator?
- A. I would say that paragraph indicates that, doesn't it?
- O. In the earlier parts of the paragraph Mr.

 Larkin refers to a very substantial company having purchased the property opposite the plant for a construction of a large lumber operation. Would you believe that Mr. Larkin was concerned that Reilly might have some problems with its new neighbor because of the

ŀ

- effluent going into the new neighbor's property might not be sufficiently devoid of pollution?
- A. I don't know who the company was or where they were going to build their plant. It says property opposite our plant. I assume he means across Walker Street, but I don't know.
- O. Do you know whether a substantial company ever set up shop across Walker Street?
- A. Not to my knowledge. They were all small industries as far as I know.
- Ω. Had you heard any complaints in this period I

 quess between 1941 and 1951 about the operation of the

 oil-water separator and that it might not sufficiently

 remove impurities?

 ...

 remove impurities?
 - A. No. No one complained to me about it.
- Will ask you to have a plan made for our use so that we can avoid discharging impure water into our drainage system that leaves the Saint Louis Park plant." Would that indicate to you that Mr. Larkin's view was that the water that left the plant was not pure, was not sufficiently pure for the effluent that he wanted?
 - A. This paragraph would indicate that.
- Q. Do you know whether Mr. Horner or anyone working under him ever came up with such a plan that





13 That's what the letter says.

14

15

16

17

18

19

20

21

22

23

24

- Did anyone ever ask you, anyone at Reilly, ever ask you to construct for Saint Louis Park an oil-water separator along the designs of the one constructed at Indianapolis?
 - Well, not in 1951. Much later. Α.
 - Q. When did they ask you to do that?
 - When we did the work on the Edens separator. Α.
 - Q. That would be about 1968?
 - Something like that. Α.
- Did anyone ever discuss with you around 1951 Ω . the idea of installing an oil-water separator?
 - Α. I'm sorry but I'm a complete blank on this.

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

- 1 I don't remember anything about it.
- Q. Was anyone else in the engineering department
 around this time, 1951, involved in designing oil-water
 separators?
 - A. I can't remember the years.
- Q. Well, suppose I ask whether anyone else at any time was.
 - A. Yes. Mr. Fenoglio designed the one at Cleveland. I couldn't tell you who designed the one at Chattanooga. I think Mr. Fenoglio probably designed that one also.
 - Q. But you worked on both of those designs with Mr. Fenoglio?
 - A. Yes. That's correct.
 - Q. So it would be likely if a new oil-water separator would be installed at this time, seeing that you had installed the one about three years ago, that you would be on the project in some capacity?
 - A. I would think so.
 - Q. Could I ask you now to look at Minnesota 81, please. Have you read it?
 - A. Okay.
 - Q. At the time when Minnesota 81 was written was Mr. Horner chief engineer --
 - A. Yes, he was.

Mr. Horner goes on to say, "The difference

25

Q .

between the two ponds is that Maywood has a mechanical means of removing the sludge." Would the mechanical means of removing the sludge make the Maywood settling basin more effective in removing sludge?

A. That would be one of the things that would make it more effective, yes, um-hum.

Q. At the Saint Louis Park plant. In paragraph 3 he states that, "Shortly after starting the Maywood pond -- and I guess he means settling basin -- we ran into serious difficulties." What kind of difficulties did you run into in connection with the Maywood settling basin?

A. Maywood was extracting acid and/or bases. I think they were extracting both. They had sulfate liquor into liquor left over. They ran this sulfate liquor into the pond. Well, what that did was had the effect of increasing the gravity of the water so that it cut the settling time in the pond and caused more oil to float so that he had a lot more floating oil than he had previously.

O. Is there any difference between the phrase "state under"?

A. Well, it's really -- I don't think there is.

Where did the term sulfate water, where was that used?

Q. I don't think Mr. Horner has used it in this

| document | , but I | think i | t. was used | in previous | docume | nts |
|----------|---------|---------|-------------|--------------|---------|-----|
| I was wo | ndering | whether | Mr. Horner | r was referi | ring to | the |
| same thi | ng that | others | had called | sulfate wat | ier. | |

- A. He's referring to water which has dissolved sodium sulfate in it and this increases the density of the water, the specific gravity of the water.
- Q. You would understand both the terms sulfate liquor and the term sulfate water to refer to the same type of water?
 - A. I think so.
- Q. Could I refer you back for a moment to U.S.-
 MS. COMSTOCK: David, could you find a

 time to take a short break before you rap up?

MR. HIRD: Why don't -- off the record.

(At this time a discussion was held off the record.)

BY MR. HIRD:

- O. I'd like to refer you back to U.S. 3 which I believe is in front of you. Would you understand the phrase sodium sulfate solution, which is mentioned in Mr. Mitchell's memo under the Arabic number 1, as being the same thing as sulfate liquor?
 - A. I would say yes, it's the same thing.
- Q. And Mr. Mitchell here indicates that sulfate solution proceeds through in the Saint Louis Park waste

- 1 system at a rate of about 3,500 gallons per week. 2 That's what he says. Α. 3 Ω . Would you have any reason to disagree with that figure? 5 Α. No. 6 To refer you back again to Minnesota 81, Mr. 7 Horner states that, "The addition of sulfate liquor or 8 sodium sulfate solution or sulfate water has the effect of changing the specific gravity in a settling basin," 9 10 is that correct? 11 Λ. That's correct. 12 So you'd agree with that statement? 0. 13 Α. Yes. 14 Mr. Horner goes on to say that the oil which Q. 15 had been previously settled in the bottom of the Maywood basin would have a tendency to rise to the top. 16 17 Well, he says the oil. That's true. 18 only the lighter fractions of it would rise to the top. 19 You see, the oil it's a mixture of all kinds of oils. 20 And you would get a lot more floating oil and some of 21 it if it had the same gravity as the water would just 22 go down the sewer with it. It would be heavy oil, the 23 lighter fractions of the heavy oil.
 - Q. By down the sewer you would mean out?

 A. Out the effluent of the separator.

2

3

5

6

7

8

- 0. And past the separator and into the continuing effluent and out of the plant?
- Well, that's when we put the straw filter in to stop this, yes, um-hum.
- So the addition of the sulfate would you then 0. believe that if gallons of sulfate water, say in the nature of 3,500 gallons, were regularly going through the Saint Louis Park oil-water separator it would have the same effect of changing the specific gravity of the cils and rising them to the surface?
- Α. That's what Mr. Horner's letter says, um-hum. MR. HIRD: I think we can break at this time.

(At this time a recess was held.) BY MR. HIRD:

- Just so we can I guess clarify the records on 0. some technical points, am I correct in saying that water has a specific gravity of 1.0?
 - Α. Yes.
- When we were discussing the effect of sulfate water or sulfate liquor, I believe we were talking about oils that were heavier, which would have a gravity of more than 1, and the effect of sulfate water on those oils would be to lower the specific gravity until it came very close to 1, is that correct?

21

22

23

24

- That's a long calculation. That's something I can't pull off the top of my head. But it would be longer than an hour. In fact, if they were the same the retention time would be infinity. You could never separate them. The closer they get together, why, the longer it takes in the settling basin.
 - Thank you very much for that clarification.

MR. SHAKMAN: Counsel, may I interrupt for a point of clarification? Is it then, a correct statement that where you have the specific gravity of the water at 1.05 that more heavier oils will get through?

THE WITNESS: The lighter fractions of

24

14

15

16

17

19

20

21

22

23

., 18

2.1

the heavier oils would then float or they would either go through or they would be caught with the light oils on top. If they were very close a lot would go through If the retention time, required retention time, was more than one hour they would go through, correct.

BY MR. HIRD:

- Q. You weren't able to give me an exact estimate of the increased retention time, but by what kind of a factor would it increase, say, if you're dealing with a situation where the water then had a specific gravity of 1.05 because of the --
- A. It might be -- see, our retention time actually is a half hour. But we designed the basin for an hour. So if the retention time gets longer than an hour, some of the oil won't be caught.
- Q. But I'm trying to figure out if you did have the situation, to use your hypothetical, of sulfate water essentially having a specific gravity of 1.05 and picking up oils with a specific gravity of 1.05, how much longer of retention time would you need?
- A. Oil with specific gravity of 1.05 would be forever. You'd never separate them. They'd just float around together. You have to have a differential. You must have a gravity differential for a settling basin

1 to work.

G

Q. So the closer the specific gravity between sulfate water and the oils, the longer the retention time would be, and if the specific gravities were identical, you'd need an infinite retention time?

A. Settling basin just wouldn't work. If you put oil at 1.05 and water at 1.05 it wouldn't do anything. It would just be a wide place in the pipe.

(). Now, Mr. Horner in describing the settling basin at Maywood says that, quote, "We have found that there is sufficient oil in our effluent in Maywood with a gravity similar to water, or to one, which the detention pond does not move," close quote.

A. Which paragraph?

Q. I'm sorry. That's the middle of paragraph 3.

Co ahead. Is that statement to your knowledge correct?

MS. COMSTOCK: Can you state again which sentence you're looking at?

Q. The second sentence in the fourth paragraph.

I'm sorry. Third sentence.

A. All right. Now, he's talking about when they were operating the acid plant and putting sodium sulfate water into the sewer.

- Q. But this was correct?
- A. It happened. I remember it. The water was

Α.

Well, he is suggesting here -- we did put the

1 .

assume that, again I can't say that it was this line or that line, but I would assume that a separate line was put in because his recommendation is to do the same thing at Minneapolis we did in Indianapolis to solve the problem.

The way I understand this letter, and perhaps I'm wrong, you're more aware of the facts than I, is that he's talking about installing a straw filter, but he's not necessarily talking about it as a separate line from the line of effluent that goes through the oil-water separator. I believe your testimony yesterday was that the straw filter was installed immediately following the oil-water separator as the effluent came through.

A. Yes. But it could be piped in. At Maywood it was piped in between the settling basin effluent and the straw filter. I'm sure he says -- right here he says, "To climinate this from the final effluent of the plant we have installed a straw filter which does an excellent job when a detention pond is bypassed." In other words, he's bypassing the detention pond with the sulfate water, liquor, whatever you want to call it.

Q. But that was what was done at Maywood, wasn't it?

Α.

| 3 | Hinneapolis and if this straw filter is kept clean it |
|----|--|
| 4 | will remove all the oil and give you an acceptable |
| 5 | effluent." I agree with you. He doesn't say that he' |
| 6 | going to bypass it, but I thought it was understood. |
| 7 | If your detention pond is not large enough, an |
| 8 | excessive amount of oil has to be handled by the straw |
| 9 | filter. The cleaning of the filter might become a |
| 10 | major problem, and the straw might be have to be |
| 11 | replaced as aften as once a day. If this is the case |
| 12 | it will be necessary to, of course, to replace with a |
| 13 | larger detention pond. So I'm convinced that what he |
| 14 | did was he was suggesting eliminating the problem at |
| 15 | Saint Louis Park in exactly the same manner he |

therefore to first install a straw filter at

"But then it would be my recommendation

Q. Well, I'm not entirely sure. In the paragraph that you just read do you understand Mr. Horner's concerns to be that the straw might become dirty because of a great amount of oil coming through within a short period of time and have to be changed very frequently?

eliminated it in Indianapolis.

- A. My understanding would be that, first of all, the sulfate water should contain very little oil.
- However, if in the acid extraction plant they didn't

get good separation in their settling tank and a lot of oil came through with it, why, this wouldn't work or this would be impractical because the oil in the sulfate water would gum up the straw filter in a hurry. That's the way I understand the letter. That's what it says to me.

1

2

3

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

- Q. I'm sorry. The acid extraction tank?
- A. The sulfate liquor obviously comes from the acid extraction operation. Okay. You want me to explain the process to you?
- Q. Please. Why don't you explain your understanding of the process.

It's very simple. In other words, what you Α. do is if you want to take tar acids out of the tar and the water layer, you hit them with caustic soda and you form a sodium salt of the tar acid. Okay? Then after you form the sodium salt of tar acid, you hit the carbolate and that's what that's called, the carbolate, which is a sodium salt of the tar acid. You hit that with strong acids such as sulfuric acid. | The sulfuric acids will replace the tar acids, the phenols and the other tar acids that are caught in this carbolate. It will replace them and form sodium sulfate. Okay. 'Now, sodium sulfate in itself is a salt. It's dissolved in Okay. Now, you run this down the sewer to the water.

્. 9

settling basin. And the problem with this is that the sodium sulfate raises the specific gravity of the water and it effects the settling in the settling basin. So what Mr. Horner is saying is run the sodium sulfate around the settling basin, put it in the sewer between the settling basin and the straw filter, and the straw filter will catch the small amounts of oil that's run out with the sodium sulfate water. Now, if for some reason you get lousy settling or you get poor separation or you get a lot of oil in this sodium sulfate water, then this won't work because the straw will absorb it so fast that it will become impractical and you'll have to change your filters every day.



discussing, which is the sixth paragraph, does he mention the size of the detention pond? If your suggestion is correct and this is dealing with a line that would come into the straw filter without going through the oil-water separator, then the size of the detention pond would be absolutely irrelevant in terms of figuring out exactly -- I'm sorry -- in terms of how much oil would be found on the straw. The only way the size of the detention pond, the way I read it, could make any sense is if he's talking about sulfate water and oil coming first through the detention pond or

settling basin before it hits the straw. Am I wrong in that?

1

2

3

5

6

7

8

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

Yes and no. Let me review the whole thing. Λ. First of all, Mr. Larkin complained that he was getting a lot of oil through his settling basin. Mr. Horner is writing a letter trying to figure out why he's getting all this oil through his settling basin. One reason could be -- he mentions in Indianapolis the same thing happened and we traced it there to sodium sulfate water going through the settling basin. Okay. Now, if that isn't the case and his settling basin is too small for the amount of oil getting into it then you need a bigger settling basin. I don't see how you could argue with his logic. That's correct. See, he is giving two reasons why oil would go through the settling basin. One would be that he's putting more oil in than the settling basin can take out. That's this paragraph. you're talking about now. The other is that he's putting sodium sulfate water through the settling basin and this is upsetting it.

- Q. Let me ask you this. Does anywhere in this letter Mr. Horner explicitly say the sulfate water at Saint Louis Park and the oil-water separator?
- A. I haven't read anywhere in here that he says, "Look, put a pipe in from this tank to this point in

| chief engineer | speaking | to the | plant m | anager. | the | plant |
|----------------|----------|--------|---------|---------------------------------------|-----|---------------------------|
| manager | ,, | | | · · · · · · · · · · · · · · · · · · · | | F = W · · · |

- Q. Would have figured it out?
- A. Would have figured it out pretty easily if you don't want that sodium sulfate to go through the settling basin. He told how he did it at Maywood and he doesn't have to repeat it and tell him to do it at Saint Louis Park. He assumes that Mr. Larkin is an intelligent person I'm sure.
- Q. When you visited the plant did you ever see a tile or a pile or some kind of influent level, influent device, coming in between the settling basin and the straw filter --
 - A. I cannot --
- Q. -- injecting water in between those two points?
- A. I cannot say that I went out there and said "Oh, that's what that pipe is." No, I did not. I can't say that.
 - Q. You don't recall seeing any pige?,
- A. I don't recall seeing -- see, I see a lot of pipes. I don't recall seeing any pipe that could have been used for this. That doesn't mean there wasn't any there. But on the other hand, I never saw these

- Q. I understand. Mr. Horner in the paragraph we have been discussing says that if the detention pond is not large enough and excess amount of water has to be handled by the straw filter, the cleaning of straw filter becomes a major problem and straw might have to be replaced as often as once a day. Based on your experience in designing and installing straw filters at various Reilly plants including Saint Louis Park, is that a correct statement?
- A. Oh, yes. Yes. If you overload the straw filter, you very easily could have to change it once a day.
- Q. Moving down to the next paragraph Mr. Horner suggests, "In order to determine the size of the straw filter, the engineering department would need flow figures over a 24 hour period and the flow test should be run over a full 7 days a week."
 - A. Good advice.

- Q. Were these the type of data that you had available when you designed the straw filter for the Saint Louis Park plant?
 - A. Oh, yes. Yes. Indianapolis we got that

ourselves and the plants -- I don't know whether the plant engineer did it. I assume the plant engineer would have done this.

- O. What is the advantage of having the tests run over a full 7 day week?
- A. Different operations in the plant at times have maximum amounts of effluent and if you get two of these things that coincide, why, you want to know about it. If you get, say, a seven day sample, I don't think too many people can argue with you that your figures are wrong, you know, that you know how much water is yoing down the sewer.
- O. In the various straw filters that you designed did you generally attempt to get a full 7 day sampling of that?
- A. I can't recall a seven day, but tried to get a lengthy sample and the straw filters were made extra large. We designed them according to the API instructions and we made them larger than was necessary that we wouldn't have to change them so often.
- Q. Would flow data for a full 7 day week be equally as useful in designing an oil-water separator itself?
 - A. Yes.
 - Q. I believe at the outset of today's



and there were a couple of flow sheets attached to

Saint Louis Park 43, sheets 302831 and 302832, which I

believe you said were the flow data that you used in

designing the oil and water separator at Saint Louis

Park.

- A. You're talking about these graphs?
- Q. Right.

2.0

- A. Um-hum.
- Ω. Am I correct in saying that these account for two to four days' worth of flow data?
- A. Yes. But if you'll remember, we had several letters that we reviewed stating that the design of the Saint Louis Park separator was based on 200 gallons per minute. Of course, we had a one hour retention time and it was based on 200 gallons a minute. And the highest flow I see here there are two peaks at 85 gallons a minute. We tried to be conservative. I'm sure that's what it was designed for just based on these letters.
- first page of Minnesota 81 which goes over to the second page of Minnesota 81, Mr. Horner says that,

 "Over the same period of time -- which I believe is a reference to a full 7 day week -- we should have

rainfall data from the Weather Bureau so that we can differentiate between process water and runoff water."

Do you believe that that was correct advice in terms of determining how to best design a straw filter?

a He det

A. Yes. We knew the area of the plant. In the first place, it's impossible to keep all rain out of the sewer. You can't do it. The settling basin is open. No top. It can rain in there. It can rain in the sumps at the creosoting cylinder. What we do is get this rainfall data from the Weather Bureau and we calculate how much water the rain is going to put in and then we add that to these graphs, the water shown on the graphs. This is the flows that were shown on those graphs.

Q. Would you also be interested in getting rainfall data when you would design an oil-water separator? Would that be as useful as well?

A. Yes. It's very useful. In Indianapolis, for instance, the city of Indianapolis you have to negotiate with them with how much rain water can go in or what area. You negotiate over which area the water can fall and enter the sewer. Any water that falls outside that area you're not allowed to put down the sewer. The contaminated water sewer. So we have two sewers there, One going to Eagle Creek and one going





them.

| | Ω• | 1 | her | e do | they | / col | llec | t sa | imple | :s a | nd w | hat. | | in |
|------|------|-----|-----|------|--------|-------|------|-------|-------|------|------|------|-----|----|
| the | midd | lle | of | the | flow | how | is | the | samp | le | coll | ecte | eđ? | 1 |
| Perl | aase | is | the | bes | t. was | z tro | nhr | 'a se | the | ane | stio | n. i | | |

- A. That's a good question. Oils you must worry about are the oils that have the gravity closest to water. So what you do is you collect samples of your light oil and you collect samples of your heavy oil that are the lightest heavy oil. For instance, you can forget about an oil that has a gravity of 1.2. It's going to drop right down like a rock. But an oil that's got a gravity of 1.1, why, you collect that and you cettle it in a jar and just check to see how long it takes to settle it.
- Q. Where do you collect it from? Do you collect it from the effluent pipe as it's coming out? Do you collect it earlier in the process?
- A. No. I believe we just collect the oil from the tank. It's oil that we're interested in. We're not interested in the effluent. We're interested in the gravity of the oil.
- Q. I see. I was a little confused. I think you clarified it for me. Reading down to the third paragraph from the bottom Mr. Horner says, "For the installation of the straw filter we would also need the maximum head permitted at the straw filter." What is

1 meant by the phrase "maximum head"? Do you have any
2 understanding?

A. When you first put the straw filter in there and straw is cleaned and absorbing oil, there is a drop of maybe, again it's off the top of my head, I'd say one inch across the straw filter. Now, as you start absorbing oil the filter resists flow through. And as it resists flow through it, the level is coming up so that you have a greater area of filter to filter the water. I mean, if the flow stays the same and the straw absorbs oil, why, the level will rise above upstream of the straw filter.

- Q. In other words, it will work like a dam --
- A. Yes.

'23

- Q. -- in a sense?
- A. That's right. Now what he's saying is that if it gets so bad, if you let it go too long, the water will overflow the banks or overflow the sides of the structure holding the straw filter. In other words, the straw filter as I remember it comes up about 12 inches above the structure through which the water flows. So if you don't change the straw soon enough, why, your water upstream of the straw filter's going to overflow. That's what this is saying.
 - Q. Do you have any idea how frequently the straw

G

l was changed at the straw filter in Maywood?

A. In Maywood? I would say twice a month whether it's needed it or not. I think the plant engineer had a maintenance schedule that he made up. You grease this pump so often. You change the straw filter so often. You did this. Of course he watched it. That's the only way you can maintain a plant.

- Q. Do you know whether such a maintenance schedule was designed at the Saint Louis Park plant?
- A. Saint Louis Park had a maintenance schedule, yes, but I'm not familiar with it. I'm sure they had one because you had to have. They all have them.
- Q. Did these schedules have to be presented to headquarters for approval?
 - A. No.
 - Q. So these would be drawn up by the plant?
 - A. Engineer.
 - Q. On its own information?
- A. Yes. There would be no point in the engineering getting into how often you grease a pump or oil a bearing.
- O. Do you have any personal knowledge about how frequently the straw filter was changed at Saint Louis Park?
 - A. At Saint Louis Park no personal knowledge, no



of the sort that he found being discharged from the !

- byproducts operation at Saint Louis Park, quote, "Has a tendency to loosen the oil and tarry material lining the ditch carrying it along with the flow to the swamp." Do you believe that he is referring there to the drainage ditch at Saint Louis Park that we discussed yesterday?
- A. It sounds like that to me. That's the way I read it.
 - Q. Would you agree that hot sulfate water would have that tendency that Mr. Danz describes?
 - A. Yes. We discussed that yesterday with sulfate water increases the density of the water. Sodium sulfate increases the density. It would have a greater tendency to lift oils.
 - Q. At the time that you designed the oil-water separator, which I believe was within three years of the date of this memorandum, were you told anything about hot sulfate water coming through the drainage ditch at the Saint Louis Park plant?
 - A. You're talking about 1938 or when I designed it?
 - Q. Let me rephrase.
 - Λ. Okay.

• 25

Q. This document says that as of 1938 there had been hot sulfate water going through the drainage ditch

1. MR. HINDERAKER: Excuse me. Can I ask 2 one question? Who was Mr. Courtney, if you know? 3 THE WITNESS: lle was a chemist, an 🦠 4 analytical chemist, at the Reilly labs in Indianapolis. 5 MR. HINDERAKER: Thank you. 6 THE WITNESS: You're welcome. BY MP. LIRD: 7 8 Do you know for a fact at the time that the 0. 9 oil-water separator that you designed was actually 10 installed that there was a line which bypassed the 11 oil-water separator with sulfate water? 12 A. When I designed it I do not believe there was a line that bypassed the separator. I can't remember 13 such a line. 14 15 Mr. Hennessy, were you ever involved with 0. 16 problems at boilers at the Saint Louis Park plant? 17 Α. Yes. Could you describe the nature of your 18 involvement, please? 19 20 well, a man working for me, Mr. Joe Lauck, 21. installed boiler feed pumps, new boiler feed pumps! 1 22 believe he also installed the treating system for ' treating the water to the boiler, but that was the 23 24 first involvement. Then the second involvement I was

directly involved in converting the boiler from coal to

- From about 1948 to about, oh, gee, Α. guess 1955, about seven years.
 - Have you kept in contact with Mr. Lauck? . .
- What? Α.

24

Do

Have you kept in contact with Mr. Lauck? 1 0. you know where he is now? 2 3 It's been a couple years since I've seen him. 4 I know where he lives, yes. 5 0. Where does he live? He lives in -- I forget the name of the town. 6 7 Some small town about two hours south of here, between one hour and two hours south of Indianapolis. 8 U. Do you know which company Mr. Lauck works for

1

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

presently?

- I believe he works for the state of Indiana.
- Could you describe the two boilers at the Saint Louis Park plant in terms of their capacity and their abilities and make a distinction in terms of which boiler was used for what purpose?
- The main boiler was the Riley boiler and it was a water tube boiler. It had a capacity of 20,000 pounds of steam per hour. The other boiler was built by Bros Boiler Works in Minneapolis. It was a fire tube boiler. I'm not sure of its capacity, but I would judge it was around 10,000 or 12,000 pounds per hour. This boiler was used as a standby. Every once in . awhile you have to take a boiler down, you know, for maintenance and when it was down then the Bros boiler was fired. They always did this at a time when it

3

5

7

8

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

- Q. What was the steam from the boilers used for?
- A. For everything. For heating the office. For all processes, heating tanks, for running the injector for pulling vacuums, for whatever steam is used for, you know. There are many uses for steam.
- Q. What was the source of the water used in the boilers?
- A. We put city water in about just before Joe Lauck left the company, I believe. It was about 1954 or '55 that the -- we can document that. Prior to that the source of water for the boiler was the pond which was the water was replenished by the well.
- Q. You're referring to the area marked "pond" on Minnesota Exhibit Number 9?
- A. I'm referring to the pond I would say south of the refinery.
 - Q. On Minnesota Exhibit Number 9?
 - A. On Minnesota Exhibit Number 9, correct.
- Q. I appreciate that. It's just to keep the transcript clear for people in the future.
- A. We know what we're talking about but somebody reading it wouldn't.
- Q. Exactly.
 - A. Okay.

Well, I think the old steam pump, as I

25

Α.

ß

remember, was a reciprocating steam pump. They worked all right but a reciprocating steam pump has the same disadvantage as a reciprocating air compressor. You have to put a cylinder in them to keep lubricating them I think the pump was about worn out and cylinder oil was, I believe, getting into the boiler. It wasn't enough to cause any problems because it was such a small amount. But we decided we would go with, I believe, a centrifugal pump, electric.

O. What are the advantages of the centrifugal pump over the reciprocating pump that you used before?

A. Well, the centrifugal pump is much easier to control. Your liquid level in the boiler — all you have to do is throttle a valve and the pump will just pump what the valve lets through. You can run a centrifugal pump at one-fourth, one-half or three-fourths or full load and it won't bother it. A steam pump, reciprocating steam pump, every time the thing makes a stroke it pumps so much water. The only way you can throttle the steam pump is you control the speed of the pump. In other words, you need something to speed the pump up or slow it down. A lot of ways of doing that but that's the general idea. I think that answers your question.

Q. I think it does. What was the water

· (1)

24

25

design of the electrode pitch plant and he did this job

That's why I remember about the time it was done

because he did this job I believe at the same time we 1 were working on the electrode pitch plant. 2 Do you know about how many trips Mr. Lauck 3 Q. made to the plant in connection with his effort --I couldn't answer that. I'd be quessing. 6 It would be in connection with what now? Both jobs or just the boiler? 7 Well, in connection with the boiler. He may В 9 have been there, may have worked on the boiler 10 incidentally. What he was there for was the electrode 11 pitch? 12 Λ. I would say for working on the boiler 13 strictly for that job probably, and 1'm quessing, I'd 14 say two trips. 15 In connection with the electrode pitch where Q. 16 he might have stopped off and done some work on the 17 boilers. 18 Α. Electrode pitch would be probably 6 or seven 19 trips. 20 ø. How about yourself? 21 Well, I told you before I think I made ten or 22 eleven trips to the Minneapolis plant during my whole; career at Reilly's. They span from '51 or | 52 to about 23

So you might have made about two trips in

24

2.5

'62 I think.

Q.

The Stoker



replace it with quas. So after deciding to replace it with gas I went there and did the necessary field work, you know, there is quite a bit involved in that. It sounds real easy but it isn't like connecting a stove at home. You have to have all kinds of regulators and controls and so forth. So we put -- I went there to engineer that, then I came back to Indianapolis and the plans were prepared and the job was done. We hired a contractor. He put it in.

Q. Before Mr. Lauck was sent out in the '50's to look at the problem of boiler feed water, had there; been any reports to you or to anyone in your engineering office of tar balls or tar flecks getting into the boiler water?

A. I don't remember tar balls, no. I just remember the boiler inspector finding scale in the boiler.

BY MR. HIRD:

. 23

Q. Mr. Hennessy, I've showed you now what has been marked as United States 5 which is a one page document, Reilly date stamp 220436 which appears to be a memo from T. E. Reilly to H. L. Holstrom dated

February 2, 1955 and is on Republic Creosoting stationery. I see at the bottom of U. S. 5 that your name appears as someone who's carbon copied. Do you recall receiving this document?

- A. I'm sure I did, but I wouldn't recall receiving it. I mean, this is a long time ago, 1955.
- O. Did you have occasion to review this document within the last year or so before testifying?
- A. I probably did, but I -- well, as I said before, you know, I helped pull these things out of the file. We pulled out anything we could find that had connection with Saint Louis Park. But I didn't particularly pay much attention to this one because I didn't think that this thing would ever come up. But now that it has -- well go ahead.
- Q. Was this document, U. S. 5, shown to you by Reilly counsel in preparation for this deposition?
- A. Well, as I told you before, I had a witness; kit, and I wouldn't awear that this was in there or not but it may be. I don't know.
- Q. What was Mr. T. C. Reilly's position at the time that U. S. \$5 was written?
- A. There again I'm not sure, but Mr. T. E.

 Reilly might have been president of the company at that
 time, 1955. He may have been president. If he wasn't

prosident -- I would guess he was president. I don't know. He was high up in the management anyway.

Q. Hr. Reilly seems to describe this document as a work order to provide the Saint Louis Park boilers with a connection to the city main to furnish standby boiler water. He the purpose of this connection as to eliminate the use of an open pond which causes contamination to the boiler feed water. What do you understand Mr. Peilly to mean by his use of the phrase, "contamination to the boiler feed water", particularly considering that around this time you were involved in repairs to the feed water system?

A. Well, I think the water in the pond to the south of the refinery got dirty with mud and sand and so forth and it was rather difficult to use it for boiler feed water.

O. You don't understand the use of the term contamination to refer to tar or oil in the boiler feed water?

A. I really don't remember that, but I don't remember that that was a major problem. Because if it had been a major problem it would really have been major.

- Q. Why would it have been so major?
- A. Well, as I explained, you get oil into a

В

- boiler and it's going to foam and get water all through your steam lines. If it's a coal tar oil it would -- well, even a petroleum oil would even damage, it could damage a boiler. I explained to you how the tubes would get hot and rupture.
- Q. Suppose the tar had gotten into the boiler feed water -- or oil had gotten into the boiler feed water and the boiler blow down had been connected to the waste drainage system. What kind of materials would that send out through the waste drainage system?
- A. Well, for a short time before the boiler failed it would send out -- I've got to think about this one. Most of the oil would coke or would probably form scale in the boiler, but if it were, if you could blow it down you'd blow out scale plus you'd blow out any residue of the oil that was left which would be a solid, of course.
- Q. Mr. Reilly here in U. S. 5 refers to a connection to the city main to furnish standby boiler water service. Was this connection to the city main part of your activities in handling the boiler feed water system back in the mid '50's?
- A. It was part of my activities with Mr. Laucki doing the work, yes.
 - O. Mr. Reilly goes on to say that, "The Hartford

(612) 922-1955

Well, I know I received it, yes.

recall receiving it, but I'm sure I did.

Do you recall receiving this memorandum?

I can't

23

24

25

0.

Α.



1 Well, whatever, let me get my time frame 2 right. I don't remember what was to the east of the refinery, but at one time Wheeler was machining wood 3 It could have washed there, had wood machinory there. 5 down sawdust, bark, borings from boring holes and all! that type of thing. I don't remember whether it was 6 later at this time. At one time there was a Ready Mix 7 concrete plant there, but I don't know when that was. 8 Or somebody just rented a small piece of ground and put 9 10 a concrete mixer there. I don't know if this was for one job, but it wasn't there too long, but it was there 11 12 It could have been cement and that type of thing, 13 whatever solids would be washed out of the Ready Mix 14 plant. 15 Did you ever hear about tar balls or tar to Q. 16

- being in the pond that was used for boiler water at Saint Louis Park?
- I know they were there because we caught them when we put in our pressure tank. So there were what I called oil balls, but they did call them tar balls
 - In the pond? 0.

17

18

19

20

21

22

23

24

- In the pond, yes. Α.
- 0. When did you put in your pressure tank?
- Let's see. We just had that work order out Α. here a short time ago I thought.

Q. Would that be --

F,

- A. Wait a minute. This is it right here. 1955.

 Here you go. Sure. This is the letter you just gave

 me.
 - Q. So --
 - A. That's what it's discussing.
- 7 O. So at that time you found tar balls in the good?
 - A. Correct. Yes. Well, I didn't find them in the pond. You couldn't see any in the pond. But when we put this tank in, we caught tar balls in the tank.
 - Q. What was the purpose of the tank?
 - A. The tank was so that we didn't have to run the pump continuously. It was a pressure tank. What you would do, when the liquid level in the tank got down so far, the pump would come on and raise the liquid level in the tank and then the residual air pressure in the tank which was compressed near the top would force the water out of the tank and up into the condensor coils.
 - Q. So this tank was used for the condenser coils but not used for the boiler?
 - A. That is correct. There was no connection between that tank and the boiler.
 - O. Which condenser coils are you referring to?

Anna De la

1 I'm referring to the condenser coils at the 2 tar refinery for the stills. 3 Q. What do you mean by catching it? Were you 4 able to prevent the problem from recurring? 5 Λ. By catching it I mean that it was discovered 6 when the controls on this tank which controlled the 7 level at which it and so forth, these controls were 8 gummed up by this oil, oil and sand mixture, you know, 9 just gummed it up so it wouldn't work. 10 Q. So you were able to clean the tank coils? 11 We were able to clean them and use them, but 12 it got to be an awful nuisance. 13 Q. Would the controls get dirty again --14 Α. Sure. 15 -- with tar balls? O. 16 With tar and sand because tar would --Α. Yes. tar or oil, whatever it was, would carry the sand and 17 18 the clay, the mud that was in the pond south of the 19 refinery into the controls and when you got an air jet 20 and things like that it just gums them up right now. 21 These are very small openings, very easy to gum up. 22 Q. Was this tank connected at all to the deep 23 well on the property? 24 The deep well pump is what pumped into the Α. 25 tank and what compressed the air above the water, yes.

MR. HIRD: No, he has not answered the

| 1 | question. |
|-----|---|
| 2 | MS. COMSTOCK: Rephrase the question. |
| 3 | MR. HIRD: I hadn't finished the |
| 4 | question. If I had you would see that it was a |
| 5 | different question. |
| 6 | MS. COMSTOCK: All right. State your |
| 7 | question. |
| 8 | BY MR. HIRD: |
| 9 | Q. But you are relying on U.S. 5 and U.S. 6 for |
| 10 | determining the time |
| 11 | A. The time frame. |
| 12 | O at which |
| 13 | A. Right. |
| 14 | Q city water was put into the boiler at |
| 1.5 | Saint Louis Park? |
| 16 | A. Um-hum. |
| 17 | O. Mr. Hennessy, I'd like you to take a look now |
| 18 | at Minnesota 11, please. At the time Minnesota 11 was |
| 19 | written Mr. Horner was chief engineer and your |
| 20 | immediate supervisor, is that correct? |
| 21 | MS. COMSTOCK: Can we take a moment to |
| 22 | look at the document? |
| 23 | MR. HIRD: Certainly. |
| 24 | (At this time a discussion was held |
| 25 | off the record.) |

i:

2.

(At this time United States Deposition

Exhibit 7 was marked for identification by
the Court Reporter.)

BY MR. HIRD:

Q. First of all for the record I'd like to clarify that Mr. Mennessy is not looking at Minnesota 11, that it was a misdesignation and what I have shown Mr. Mennessy is what will now be designated United States 7, which is a one page document on Reilly Tar stationery, date stamp 217416 and appears to be a memorandum from M. R. Morner to H. L. Holstrom dated May 26, 1954. Mr. Mennessy, do you have any recollection of ever seeing U.S. 7 before?

A. There is no copy marked to me, but I'm sure I knew about the job. Now, whether I actually read this letter I don't know. I'm sure at one time I was familiar with it I'm sure.

- O. Mr. Horner at this time was your supervisor and chief engineer?
 - A. Mr. Horner was chief engineer, correct.
- Ω. This would appear to be a document that he wrote in the course of his duties --
- A. Yos
- Q. -- as chief engineer?

Because I think that happened during I think that happened about 1944 or '43.

Q. Was Mr. Horner dealing with the Hartford Insurance Company at that time on behalf of Reilly Tar?

There again I have to answer yes and no. Α. me explain myself.

- Q. Go right ahead.
- Mr. R. J. Boyle was in charge of all' Λ.



19

20

21

22

23

24

- Q. Do you know why the Nartford Insurance Company dropped Ruilly's risk on the Ironton boilers?
- A. On the Ironton boilers because we blew them up.
 - Q. How did you blow them up?
- A. Well, they put contaminated water in. This again is hearsay. I wasn't there. I'd never been to the Ironton plant. But I understand they got contaminated water into the boiler and the tubes got red hot and ruptured.
- Q. Water contaminated with what went into the part of the part of
- A. Well, I don't remember what it was contaminated with, but the document you just handed me says it was contaminated with tar and oil.
- O. Who would know most about the rupture of the Ironton boilers in Reilly Tar Company?

2

3

4

5

G

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

| | Λ . | Well, | since | that | happene | ed abou | t 40 y | ears ag | ļ |
|---|-------------|--------|-------|-------|---------|---------|--------|-----------|---|
| 1 | suppose | about | the o | nly m | an that | would | rememb | er it | |
| w | ould be I | 4r. Ho | mer. | | | | | 1 | |

- Q. Mr. Horner here says, as you pointed out; that, "The pond at Ironton became contaminated with tar and oil," and then goes on to say that, "We are duplicating that experience." Is your understanding of that phrase that Mr. Horner believes that the pond at Saint Louis Park was contaminated with tar and oil?
- A. Well, that's what he says. I don't know. I didn't know that it was. He says -- it was in this letter.

PR. PIDDERAKER: Dave, would you mind if I asked a question for clarification?

MR. MIRD: Certainly. Go ahead.

ME. HINDERAKER: Mr. Hennessy, do you have any understanding as to how the pond at Ironton became contaminated or the same question what the source of the contamination was at the pond at Ironton?

don't know how it would become contaminated with tar.

It could get contaminated with oil if you had a leak in the condenser coil, and you would have some leakage between the condenser coil and the water then the oil would go out with the water into the pond. Now,

| 1 | however, whenever that occurred the water pressure |
|----|---|
| 2 | see, the pressure on the still is about 6 pounds and |
| 3 | the pressure on the water was something like 40 pounds. |
| 4 | So your leakage would be into the coil. I'm not saying |
| 5 | there wouldn't be any leakage the other way. But they |
| 6 | would have to shut down the still immediately because |
| 7 | they're filling their product tank with water. But |
| 8 | that's how you asked a question how it could become |
| Š | contaminated with tar and oil. I've answered the |
| 10 | question now it could become contaminated with coal |
| 11 | tar oil. I don't know how it could become contaminated |
| 12 | with tar. As far as petroleum oil is concerned, I |
| 13 | believe for years they used a steam pump to pump the |
| 14 | water through the condenser coils. Of course, steam |
| 15 | pumps require a cylinder lubrication. That's the only |
| 16 | source of contamination I can think of. |
| 17 | MR. MINDERAKER: Those are the |
| 18 | theoretical possibilities? |
| 19 | THE VITNESS: Theoretical possibilities. |
| 20 | MR. HINDERAKER: Did you have occasion |
| 21 | to investigate the Ironton situation? |
| 22 | THE WITNESS: No. As I say, I was just |
| 23 | a young employee 40 years ago. It was investigated by |
| 24 | paople, other people, not mo. |

HR. HINDERAKER:

Thank you.

F 17 .

]

MR. COYNE: May I ask a follow-up question? Mr. Hennessy, what was the source of water at the Ironton facility?

THE WITNESS: Source of water at the Ironton facility was a creek. And what's it called?
Sugar Creek.

MR. COYNE: So that surface water from the creek was a source of water supply for the Ironton facility?

THE WITHESS: Yes.

MP. COYNE: There was no ground water that was a source of water supply at the Ironton facility?

THE WITNESS: Now, I don't know if they had any wells. I can't answer that question yes or no because I don't know.

MR. COYNE: But as far as you do know, the surface water was the major source of water supply at the Ironton facility?

Ironton until very much later. But when I was involved with the Ironton plant I'm sure that their water was from the creek. The only city water they had going in there was for drinking water and sanitation purposes.

HR. COYNE: When did you first become



1 involved with the Ironton facility then? 2 THE WITNESS: Well the first trip I made 3 to Ironton was when? I have to stop and think, would say it was in the '70's. 5 MR. COYNE: Okay. 6 THE WITHESS: I take it back. Make it 7 the '60's. I forgot about one trip. Yeah. Late '60's. 83 BY MR. HIRD: 9 Q. Mr. Hennessy, reading down U.S. 7 to the next 10 paragraph Mr. Norner says, "I would judge that the best 11 source of supply for boiler feed would be city water as 12 recommended by Hr. Holm." Who was Mr. Holm? 13 Λ. Again I'm quessing, but from reading the 14 letter I assume that Mr. Holm was the boiler inspector 15 or the negotiator for the insurance company. 16 Q. Did you have any dealings with Mr. Holm? 17 I did not know Mr. Holm. 18 Q. Mr. Horner here recommends a connection 19 city water but says that the city may not grant 20 permission for that connection in which case Mr. Horner 21 I believe says, "My second recommendation would be to 22 pump from the well into a tank." Do you have any sense 23 of what type of operation Mr. Horner is recommending : here about pumping from the well into a tank and how 24

that procedure would work?

- A. Well, what you would do is you would pump the water from the well into the tank and settle out the sand and take the water off the top of the tank or off the middle of the tank and put it in the boiler. I would assume that's what he's talking about, but I don't know.
- O. Do you know whether this was ever done?
- A. No. It was never done. We hooked to city water.
- Q. Could I ask you to turn in the Exhibit bookto Minnesota Exhibit 18, please? Hr. Hennessy, do you
 recall ever having seen Minnesota Exhibit Number 18
 before?
- A. I'm sure I saw it, yes. I don't remember it, but I'm sure 1 did.
- Q. Do you believe that when you saw it it was around the time when it was written or recently?
- A. Yes. In '54. 29 years ago, something like that.
- O. Minnesota Exhibit 18 appears to be an inspection report from Mr. Lauck to Mr. Horner. Based on your recollection that Mr. Lauck was at the Saint Louis Park plant doing work for you at that time period, was he conducting this inspection under your auspices as well as Mr. Horner's?

В

Q. So to the extent that his inspections involved reports on the condition of equipment or processes which were in the jurisdiction of the engineering department, you'd be aware of his reports?

A. Yes. I also made judgments on some of his recommendations, you know, Mr. Horner would ask me for my opinion.

O. In the opening paragraph on the first page of Minnesota Exhibit 18 Nr. Lauck appears to be describing the operation of the water feed system into the Riley boiler. He says that at that time, quote, "Water is taken from a 12 inch well by an air lift, collected in an open pan about three feet by four feet by 6 feet and run into an open pond." To your recollection is that correct?

- A. Yes. That is correct.
- Q. Then he goes on to say, "a steam reciprocating pump is used to supply a four inch screwed main water from the pond." Does that agree!

1 sample contained solid material both lighter and heavier than water." Were you familiar with that 2 3 sampling? I have completely forgotten about it, but I-4 5 assume this is what he did, yes. Do you remember any comments about water in 6 Q. 7 the office wash room containing solid material? Well, I washed my hands in that wash basin 8 many times. I don't remember any solid material coming 9 out, but he says it did. Of course, I don't know. 10 If water in the office wash basin pumped out 11 of the pond contained solid material, what would that 12 tell you about the condition of the water that would be 13 pumped out of the same pond into the boiler system? 14 It would contain solid material. 15

()

16

17

18

19

20

21

22

23

24

- Of the second page of Minnesota Exhibit 18, Mr. Lauck says that, "The air lift -- and I believe he means the air lift pump -- might be blamed for the corrosion on the four inch screwed water line through the plant."

 How could the air lift pump be responsible for the corrosion of the water line that extended through the plant?
- A. When you lift water from a well with an air lift, the water contains a maximum of dissolved oxygen

n e dise

plus it contains air bubbles. Air and water will corrode cast iron after awhile, very slowly, but it will corrode it, especially water containing a maximum of oxygen.

- O. If the water main was corroded and leaks occurred through it, where would the water or substance that leaked through the water main ultimately wind up going?
- A. The water would leak out of the pipe and the pressure would form a wet spot on top of the pipe and it would dig down and repair it.
- Q. The water wouldn't move along the trenches independently of the pipe?
- A. I don't believe this pipe was in a trench, was it? I believe it was buried. Let's see. I believe he says something in here about -- I don't know I was under the impression this water line was buried and I believe this is it right here. I believe this is the pump here.
 - Q. Where it says "firehouse"?
 - A. That's where your steam pump was.
- Q. So you think the water line is the dotted line that goes from firehouse --
 - A. These are fire hydrants, see.
 - O. I see.





- 1 Λ. So this is your -- this is the line he's 2 talking about. So your understanding of the water line he's 3 talking about is the water line that goes from the 5 designation firehouse on Minnesota Exhibit 97 C Α. Corroct. 7 And continues on up after making a sort of 8 dogleg unail it hits underground creosote, oil tank yardt 9 λ. Where's our -- yes. Where's our boiler room 10 here? 11 Boiler room is over here in the left. O. What is this line here? I don't know. 12 Α. 13 MR. COYNE: Off the record. 14 (At this time a discussion was held 15 off the record.) 16 BY MR. HIRD: Q. Mr. Hennessy, off the record you by examining 17 18 Minnesota 9 determined that the water main was the 19 dotted line that went from the point designated 20 firehouse up past the underground creosote oil tank area and, although it doesn't show it, continues on to 21 the area designated boiler room? 22
 - A. Well, Joe Lauck's letter says it was connected to the boiler room. So evidently it did go up that far. This drawing doesn't show it. When

24

2.5

you're covering a period of 42 years, you know, the plant maps change.

- Q. I understand. I really appreciate your bearing with us on this. You have to remember you were there and we weren't.
 - A. Yes. Okay. All right.
- than our nonexistant knowledge. In the middle of page

 3. Minnesota 18. Mr. Lauck refers to cracks in the
 refractory brick of the boiler and many sections of
 brick having fallen out of the refractory area. Is
 that consistent with your observations of the boiler at
 this time?
- A. I never crawled in that boiler and looked at it to be honest about it. I never inspected the boiler
- O. At the bottom of the page 3 of Minnesota 18 Mr. Lauck has a recommendation that a new plant water main be installed from the well to the boiler. Would that now water main as he described it bypass the use of the pond and just simply send well water directly to the boiler?
- A. That's what I read in the letter, install new plant water main from the well to the boiler.

 That's his recommendation. To the boiler house with additional connections as is present. Yes. That's



o 🖁 o e

1 what the letter says. Eypass the pond. 2 0. That would take care of the corroded water main that he mentioned earlier in the document? 3 Α. Yes. Right. Do you know whether a new water main was 0installed to run that distance at any time? 6 7 Not the main he's recommending. The main I Λ. remember being installed was connected to city water. 8 9 Q. If as Mr. Lauck suggests, and I believe Mr. 10 Horner earlier suggested in U.S. 7, that tar and oil was coming out from the pond into the boiler, would it 11 also go through this water main that Mr. Lauck 12 13 describes as being corroded? 14 Λ. Where is this you're reading? 15 I'm sorry. Perhaps I should rephrase. Q. 16 Λ. Oh, you're back on page 1? 17 Yeah. 0. 18 Α. Okay. 19 Q. 20 you to U.S. 7 again. If you recall in U.S. 7 when we 21

Q. Actually, what I'm going back to is referring you to U.S. 7 again. If you recall in U.S. 7 when we were discussing U.S. 7 I believe you testified that on the basis of this document it was your understanding that Mr. Horner thought the tar and oil was coming from the pond into the boilur system. If that is correct, would that same tar and oil get from the pond into the

22

23

24

water main which Mr. Lauck describes in Minnesota 18 as 1 2 being corroded? Let me see if I understand your question. 3 Α. Certainly. 0. Your question is if we quit using the pump at 5 the pond and put an electric pump in the well and then 6 hooked directly, is that your question? 7 8 0.No. Let me try and rephrase. 9 understand it, we looked at U.S. Number 7 and Mr. 10 Horner there, as you read it, suggested that tar and oil was getting into the Riley boiler --11 12 Um-hum. Α. 13 -- at Saint Louis Park. Q. 14 What's the question? 15 If the source of that tar and oil that was Ω. 16 getting into the Ruilly boiler was the water used from 17 the settling pond, describing settling pond water used 18 from the pond? 19 Cooling pond. 20 Cooling pond. Would that same water also go Q. 21 through these mains that Mr. Lauck is describing in 22 Minnesota 18? 23 Α. No. Because the way I understand what Mr. 24 Lauck's recommendation is is to put in a new pump in

the well and hook it directly to the main and pump it

96 (4 2)6 1

1 to the boiler so that the water in the pond would no longer go through the pipe. 2 3 0. Mr. Lauck refers earlier, however, to existing mains on the top of page 2 which are corroded. 4 5 Α. Yes. 6 So at that time water from the pond, the 0. 7 cooling pond, was being pumped through those existing 3 mains? 9 Α. That's right. 10 If there was oil and tar in the cooling pond, ο. would that oil and tar be pumped along with the water 11 12 into the existing mains --13 Α. Yes, it would. 14 -- that iir. Lauck was describing? ٥. 15 Are you talking about Mr. Lauck's 16 recommendation? 17 No. I'm talking about Mr. Lauck's discussion Q. 18 on the top of page 2 of Minnesota 18 about the existing water line, the first line on page 2 which we discussed 19 20 earlier. 21 If there were tar and oil in the pond, it 22 would be pumped through this line, correct. Yes. 23 Q. Which Mr. Lauck describes as corroded? 24 Α. That's right. Yes. Um-hum. didn't understand your question. 25

1 O. I think it was my fault. I didn't phrase it 2 as succinctly as I might. If you'll turn to page 5 of Minnesota Exhibit 18 Mr. Lauck under the heading Roman 3 II is describing condensers and pans in the refinery 5 and the vapor system outside of the building and states 6 that these condensers and pans were badly deteriorated. 7 Does this statement agree with your observations at the time? 8 9 Α. Well, this was before I believe we ever got 10 involved in the electrode pitch plant because what he's 11 talking about here is the condenser coils were badly 12 deteriorated and the only way you can really fix them 13 is to pull the coil out and either put a new one in or 14 take it apart outside and fix it. Now, what he says ! 15 the plant did was they cut links out. In other words, if a piece of pipe in the coil started leaking, they 16 17 cut the piece of pipe out and just eliminated --

Q. Do you have any reason to doubt the accuracy of that statement?

they did is they assentially made a smaller condenser,

out of it. He says as a result too hot and excessive

A. I have no reason to doubt the accuracy of the statement because iir. Lauck was pretty accurate. On the other hand, when we were involved with the:

18

19

20

21

22

23

24

vapora accumulate.

electrode pitch we had new coils in there. 1 But that's 2 besides the point. Um-hum. So I don't remember these coils. 3 You never observed --Q. 5 Λ . No. G -- the condensers and the pans which Mr. ο. 7 Lauck is describing here? A. 8 No. 9 But you have no reason to disagree with his 10 assessment --11 Λ. No. 12 -- that they were hadly deteriorated? Q. 13 I couldn't arque with it at all. Λ. No. 14 can't disagree with it. 15 You have no reason to believe it is not 16 accurate in saying that the condenser pipes were shortened as bad pieces of pipe were taken out? 17 18 19 Q. As opposed to new segments being installed? Um-hum. 20 Α. Do you recognize the handwriting on the last 21 Q. 22 page of Minnesota 187 23 I don't recognize the handwriting, but I Α. 24 recognize the initial under the handwriting. 25 Which is what? Q.

A. F. J. Mootz. F.J.M.

page 7 the same as the handwriting in the bottom of page 7 of Minnesota 18?

A. It looks the same. I'm no handwriting expert but it looks the same. I would guess it was.

Q. On page 7 under Roman numeral IV on Minnesota 18 Mr. Lauck refers to the steam main running through the tank farm consisting of a two inch uninsulated pipe running in the trenches that is partly submerged in water. He recommends that an overhead insulated line will reduce the boiler load considerbly. What does he mean by that?

A. I have to go back into history. In the early 20's when the refinery was built the way tar refineries were built, they ran their crossote oil and tar lines in trenches underground but you could take the top of the trench off and get to them. They ran the steam line through the same trench uninsulated. What this did, this kept the tar and oil lines hot so in the winter time especially in a cold climate you could pump through them without too much problem. That's what he's talking about. He's talking about the steam line and the oil and tar lines run through a trench.

MR. HIRD: Off the record.

В

ا ، ، _ا

| 1 | (At this time a discussion was held |
|-----|---|
| 2 | off the record.) |
| 3 | |
| 4 | (At this time a recess was held.) |
| 5 | BY MR. HIRD: |
| 6 | Q. Just before the break, Mr. Hennessy, you |
| 7 | identified the handwriting on page 7 of Minnesota 18 as |
| 8 | Br. Bootz' handwriking. |
| 9 | A. Doctor Mootz. |
| .10 | n. Doctor Mootz? |
| 11 | A. Un-hum. |
| 12 | Ω. To your knowledge did Doctor Moots frequently |
| 13 | visit the Saint Louis Park plant? |
| 14 | A. No. I don't know. |
| 15 | Q. You don't know one way or the other? |
| 16 | A. No. |
| 17 | Q. The handwriting on the bottom of the page |
| 18 | indicates that well, states that, "After hard rains |
| 19 | the water in the yard and refinery building stands |
| 20 | several inches deep." Would this indicate to you that |
| 21 | Doctor Mootz had visited the plant and observed this |
| 22 | situation? |
| 23 | A. That would indicate that he has seen it I |
| 24 | would think. |
| 25 | Q. Do you recall seeing water standing in the |

| yard | severa | al inche | a deep | and | standing | around | the |
|-------|--------|----------|---------|-----|----------|--------|-----|
| refir | nery b | uilding | several | L | | | |

- A. There is a lot more than several inches deep.

 I've seen it clear up to the hubcaps on the cars west

 of the refinery building.
 - Q. When do you recall seeing water that high?
 - A. Late '50's I'd say.
- O. Do you know the specific date that the city of Saint Louis Park built the extension to the Louisiana Avenue?
- A. No, I don't. It's been too long ago. I can't remember. I was involved. I should remember the date. Probably a few years later I would have remembered. We had to calculate the area that we sold them. We sold them the property or had -- we moved our property line. We sold them some property. I know of somewhere in the time frame it was in the late '50's because I was involved or middle '50's. I don't know.
- Q. Would it be before the date of Minnesota Exhibit 18, 1954?
- A. It could possibly have been. I don't know.

 Al can tell you more about that than I could.
- Q. In the upper right hand corner of page 7 of

11:00

1 identified, "suggests to J.L." -- which is who? 2 Λ. Joe Lauck. 3 Q. Joe Lauck. That, "It may be more economical and yet serve the purpose to insulate the lines which 4 5 we will do anyway." Do you understand what this disagreement with Mr. Lauck's recommendation by Doctor 6 7 Mootz was about? 8 Read it again. "Suggests to J.L. that it may be more economical and yet serve the purpose to 9 insulate the lines which we will do anyway and put in a 10 11 sump pump at the end of the trench system to keep trenches dry. This also will -- I don't know that word 12 13 water out of the yard." I think it's "keep". 14 0. 15 Doctor Mootz was not an engineer. Α. If you 16 understood the situation the suggestion isn't very good 17 Why isn't that suggestion very good? Quantity of water was enormous. You'd ne 18 19 be able to keep it dry. 20 MS. CONSTOCK: On the record for 21 clarification perhaps we will let --22 Q. If you have something more to say Mr. 23 Hennessy --MS. COMSTOCK: About the handwriting you 24 25 want to clarify what we were discussing off the record?

| 1 | A. Well, I could not identify the handwriting |
|-----|---|
| 2 | and I still can't, but I recognize the initials. |
| 3 | Q. But you saw no difference between the |
| 4 | hundwriting at the bottom and the |
| 5 | A. They look like the same handwriting to me, |
| 6 | yes. |
| 7 | Q. Thank you. |
| 8 | (At this time United States Deposition |
| 9 | Exhibit 8 was marked for identification by |
| 10 | the Court Reporter.) |
| 11 | BY MR. HIRD: |
| 1 2 | Q. Mr. Hennessy, I've shown you what has been |
| 13 | marked U.S. Exhibit B, which is a G page document |
| 14 | extending from date stamp number 304409 through date |
| 15 | stamp number 304414, which appears to be a memorandum |
| 16 | from J. A. Lauck to N. R. Horner dated October 12, 1954 |
| 17 | Mr. Hennessy, have you ever seen United States Exhibit |
| 18 | 8 before? |
| 19 | A. I probably have. I can't swear to it, but I |
| 20 | think I did. |
| 21 | Ω. Do you believe that you saw it at the time |
| 22 | close to the time when it was written? |
| 23 | A. Yes. |
| 24 | O. Have you seen it at all sense then up until |
| 25 | today? |

1.4

pumped into the plant four inch water main." Do you

| I | beli | ove | he | is | referr | ing | the | re to | the | system | of the | well |
|---|------|-------|-----|-----|--------|------|-------|--------|-------|--------|--------|-------|
| | | | | | | | | | | | we had | |
| | prev | rious | зіу | dis | cussin | g ti | his : | mornin | ng at | Saint | Louis | Park? |

- A. Yes, he is. The water was lifted out of the well by air, put into the pond and then the steam pump or reciprocating pump at the firehouse then pumps it through the main, four inch water main.
- Q. Mr. Lauck goes on to say, "This main contains approximately 32 small wooden plugs and possibly accounts for several wet areas around the plant." Pid you have any knowledge of the wooden plugs in this water main at Saint Louis Park plant?
- A. I probably did. This is a standard method of stopping a hole in a cast iron pipe. There is this cast iron. Wait a minute. It must have been cast iron. All right.
- Q. He then goes on to say, "The water is contaminated by oil and mud from the pond and has a disagroeable odor." Po you understand him as referring there to the water that is moving through the main --
 - A. Yes.
 - Q. -- to the plant?
- A. Yes.
 - Q. Do you have any reason to believe that

1 statement is inaccurate?

1.2

- A. No. Because I know the pond when I saw it was murky with mud and silt.
 - Q. Could you turn now to page date, stamp number 304413 on U.S. Exhibit 8.
 - A. All right.
 - Q. Under the heading marked Arabic "5, Waste."
 - Q. Mr. Lauck here identifies 7 sources of waste at that time. Do you have any reason to disagree with any of those 7 sources as a source of waste or to discount any of those sources as a source of waste at the time?
 - A. Okay. We have surface water, tank farm trench water, steam condensate. Then he's got oil and tar spillage, water from oil, water cut in refinery, cooling water from refinery and air compressors, laboratory sink, boiler blow down, water from tank 5 at the treating plant.
 - Q. Do you have any reason to --
 - A. I understand everything except the tar spillage. But I don't know where that would come from.
 - Q. When he's talking about tank farm tranch water, is he talking about trenches that run down to the oil-water separator which you designed?
 - A. He's talking about the trenches that contain

the oil lines and tar lines and the steam line that was built about 19 -- early '20's.

- O. The water that he describes -- well, let's go through that item bit by bit then. He mentions a tank farm trench water. Would you understand that to be water that leaked from those pipes and lines that ran through those trenches?
- A. The tank farm trench would be the trench containing the pipes connected to the tank farm and the water would be the surface water which ran into the trenches from above.
- (). Would that surface water ultimately run down through the oil and water separator?
- A. Well, it would run to a sump and from the sump it would be pumped to the oil-water separator, yes
- Q. Would steam condensate also get into those trenches?
- A. Yes. The tanks had steam coils in them and there was no condensate return system on those boilers. So the steam that was condensed in the steam coils would then be discharged. I don't know whether they were discharged into the trench or not, but they would eventually end up in the trench if there was enough of it.
 - Q. Okay. You said you were puzzled by oil and



tar spillage being something in the trench. Why are you puzzled by that?

A. The tar came in by rail car. They came into that tar vat. That was built in such a way that what you did is you put a metal hose, I believe, on the bottom of the tank car and put the other end of the hose into the vat. You opened the valve. Now, in case something went wrong, say you broke the valve clear off the bottom of the car and the whole tank car spilled out, which I don't know that it ever did. I never heard of it happening, but say it did, it would still run into that vat. In other words, the entrance to the vat was lower than the track.

- Q. Were there oil and tar lines running through these trenches that Mr. Lauck is describing?
 - A. Out in the yard, yes.
- Q. So could be referring to spillage caused by leaks in those lines?
 - A. He could. I guess, yes, he could.
- Q. If you go down a little further Mr. Lauck refers to a wooden settling basin 10 feet by 16 feet by 50 feet. Do you believe there he is referring to the wooden settling basin which you designed?
- A. I imagine he is hecause that's the only basin

 I can think of that was that large. 50 feet. That's

ÇI

25

clarification.

THE WITNESS: Got to start using the

...

1 same terminology here. 2 (At this time United States Deposition 3 Exhibit 9 was marked for identification by the Court Reporter.) 5 BY MR. HIRD: 6 Q. 7 8 9 10.

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

Hr. Hennessy, I've shown you a document which has been marked United States Exhibit 9 which is a two page document containing date stamp number pages 100894 and 100895. It appears to be a November 23, 1954 memorandum from J. A. Lauck to H. A. Horner. Do you recall ever seeing U.S. 9 before, Mr. Hennessy?

- Α. I don't recall it, but I'm sure I've seen it.
- You're sure you saw it at the time when -0.
- In fact in 1954, yes. Α.
- This United States 9 appears to you to be a 0. document written by Mr. Lauck in connection with his investigation of the Saint Louis Park plant about that time?
 - That's correct. Um-hum, that's correct.
- Can I turn your attention to the second page Ω. of U.S. 9, item 13, where Mr. Lauck discusses a maintenance program to be started next year patterned after the maintenance program at Maywood. Do you have any understanding what the maintenance program in Maywood was?

| A. I was not involved in that, but I do |
|--|
| understand generally what it was. They kept a record |
| of each piece of equipment in the plant and they had |
| code numbers which told them which preventative |
| maintenance had to be done. And the megger is an |
| electrical piece of equipment where you check electric |
| wiring and electric motors for quality of insulation. |

- Q. Do you have any personal knowledge whether such a maintenance program was ever instituted at Saint Louis Park?
 - A. Yes, it was instituted.
 - Q. Why do you say that?
 - A. Yes, it was?
- Q. Why? What's the basis of your understanding it was instituted?
- A. I can remember Joe Lauck's discussion with Mr. Peters, and I can just remember hearing him talk over the phone to plant personnel and discussing the maintenance procedure.
- o. Do you remomber whether he was talking about instituting a program at that time or was talking about a maintenance program that was already in existance when he was on the phone?
- A. From reading this letter I gather that the Maywood system was being set up at the time this letter

1 was written and that he is recommending they install the same maintenance system at Saint Louis Park. 2 0. But when you heard Mr. Lauck talking on the phone with -- I believe you mentioned a Mr. Peters? I believe Mr. Peters. Α. 0. 6 Was Mr. Peters at Saint Louis Park? Α. Mr. Peters was at Saint Louis Park, yes. 8 Was Mr. Lauck talking with Mr. Peters about Q. 9 what is to be done in terms of substituting a 10 maintenance program or was he talking with Mr. Peters 11 about an already existing maintenance program or do you 12 have no recollection? 13 I can't recall that well. 14 o. What was Mr. Peters' position at Saint Louis 15 Park at that time? 16 I believe he was plant engineer, but I'm not Α. 17 I believe he was. 18 Do you remember his first name? 0. 19 Α. No. I knew him but I can't recall his first 20 name. 21 Do you have any idea of what he did when he Q. left Reilly Tar? 22 23 λ. I think he retired, but I'm not sure. 24 Do you have any recollection of how old atman

25

Mr. Peters was in 1954?

(6)2) 922-1955

A. He was older than I was. Of course, I wasn't all that old in '54, but he was older than I was.

Q. Okay. Thank you. I'm going to ask you to go down Mr. Lauck's 13 recommendations and ask you whether you have any personal knowledge which of these 13 recommendations were actually put into effect.

A. The 13 recommendations. City water connection to boilers. That was done. Conversion to gas. That was done. Low water cutoff on Riley boiler. That was done. You have to do that if you're going to burn oil and gas.

O. That was cone when you converted in about 1962, it wasn't done around 1954?

"To be installed at the time new burners are installed." I may be wrong. Maybe it was done then. Because we did get into boiler controls then. I'm not sure about the date '62. That was a guess. I don't know. Okay. Feed water regulator on Riley boiler. Evidently it had already been purchased and was going to be installed during the regular shut down. So that was done. Flame failure protection. That was done when we burned oil and gas.

- Q. That was when you converted in the early '60'
- A. To the best of my recollection. I don't know

what the date was. I said early '60's. I was trying to remember. But the reason I say it was -- why I guessed it was early '60's is one of my later visits to Minneapolis.

- Q. So it would probably be later than 1954?
- A. Oh, yeah, it was definitely later than '54 because they were burning coal in '54.
 - Q. Which is the date of U.S. 9?

5

G

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

Λ. The letter, right. Now, flame failure protection on Riley boiler. High voltage wiring in Well, he said should be cleared. remember anything about the high voltage wiring in This is something a man at the plant would see. I don't know what he did, whether he trimmed the tree Obviously something was done. Feed water heater to be raised and a proper exhaust header and air bleed installed next spring during regular shutdown. Now, why they had to raise the feed water heater is you put in a contribugal pump, the centribugal pump won't lift anything and you must have a positive prossure at the pump when it is pumping or it will quit So what he did is he raised the feed water heater the water would not flash into steam at the inlet of the pump and quit pumping. Okay? So that was done. Feed water pumps. He put new feed water pumps in.

pump. "ketinery oil pan fumes can be eliminated by use of steam jets and pan condensers. This would replace the present collecting system which is not satisfactory expensive to operate." I know at the time we were operating the four stills for making the electrode pitch we had new coils in the condenser and we had a steam jet and we had good pans too. All right. Number 10, water main and air lift. "The air lift requires a 35 horsepower air compressor to run almost continuously The water main hus correded through in many places probably due to high concentration of oxygen in this aerated water." Be did install an electric well pump.

- Q. But you didn't replace --
- A. A new water main throughout the plant? We did not hook the water main to the electric pump. We hooked it to city water.
- Q. Did you install a new water main throughout the plant?
- A. We replaced this four inch pipe that had all the holes in it that pumped water to the boiler. We actually relocated. We put in a main to handle city water. I can't remember what size it was. I'm sure it was much larger than four inch.
 - O. Was this done during your second visit when

(). Why was that the worse?

A. This was in the trenches. It's the one that leaked the most, was in water the most. This was right see, the flooding was principally around the refinery. So we had a four inch insulated pitch line. Back in the late '40's and early '40's, as I mentioned before. the part of the tar that was difficult to sell was your residue. So in order to get rid of the residue we put in a pitch line and we burned pitch in the boilers.

- Q. In the '40's?
- A. In the '40's, yes. Okay.
- (). So you would pump pitch through the pitch line?

A. Insulated pitch line to the boilers. And pitch was used as a fuel. It's a very excellent fuel. Has a very high Btu content. In the '50's when the residue of the tar became the valuable part of the tar and you had trouble getting rid of the condensate, you know, the condensate was harder to sell than the pitch, you know, we made electrode pitch, some of the plants made pipe enamel, all kinds of uses for the residue. So we abondoned the tar line. We no longer burned it because you could buy coal cheaper than you could buy pitch. Pitch was more valuable than the coal. So what we did is we used that line for the steam line between

G

• • • • •

1 the refinery and the boiler room. You used the former pitch line? 2 (). Yes. Which was insulated and above ground. 3 Λ. I see. Was it cleaned out before it was 4 Ω. 5 changed over to using steam to your personal knowledge? Well, I'm sure -- the only way you can clean G Λ. 7 out a pitch line is what you do is after you put pitch 8 through it -- well, it depends on where you're coming 9 from. You want me to go into how they have a pitch 10 line cleaned? If you want me to I will. 11 Well, let me ask whother it was cleaned. Q. 12 I'm sure it was or we couldn't have used it Λ. 13 for a steam line. 14 But you don't have personal knowledge that it 0. 15 was? 16 I have no personal knowledge of who cleaned Α. 17 I think I know how they cleaned it, but this is 18 just our standard procedure for cleaning pitch lines. 19 What is the procedure for cleaning pitch 0. 20 lines? 21 If you are going from a still and you want to Α. 22 blow pitch from a still to anywhere, to a tank or to 23 boiler or anything clse, when you get all through the 24 pitch will flow as long as it's kept hot. And after | 25 you get through blowing you must get rid of all the

1

2

3

4

5

б

7

8

9

10

11

12

13

14

15

16

17

18

19

20

block the line. The only way you can unblock it is practically take the line apart and clean it out. right. Now, in order to prevent all this what we did is we would run the still until we got to the softening point pitch we wanted. Okay. Then the first thing the still operator would do would be to shut the scraper line off and cut off the oil going to the condenser. All right. This would cause the pressure in the still to rise from about 6 pounds to about 15 pounds. right. As soon as the pressure got up to about 15 pounds he would open the pitch valve wide. This is all state-of-the-art because, you know, this is something you can only learn by doing. He opened the pitch valve wide because if you just barely crack it and let the pitch trickle it's going to solidify on you. So what he did was he opened the valve wide and this 15 pounds pressure would push the steam through the line and it would go all the way. Once it got started, once you got pitch going through the line, that line was hot and it would pump the water then at the still temperature.

pitch in the line or it will set up solid and just

22

21

23

24

67

25

A. And then right at the end when the pitch got down to the bottom of the still then the scrapers would

break through. Now you got a little bit of pitch there

Q. So it would pump all the pitch out?

and you got no pressure in the still. So what they did
then is they opened the steam line to the still and
just brought the pressure up to about 10 pounds or so
and shut it off again and steam would go through and
blow all that pitch out. You had an empty line. That
was the standard method of cleaning the pitch lines.

- States 9 you don't recall if the entire system of steam lines and trenches was reinstalled above ground and insulated within a short time after this memorandum U.S. 9 was written?
 - A. You're asking about steam lines and trenches?
- MS. CONSTOCK: Perhaps you can rephrase

the question.

to the initial question which was item number 12 which was steam line in trenches on U.S. 9, I'd asked you which of these recommendations were accomplished. And lir. Lauck here suggests that this entire system should be reinstalled above ground and insulated. I'm asking whether that was done within a short period of time after br. Lauck's memorandum to your personal knowledge.

A. It was done but I couldn't tell you when. I don't know how soon after it was done.

1 | went off the record?

(At this time the requested portion of the record was read aloud by the Court Reporter.)

BY MR. HIRD:

Ą

- Q. Let me withdraw that and reask a complete question. Does United States 10 appear based on your experience as a Reilly employee to be a document which Mr. Hootz would have written in the regular course of his duties at the company?
 - A. Yes, it does.
- Q. I'd like to ask you to look at the bottom of the first page of United States 10 to the paragraph which is indented following the Arabic numeral 1.

 There Doctor Mootz states that, "You should make a disposition -- states to Mr. Holstrom that he, "Should make a disposition of certain zinc cholorides by disposing of it through your regular ground water system." Do you understand Mr. Mootz to be referring here to the oil-water separator which you designed for Saint Louis Park?
- A. No. He's referring to zinc chloride solution number 10 tank.
- Q. When he uses the phrase, "Your regular ground water system," is he referring there to the oil-water

· 医高种体的

system that you designed in Saint Louis Park, the oil-water separator system which you designed at Saint Louis Park?

A. I don't know what he means by ground water system. As I say, Doctor hootz was no engineer. It's very confusing. We did have some rain water go through that separator, but if you ask me he says ground water. I assume he means water running over the top of the ground.

Q. So is your understanding then that he's suggesting that Mr. Holserom pour the zinc chloride simply over the ground?

A. I don't know what he means. I don't even know where the zinc chloride came from. This is the first I knew about it I believe. I don't know where the zinc chloride came from, what it was used for and I don't understand Doctor Mootz' terminology here.

O. "I do not see a future use for it, should dispose of it through your regular ground water system." If zinc chloride was run through the oil-water separator that you designed at Saint Louis Park -- or rather zinc chloride solution was run through the oil-water separator that you designed at Saint Louis Park. would that separator be effective in separating out the zinc chloride or would it wash right

1 | through the separator?

В

A. I have no knowledge of zinc chloride. I can talk about sodium sulfate because I've had experience, with it. Zinc chloride leaves me completely blank. I don't know what it would do to the water. I don't know whether it would float or sink or what it would do. I don't know.

O. When you designed the oil-water separator, you didn't design it with the intent that it would function in terms of extracting zinc chloride from any substance that --

- A. This is the --
- Q. -- went past through?
- A. This is the first I knew that they intended to even put it through it.
- O. When you designed the oil-water separator, you did not design it with the intention that it would separate out zinc chloride?
 - A. No. I can't remember that at all.
- O. If you turn to the second page of United
 States 10 and look briefly at the paragraph which
 follows the Arabic numeral 3 in which Doctor Mootz
 refers to an emulsion in storage tank number 3. I
 believe yesterday you testified that you weren't very
 aware of emulsions that may run through the oil-water

this refresh your recollection that, in fact, there were emulsions on the plant and they might indeed run, through the oil-water separator?

A. Well, what I said yesterday was that -- I; went into the description of getting tar acids out of the tar. At the end when you have your carbolate layer you have a carbolate layer and you have I quess it's a neutral oil layer. In between the two you don't have just a straight line. You have a little thin layer of emulsion. That emulsion I talked about. That's the emulsion he was using for a weed killer. Do you remember that?

- (). Yes. I romember that.
- A. I don't know what emulsions he's talking about here. I assume -- let's see. How much did he have?
- Q. I believe it's half a million gallon tank of emulsions.
- A. Which is a half million gallon tank. Number 3 is a half million tank. That doesn't mean he had a half million gallons of emulsion I hope. Okay. That's all I can tell you. I didn't remember that he had emulsions in tank number 3. In fact, I doubt that I ever knew it.

1 ø. If this emulsion in tank number 3 was run 2 past the oil-water separator, the oil in that emulsion would not be separated out? 3 No, it would not. No. I don't know what this material is where he's going to try to de-emulsify 5 6 it. I don't know how tho test went. I see he's 7 sending a one gallon sample to the Reilly laboratories. 8 This is the first I heard of that. I'm a complete blank on this. 9 10 So you would have no personal knowledge to 11 what extent emulsions were present at Saint Louis Park at any time from the time that you designed the --12 13 Α. No. 14 -- oil-water separator to the time the plant Q. 15 closed? 16 Α. That's correct because this is strictly 17 production which I wasn't into at all. 18 MR. HINDERAKER: While you're getting 19 the next documents may I ask a question? Mr. Hennessy, 20 do you know what Doctor Mootz had his doctorate in? 21 THE WITNESS: Chemistry I believe. 22 I take it back. He had his doctorate in 4 No. 23 metallurgy, I believe. He either had a Bachelor's 24 Degree in metallurgy and a doctorate in chemistry, or he 25 had a Bachlor in chemistry and a doctorate in

metallurgy. I don't know which way. It was one or the 1 2 other. 3 HR. HINDERAKER: When you say Doctor Mootz was no engineer you mean --4 5 THE WITNESS: He never went through an engineering school. He never trained in engineering. б His whole career at Reilly was in production. 7 8 MR. HINDERAKER: So he was not a 9 chemical engineer? 10 THE UITNESS: He was not a chemical 11 engineer. He was a chemist. 12 MR. HINDERAKER: I see. Thank you. 13 (At this time United States Deposition 14 Exhibit 11 was marked for identification by 15 the Court Reporter.) 16 BY MR. HIRD: 17 This document which has been marked United Q. 18 States 11 is a one page document, date stamped 100711 and appears to be a memorandum from H. R. Horner, to F. 19 J. Mootz dated July 31, 1957. Mr. Hennessy, do you 20 21 recollect receiving this document at any time? 22 I don't remember the document, but I know the Α. problem. I'm familiar with it. 23 24 0. Does this appear to be a letter, a memorandum



25

written by Mr. Horner in the course of his duties at

1 Reilly Tar?

- A. Yes, it is, I'm sure.
- (). Are you referred to in this memorandum?
- A. Yes, I am somewhere down here. I wasn't given a copy, but I -- oh, here, middle of the second paragraph. I had Mr. Hennessy design spring-loaded bolts that would keep the cover tight.
- Q. What is the problem of the messy situation that Mr. Horner refers to that he said you would come up with a design to solve?
- A. The problem is you have a pitch tank and the pitch tank is hot, the material in the tank is very hot So you have a hot tank. If scrapers come out the manhole -- they're very heavy scrapers. They'll condense on top of the tank and run down into the insulation and then you have fires on a pitch tank. The only way you can put the fire out is tear the insulation off and clean the tank and then put the insulation back. So every time you had one of these messes, why, it was expensive. It also interfered with production which made them very unhappy.
 - Q. So how did you solve that problem?
- A. My first attempt to solve it was spring-loaded bolts. What we did is -- in order for you to understand this I'm going to have to go into a

2

3

4

5

7

8

10

11

12

13

14

15

16

17

18

19

20

little more dutail. These condensers all had air condensers on them which condensed the scrapers. The scrapers are easily condensed because they're very high molecular weight scrapers. Now, I won't go into that. I say they're easy to condense. They're easy to condense if you know how to do it. If you don't they're very difficult. But anyway, our plan and we. did was to condonse these scrapers in these air condensors. Yow, the problem was that if you get just a little bit of water or at times if there is too much back pressure in a condenser, it would lift the manhole cover off. The manhole cover was never put on tight. There was a gasket, but it wasn't bolted down for safety reasons. We didn't want to blow the tank up. The tank would only take -- most storage tanks are designed so that the top head will only take a half: pound per aquare inch pressure, whereas the bottom will take a lot more pressure. And this is a safety measure in that if the tank should rupture, you ruptured at the top where the liquid won't escape. You don't want the liquid --

21

22

Q.

Louis Park refinery?

23

24

25

Lot me ask a question here by way of

with the condensers in pitch storage tanks at the Saint

clarification. We're talking here now about problems

: . [

5

б

7

ઇ

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

- O. I just wanted to get an accurate statement.
- I don't want to make a speech. That isn't the point. But anyway to got back to the manhole covers, the first attempt was we put springs on which would allow the manhole cover to lift when the pressure in the tank reached a half a pound, okay, or a little less than a half a pound. Now, these worked for awhile but after awhile due to the springs getting out of adjustment or semething, why, they wouldn't work. They'd hold the cover on and they build up pressure and never ruptured a tank, but we did have when you get about a half pound presoure in a tank or a little more, much more than half a pound, why, the scrapers come out and they hit the top of the tank and they condense, as I said before, and make the top of the tank very black. So the final design was a way which couldn't get out of adjustment. What we did is we had a collar over the manhole so it couldn't blow off and a chain and then on that we put a weight. The weight was just enough so that just below a half pounds per square inch it: would hold the cover tight against the gasket. Then this:

B

design was very successful. If you had a little bit of water should get in there for any reason, why, it flashed into steam and you had a bump that was a little more than half a pound, this thing would relieve the pressure just like a safety valve and come back down and stop it. It worked fine, the second design. This design didn't. This design worked for awhile but then it got out of adjustment.

- Ω. When was the second design installed at Saint
 Louis Park?
- A. Shortly after this one. We didn't use the springs very much at all. In fact, most of the plants never saw the springs.
- Q. Now, when you said that the scrapers, during the time before this design was instituted, would collect at the top of the tank and condense, would that be a condense pitch or tarry substance?
- A. It would be pitch or very heavy oils from the pitch. Actually, I think you're misunderstanding me again. Maybe you are. I think the oils you're talking about are inside the tank. I'm talking about oils that come through the manhole. The oils that come through the manhole and then they're deflected back against the tank and they condense on top of the tank. If you can visualize a steel tank.

<u>(1.7)</u>

So this is before they ever get into the tank 1 Q. 2 itself? Λ. Oh, no. It's after they're in the tank'. It's after they're in the tank. I'm sorry. Why don't you go ahead with your 0. visualization. 6 But anyway, when you had these bumps and 7 8 pressure, the scraper would come up and hit the manhole, 9 lift it and the manhale would deflect the vapors down 10 against the top of the tank where they would condense 11 on the cold aluminum covering the insulation. The 12 insulation was waterproofed to protect --13 0. so this would be on the exterior of the tank? 14 This is on the exterior. Then after awhile 15 these heavy oils would eventually seep down into the 16 insulation. Plus another factor that we found out was we were using calcium silicate insulation. And calcium 17 silicate is a catalyst to promote combustion with these 18 19 oils. So you would have a fire on top of the tank. It 20 would be a smouldering fire under the aluminium but 21 he'd see smoke coming out. 22 Ω. Hould these oils ever seep down on the ground 23 below the tank?

This is just the top.

about it is it would discolor the top of the tank and

No.

The worse thing

24



25

Λ.

Um-hum. Right.

O. Based on your reference now to state Exhibit

- 1 number 15, would that refresh your recollection that 2 these steam lines were not replaced by October 7, 1958, the date of State Exhibit 97 3 All of them were not, obviously. Only the 4 steam line to where we used the pitch line from the 5 6 boiler to the refinery. But the steam lines and the 7 trenches at the tank farm obviously were not replaced 8 because this is what he's talking about. They were not G replaced until 1958, yes. 10 At least until 1958? Ο. 11 Α. Ycs. 12 0. But you have no independent knowledge that 13 this recommendation made by Mr. Reilly here was acted upon in a specific time afterwards? 14 15 Α. This is not a recommendation. This is an
 - authorization to proceed and spend \$12,500 doing it. It's a work order.
 - Mr. Reilly in State Exhibit 9 says that when Q. emersed in water these steam lines would lose 12,000 --I believe that's the symbol for Btu?
 - Λ. No. Pounds.

17

18

19

20

21

22

23

24

- Pounds of steam per hour. Would you have any Q. reason to disagrae with that assessment?
 - That sounds accurate to me. Λ.
 - Mr. Hennessy, do you know whather the Ω.

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

treatment cylinders used for wood treating at the Saint 1 2 Louis Park plant were insulated at any time during the plant's history? 3

- The treating cylinders?
- Ω. Yeah.
- They were not insulated, but they were enclosed with the building, they were inside. I say to my knowledge they were not insulated. If they were insulated I don't know it. I don't think they were.
- You said on the basis of 0. Just one question. referring to State Exhibit 15 that this demonstrated to you that the steam lines to the storage tank and loading stations had not been replaced. But you said that other steam lines may have been replaced between 1954 and 1958. Do you have any independent knowledge that other steam lines were replaced between 1954 and 19587
- As I mentioned before, I can't tell you the year, but we started using the overhead pitch line from the refinery to the boilers for steam. We had the flow the opposite way. We brought steam from the boilers to the refinery in that old four inch pitch line.
- Q. So as far as you know, none of the steam lines may have been replaced by 1958 or may have been | replaced later as far as your personal knowledge?

what was marked as United States Exhibit 12 which I

Tar?

λ.

24

25

He went to work for National Starch as



| 1 | pollution. That's what Mr. Cruenhagen was measuring. |
|-----|---|
| 2 | He talks about dust. Those oils at atmospheric |
| 3 | temperutures are solids. So what happens is you put, |
| 4 | the pitch in the bay, the fumes come off and they |
| 5 | immediately solidify when they hit the air. They came |
| 6 | out of the refinery building as dust. He's measuring |
| 7 | the amount of dust in the air. Okay? |
| В | HR. SHAKMAN: What temperature do they |
| 9 | come into that at? |
| 10 | THE WITNESS: 400 degrees Fahrenheit or |
| 11 | 200 degrees C. |
| 12 | BY MP. HIRD: |
| 13 | Ω. Mr. Gruenhagen also mentions that he found |
| 14 | the compound naphthalene. |
| 15 | A. No. He said he did not find much naphthalen |
| 16 | didn't he? Or did I read |
| 17 | Q. He said he did not find much, but that would |
| 18 | indicate that he found some naphthalene. |
| 19 | A. Yeah. Probably. I'm surprised it was there |
| 20 | but he found some naphthalene. |
| 21 | Q. Why are you surprised that the naphthalens |
| 22 | was there? |
| 2 3 | A. Well, now, wait a minute. No, I'm not |
| 24 | surprised either. Naphthalene sublimes at atmospheric |
| 25 | temperature and it would be a dust. In other words |



when you put a mothball in your attic -- you buy mothballs. You put it in your attic and the mothballs disappear but you never get any liquid. It sublimes. It goes immediately from the solid state to the vapor state. Naphthalene wehn you go the other way you can get a liquid ir you hast it and distill. If you melt the naphthalene and distill it you get a liquid. But then when you put that liquid in a pan or container it will turn solid at room temperature. So the naphthalene was a dust. That's why he got it.

- Q. Was naphthalene another high boiling oil?
- A. It's not nearly I don't believe -- again I'm no chemist. I don't believe it's nearly as high boiling as some of these other oils that he mentioned.
- Q. Are you familiar with the term polyaromatic hydrocarbons?
- A. I wasn't then but I'm familiar with it since I've been reading all these EPA documents.
- Q. Why are you now reading EPA documents about polyaromatic hydrocarbons?
- A. It used to be that your water was contaminated with coal tar, coal tar oils. Now they recontaminated with polynuclear aromatic hydrocarbons.
- Q. So your understanding is that coal tar oils generally include polynuclear aromatic hydrocarbons?



| | l |
|----|---|
| 1 | A. Yes. As I understand what, again I'm not a |
| 2 | chemist, but as 1 understand what a polynuclear |
| 3 | aromatic hydrocarbon is, it is one with a ring, whereas |
| ય | the petroleum oils have links, chains. |
| 5 | Q. By ring do you mean a benzene ring? |
| 6 | A. Yes. |
| 7 | Q. The poly would refer to more than one benzen |
| 8 | ring? |
| 9 | A. Yes. |
| 10 | Q. Would you understand the chemical |
| 11 | phenonthrene to be a polynuclear aromatic hydrocarbon? |
| 12 | A. Yes. I would call it coal tar oil, but he |
| 13 | calls it polynuclear aromatic. |
| 14 | Q. Would you also believe the fluoranthene to b |
| 15 | a polynuclear aromatic hydrocarbon? |
| 16 | A. If it came from coal tar it was, yes. |
| 17 | Q. The compound pyrene, would you understand |
| 18 | that compound to be a polynuclear aromatic hydrodarbon |
| 19 | A. I don't know what pyrene is, but if it came |
| 20 | from coal tar it is I'm sure. |
| 21 | Q. If it was found in this pitch plant operation |
| 22 | that Mr. Gruenhagen tested, it would be a derivative o |
| 23 | coal tar? |
| 24 | A. Yes. It had to come from the tar. Only |

 $\langle a \rangle$

25

place it would be coming from.

- Did Hr. Gruenhagen read German? Q.
- That I don't know. Λ.
 - Did any engineer in your lab read German? 0.
 - Λ. I'm sure they did. I know we have engineers



23

24

were no longer made so you couldn't buy parts for them.

So the problem was that when they opened the valve they

24

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

instance, they might pump the water cut into number I oil tank or might pump number 2 cut into number 4 cut or something like that. This caused an inventory loss because this would ruin the specification of the oil and they'd have to rework it.

Q. Fo these are the valves that would control the various cuts of tar as they left the retort at the end of the refining process through the various tanks where they'd be stored?

These are valves that control the condensate: which came off the condensors at the stills. were receivers. Each still had a receivers. When the receiver had so much oil in it, say for instance, at the end of what they called first cut they would open the valve to run the tank to the proper -- they would open the valve to run the tank, the receiver to the, proper tank, proper receiving tank. Or let's call it the proper working tank. The problem was that with all valves closed the oil ran out, some of it ran out. receiver pan -- well, they wouldn't run out as fast as running in the pan. The operator wouldn't know it until he started checking how much oil he had in his other pans. Then he would immediately know it. out of his receiving tanks.



23

24

25

4 4 9

Q. When you say pan do you mean open pans?

13:

2 No. They had covered on them. Λ. I'm not 3 talking about the pitch pans. I'm talking about the receiving pans. The way the still operated we had a vapor line from the still to a condensor. 5 condensor was elevated. See, scrapers can go uphill. 6 You don't need to worry about pumping or anything. 7 pressure in the still would force the vapors over to B 9 the condensers. At the condensers it's condensed and 10 the oil ran down into another pan which was covered. Actually, the pans, even the condenser pans, at Saint 11 12 Louis Park were covered. But the receiver pans were 13 covered. All right. Then the fellow when he got so 14 much oil in the pan he would run it to -- I call them 15 working tanks, different people call them day tanks. 16 They have different names for them but actually the 17 working tanks where you're actually working with the 18 material. Then from there it was pumped to the 19 troating plant to be either used as is or put in 20 another tank as is or blunded with other oils to meet i 21 some specification.

- Q. So these were the valves between the retort and the pan and not the valves between, say, the pan and the working tank or the day tank?
 - A. These are the valves in the header between

1 the receiving pans after the oil was condensed, the 2 receiving pans under the condenser and the day tanks or 3 the working tanks. I see. Now, you mentioned that the problem-4 5 with the valves was such that the material would run 6 out of the pans. Would you mean by that they would run 7 out of the pans into the day tanks? B Yos. I don't know how many tanks there were. 9 I doubt if this picture's accurate. 10 Ú. You're looking at Minnesota Exhibit 9? 11 Yes. This shows 7 tanks. Α. 12 7 tanks? 0. 13 So we had 7 lines running to 7 tanks. 14 Seven working tanks or day tanks? 0. 15 Α. That's right. And we had valves connecting 16 each of these 7 tanks to a header. Now, when he got 17 the amount of oil in the receiver pan under the 18 condenser, he would open a valve under the receiver pan the oil would run to this header, then he would open 19 20 the proper valve to put it in the working tank he 21 wanted to put it in. The valves on the headers is 22 was leaking. 23

O. So the result of the leaking would be that the working tanks would fill up too quickly or before one would be ready to have them filled?

24

4

5

6

7

8

9

10

11

12

1.3

14

15

16

17

18

19

20

21

22

23

24

- Roman numeral number III and ending on the second page at the end of that just where Roman numeral IV begins.
 - A. There seems to be a page missing. Maybe not. 303649, is this the first page?
 - may be other pages, unfortunately, we have been unable to locate.
 - A. All right.
 - O. Mr. Fluch, do you recall seeing State Exhibit
 Number 3 before at all?
 - A. No. I'm trying to find out who wrote this.
 - Q. Well, I can perhaps enlighten you. During the deposition Mr. Lesher testified that he prepared this document and that he prepared it in about 1961.
 - A. Okay. I was going to say I didn't remember this thing at all.
 - Q. Do you recall any conversations with Mr. Lesher?
 - MS. COMSTOCK: I don't believe the witness has had a chance to review it.
 - Ω. I apologize.
 - A. Okay. I read it.
 - Q. Do you recall a managers' meeting in or around 1961 at which time the subject of the waste water system at Saint Louis Park came up?



- 1 They had these managers' meetings every two Λ. or three years. I can't recall any particular meeting. 2 3 In fact, I didn't even attend a lot of them. them I did. 5 Ω. Do you recall talking to Mr. Lesher in or around 1961 about waste water problems at Saint Louis 6 7 Park? 8 I probably did. I don't remember it. 9 Based on your review of this section marked Q. 10 Roman numeral III do you believe that Mr. Lesher is 11 here discussing the settling basin at Saint Louis Park? 12 He's discussing it in one paragraph, yes. 3 0. Which paragraph is that? 14 The second paragraph on page 5. 15 You don't believe that he is discussing the c. 16
 - C. You don't believe that he is discussing the settling basin in Saint Louis Park on the first paragraph of the section which begins on page 4 and goes over to page 5?

18

19

20

21

22

23

24

25

A. Well, I think it's discussing the basin in that the runoff water bypasses the basin, yes. Um-hum. He also says the tile. That tile is still in place whenever this was written. 1,200 feet long. And empties into an open ditch. The open ditch is what we were discussing the other day. Ckay. All right. Yes, he's discussing water bypassing the basin in the first

2

3

4

5

6

7

В

9

paragraph and he's discussing the basin itself in the second paragraph. Is that correct?

Q. I'm afraid I have to ask you that question. The first sentence of the second section marked "Waste Water" Mr. Lesher states that, "The refinery contaminated water was laid out to go into a settling basin with runoff bypassing the basin." Would you understand that to mean that rain water, rain runoff, would not be running through the basin --

- Right. Λ.
- -- in its original design? 0.
- That's correct. However, I mentioned to you Λ. there was a small area that we allowed it to run But generally speaking you're correct, right. through.
- Mr. Leshor goes on to say, "The original Q. design plan pumping off of runoff in about two days." As the designer of the basin would you agree with that statement?
- Where is this statement now? "The original Α. design plan pumping off the runoff in two days." right. Now he's talking about the pump -- or the tile that pumps -- we had an area where rain water was pumped through the settling basin, as I described before. Now what he's saying with conditions as they existed at that time this pump is way too small and

22

23

24

right past the sectling basin until it gets a foot high and then it floods it. That's what he's talking about.

б

- Q. Let me just take you back a step. When you originally put in the settling basin, it was designed in a situation where one expected that runoff could be pumped out within two days. Would that be a correct statement? I'm taking you back now to 1941 when you designed the basin.
- A. Your question was that the runoff could be pumped out in two days?
- Q. Was that the way that you designed the basin to fit into a system where runoff could be pumped off in two days?
- A. I can't remember. But we did design it with pumping a certain amount of runoff through the basin.

 Now, I can't remember the figure of two days. It sounds logical, but I can't remember.
- O. If the runoff as you described the runoff was moving into the settling bin -- let me withdraw the question. I'll have you look a little later down.

 Later down at the end of the first complete paragraph on page 5 Mr. Lesher says that, "The present sump is 30 years old, of timber construction, it doesn't have sufficient set detention time." By "sump" do you

21

22

23

24

25

believe he's reterring there to the sattling basin that you designed or the sump before that?

A. Where is this? Here. Okay. That's the only basin he could be talking of because I think it was the only one of a timber construction that I remember.

through the tile which led to the settling basin about the time of this document in 1961?

A. No. I don't think I did because the only way
I could have observed it was to go to a manhole and
lift the lid and I don't remember ever doing that.

Q. Hould you as the designer of the settling basin and on the basis of your observations at the plant agree with Mr. Lesher's assessment that it would increase runoff, the pump or tile could be too small to effectively carry the water down to the settling basin?

A. If he's yetting a lot more water for which the tile was designed, it would definitely be too small There is no question about that.

Q. What would be the effect if the tile was too small?

A. It would flood the trenches and it would -water standing in the yard above the trenches would
eventually drain into the trenches as a small tile took
it up very slowly. It would take awhile for the water

1 to go down. 2 0. Which trenches are these? 3 Α. Pipe trenches. These would be on the plant property? 0. 5 Α. Yes. 6 llow would that ultimately effect the water (). 7 moving down off the plant property through the top? Would it come down with a greater flow rate? 8 Ġ A . Yes, it would. Definitely. 10 Would that flow rate be in great excess of O. 11 the flow rate that you used when you were calculating 12 the size of the dotention pond --13 F. Yes. r. 14 -- in the settling basin? 0. 15 Λ. Because I only figured on rainfall. That's .1 € correct. 17 At the and of the opening paragraph on page, 5 Ü. Mr. Lesher says, "The area at and along the entire | 18 19 ditch along the plant and past the entrance looks 20 particularly bad. It is dirty and black with dirt and 21 Is Mr. Lesher here, to your understanding, 22 referring to the ditch that the effluent came out of at 23 Saint Louis Park or came into after it was leaving 24 oil-water separator?

He's referring to the ditch, yes.

25

Α.

and the south side of the plant which carried water under Walker Street.

- Q. This would be the ditch into which water would come after it left?
- A. After it left the tile, um-hum, and the settling basin.
 - Q. And the separator?
 - A. Right.
- Q. Would you have any reason to believe that Mr.
 Lesher's observation of the condition of this ditch
 would be inaccurate?
- A. No. Because Mr. Lesher as well he's a competent person also and I'm sure he would write what he saw.
- Q. Would the presence of tar in this ditch indicate to you that the tar had not been successfully separated out by the cil-water separator?
- A. It would indicate one of two things. It would indicate that the tar had not been successfully settled. One of three things. It would indicate that the tar had not been successfully settled out. Or it would indicate that they allowed the tar to buildup too high in the basin before they pumped it out. Or it could be that the excess flood water across the basin



*)

1 stirred it up and washed it down.

б

- Q. How would allowing the tar to buildup too high in the basin account for tar appearing in the ditch past the basin?
- A. Because if you allow it to buildup past a certain point, your retention time is low and the flow could carry some tar out with it.
- Q. How much of the point would it have to buildup before it would have a significant impact on detention time? I believe you testified that the settling basin was 10 feet deep.
- A. I don't know. It's hard to say. I don't know where the effluent pipe was located. I'd say with that old design of that basin, oh, I hate to guess, but I would say two feet would do it maybe.
- O. Do you have any information at this time the tar was building up at the bottom of the oil-water separator?
 - A. I don't have any information, no.
- told that would lead you to believe that that was the case?
- A. There were some correspondence on maintenance of the basin that indicated that the baffles were in bad shape. But I wasn't involved in that. The plant

But

It would have to be a pretty good flood to go over the basin. It would have to be at least a footy deep although I've seen it deeper than that. To go ! over the basin required the water would have to be over the road, would have to be more than a foot deep I believe. But I've soen it that deep.

Q. So you're saying it would go around the basin?





21

22

23

24

Q. Reading down to the second full paragraph on page 5. State Exhibit Number 3. Mr. Lesher describés the trunching system around the refinery as, "Quite poor with broken and leaking pipes hidden under the mess. They can't be found or repaired." Do you know which trenching system he's refurring to?

A. Well, around the refinery he would be talking about the trenching system that was put in when the plant was built in which I described to you how they put the steam line around the oil lines and the tar lines in the same trench so that they could keep them warm. This is the way plants were built at that time.

- Q. Which were the broken and leaking pipes that Mr. Lesher is referring to?
 - A. I don't know.
- Q. Do you recall any efforts by your department at this time around 1961 to repair broken and leaking pipes or overses the plant's repair of broken and leaky

, 8

pipes in the refinery area at Saint Louis Park?

A. In the building there were, of course, when we built the electrode pitch plant in the building there were a lot of pipes replaced. But now in the trenches Mr. Fenoglio went to the plant and he designed a system whereby you could replace these pipes one at a time and put them overhead. He was going to make overhead supports and you could put the pipes overhead one at a time.

- (). That wasn't accomplished till 1968, was it?
- A. It wasn't completed until 1968, right.
- (). Did it take 7 years to do?
- A. It must have. I don't know when he started, when they started.
- O. Mr. Lesher says that, "The engineering "department needs to furnish an overall piping design or layout." Do you recall an overall piping design or layout being furnished by your department?
- A. Yes. Hr. Fenoglio made one and I don't know what year it was made. But he did make a layout. He also made an estimate.
- Q. I want to turn your attention back for a moment because there may be a little confusion. When you were talking about the effect of tar buildup in a separator possibly effecting its efficacy. I believe





25

section 3.

Α.

Okay.

2

3

4

5

G

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

page 2 of State Exhibit Number 3, the second paragraph

A. All right.

O. Mr. Lesher describes water flooding as floating will off when he's discussing the ground tank problem. Do you understand him there to be referring to oil leaking from the ground tanks being floated off by flooding water?

Since the oil is heavier than water it must be light oil that is floating off. I got to stop and think about this one. I think those tanks had a large manhole which came up above the ground so you could get down in them to clean them or whatever, any reason yetting into them as I remember thom. Any water that would get up against those manholes would float oil on the manhole or float oil on the side of the manhole off Anywhere else? For instance, if they blew hot oil over from a receiver in the refinery and you got hot oil'in these tanks, you'd get some vaporization of the oil in the tank. There would be a lot of scrapers in there. These scrapers would come up against the manhole cover and they would condunse and run down the side of the manhole. Now, when you get water flooding the area, it would wash all that oil off of there. Where else could





16

17

18

19

20

21

22

23

24

25

size which are constantly losing oil." Would that be feeding oil into the water which is floating the ground tanks, flooding and then floating ground tanks? Α. These pipes are underground. I believe the

pipes discharge into the top of the tank. It could be possible. I don't know. As I say, I never was in these tanks but I know the oil entered the top of the tank.

- What if the tanks themselves had these Q. interior leaks of unknown size?
- Well, when the tanks floated they tended to Λ. float -- the leak I believe occurred between the pipe and the tank, the connection to the tank, I don t know

 $\boldsymbol{\epsilon}$

1.4

how far underground that connection was. I don't know what cover those tanks had, whether they had one feet or two feet or what it was. But the oil could have been raised to the surface. I don't know.

- O. Do you have any reason to believe that Mr.

 Lesher was inaccurate when he describes oil floating off of the underground tanks in times of water flooding?
- A. I don't know where he got that information, whether he observed it or was told that. There again I think Mr. Lesher was pretty careful about what he said. I don't know.
- Q. Do you have any reason to believe that Mr.

 Lesher was inaccurate when he described interior leaks

 of unknown size in the ground tanks?
- A. He says they probably have interior leaks. He didn't know himself. He was trying to account for losing oil. This was one possibility. I don't think he went down and looked either.
- Q. I believe you testified earlier this week that you were involved in a removal and repair process for the ground tanks at Saint Louis Park.
- A. Correct. I was involved. Indirectly but I was involved.
- Q. When the tanks were removed were they examined for leaks?



| | ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' |
|----|---|
| 1 | A. Not by me, no. I never even saw them after |
| 2 | they were removed. |
| 3 | Q. Who did the actual physical removal? |
| 4 | A. Well, I don't know the contractor's name that |
| 5 | did the actual physical removal. |
| 6 | Q. But Br. Finch arranged it and supervised? |
| 7 | A. Mr. Finch I believe arranged for the |
| В | contractor and Mr. Penoglio was in and out of the plant |
| 9 | supervising for the engineering department. |
| 10 | Q. Were these tanks ever reused at Saint Louis |
| 11 | Park? |
| 12 | A. No, I'm sure they weren't. They were junked. |
| 13 | (At this time United States Deposition |
| 14 | Exhibit 13 was marked for identification by |
| 15 | the Court Reporter.) |
| 16 | BY MR. HIRD: |
| 17 | Q. For the record United States Exhibit 13 is a |
| 18 | two page document date stamped 304404 and 304405 and |
| 19 | appears to be a memorandum from H. L. Finch to H. R. |
| 20 | Horner dated February 26, 1962. Mr. Hennessy, have you |
| 21 | ever seen United States 13 before? |
| 22 | A. Well, I did not get a copy, but I know what |
| 23 | he's talking about about. But whether I saw this |
| 24 | document or not I don't know. |
| 25 | Q. Does United States 13 appear to be a document |

1 !

25

and filtering of waste water. If he means by -- well.

know what he means. Anyway go ahead.

O. Excuse me. Hr. Hennessy, you seem a little bit tired. Would you like a break right now?

A. Okay. Let's do.

2.1

(At this time a recess was held.)
BY MR. MIRD:

O. On the first page of United States 13 Mr.

Finch refers to problems with stills 9 through 12. And he states that, "We are operating on a day-to-day proposition and we consider the operation very hazardous." Were you aware of any problems with stills 9 through 12 at this time which would make their operation very hazardous?

they can leak. Those stills 9 through 12 back before we replaced them with fire tube stills they were shell stills and they were like a horizontal tank that was all enclosed with refractory and there were burners.

You had a fire. I think they fired oil at that time. They had an oil fire under the still and the heat went through the shell and heated the tar, which boiled and distilled. Now, when they got old the shell kept getting thinner and thinner and then it would wrinkle and the thing broke. Or if a still should develop a

leak, why, then you would get a fire under the still.

But from the tar burning you'd lose the tar plus the fact you couldn't shut the fire off. But as far as the tar getting out, it never got out into the firing oil because of the way the refractory setting was built.

- O. Did you have any information other than United States 13? You indicate at that time stills 9 through 12 were in danger of leaking.
- A. That's a hard question to answer, but I don't remember anyone telling me about it, but I knew they were getting quite old and it was time to replace them.
 - Q. So they were about the age --
 - Q. -- at which they would start leaking?
- Q. Would the tar that would have leaked through those stills have runoff anywhere or would it all have gone into the fire underneath?
- A. It would have gone into the fire and burned up and kept the still going.
- Q. Could this problem lead potentially to explosions at these stills?
- A. It could. It's vory rare, but it could lead to explosions in the stills.
 - O. Do you have any knowledge of any stills





19

20

21

22

23

24

1 exploding at Saint Louis Park?

- A. No. Not at Saint Louis Park.
- of any kind in any other part of Saint Louis Park?
- A. They had an explosion in a pitch tank once.

 I remember that.
- Q. Could you describe that explosion to the best of your knowledge?

A. Yes. The tank had hot pitch in and, of course, distilled tar until you got down to the softening point you wanted. Then you would -- I explained how they blew the stills. They close the vapor line and open the pitch line and the pitch then would flow into the tank. At the end they put steam in the still. This steam is super heated and blows the line up into the tank. Well, one day one of the operators opened the steam line to the pitch line to make sure it was blown out but didn't blow it down first.

By what I mean by that is when the steam line is connected to the pitch line there are three valves. There is a valve on the steam line. There is a "T" in between the -- there is a valve on the pitch line and between those two valves there is a "T" with a small valve which is a telltale valve. What you do is you

keep the valve on the pitch line closed. You open the telltale valve and you open the steam valve very slowly and any water in the steam line coming down from above is then discharged out the telltale. Okay. Then as soon as the guy gets good, clean, dry steam he closes that valve and opens the steam valve wide and he blows the line out. No problem.

Rut on one occasion they got water -- I don't know what happened, misoperation or what it was. But for some reason they blew a slug of water over into the pitch tank. Well, the pitch was in that tank at anywhere from 400 to 500 dogrees because at 400 degrees is when we went to the pans. So it was hotter than 400 degrees F. So when you hit 400 degree pitch with water it immediately flashes into steam. Steam occupies about 1,000 times the volume of water. So the top of the tank came off -- or not came off but ruptured. It was an explosion.

- O. Do you have any idea of when this explosion occurred?
- A. In the late '50's or somewhere around in there.

(At this time United States Deposition Exhibit 14 was marked for identification by the Court Reporter.)

(1)

1 THE WITHESS: I see it happened in '63 2 instead of late '50's. All right. I read it. BY MR. HIRD: 3 4 For the record United States 14 is a two page document containing Reilly Tar date stamp pages numbers 5 223089 and 223090 and appears to be a memorandum by H. 6 7 L. Finch to R. J. Boyle dated April 17, 1963. 8 Hennessy, have you seen United States 14 before? 9 Seen this document before? Again I don't Λ. 10 remember it, but I'm sure I did. I must have. 11 Poes it appear to be a document prepared by 12 Mr. Finch when he was plant manager in the course of his duties? 13 14 Yes, it is. ۸. 15 Does United States 14 describe the pitch tank 0. 16 explosion which you were just talking about a moment 17 ago? 18 19 City explosion after reading this. I think that 20 explosion, and again I'm all mixed up with different

A. I think what I was describing was the Granite City explosion after reading this. I think that explosion, and again I'm all mixed up with different incidents, but I believe this explosion since there was flame -- he says here that -- the reason it makes me think it was not what I thought it was was he says something about a flame coming out the top of the tank. They called the fire department. All right. Now, when

21

22

23

24

you have a pitch tank and you clean it or a man's

Q. Well, let's refer to the document.

A. Yes. All right. Okay. He was in the process of -- okay. Now I think I am right. He was in the the process of drumming pitch for a Canadian order. It was very high melting point pitch. It was 132 to 147 degrees C which is a very high -- that's a very hard pitch, much harder than electrode pitch. So this means that the pitch in the tank was very hot. Now, the fact that he was drumming the pitch means he was pulling air into the tank. Okay. Now, when you are pulling air into the tank and you have any combustible material with a low ignition point such as a rag or piece of

2

3

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

- Q. Is your account of the explosion based on a conversation with Mr. Finch about it?
- A. My account of the explosion is just based on the experience live had in handling liquid pitch and what causes explosions.
 - G. So it's not based on specific facts?
- A. No. There is no way. I can't remember that. That's 20 years ago. I can't remember the specific facts. I'm just giving you my opinion based on what he says happened. The first thing I told you about the steam, that must have been a different explosion because when you have an explosion due to water flashing the steam, you get no flame out the top of the tank because there's nothing to burn.
- O. Do you recall talking with Mr. Finch about this explosion?

Н

A. I'm sure I talked with Mr. Finch about the explosion. I don't recall it. But I must have talked with him about it.

- Q. Would this explosion as described by Mr. Finch proper pitch or tar on the property grounds or even off the property grounds?
- A. Not off the property grounds, but it -- he says that the bottom of the tank deformed and it lifted the tank and it broke the valve and the pitch flowed out the bottom of the tank. So obviously it did flow on the ground.
- O. Would it be liquid pitch and would it continue to flow?
- A. It has a softening point at 132 degrees centigrade which would be 200 almost 300 degrees F. So it wouldn't go very far. It would set up like concrete
- O. Do you recall any other explosions at Saint Louis Park?
- A. I thought they had a steam explosion in a pitch tank, but I may have been thinking of this one.

 I knew they had a pitch tank explosion. I can only remember one explosion, but if someone would have asked me what it was I would have said --
- Do you recall explosions anywhere else besides the pitch tank at Saint Louis Park?



- No, I can't recall any. No boiler explosions! 0. When we were talking a few minutes ago about the problems with the valves I guess between the pans and the working tank, I think you mentioned that the effect of that difficulty was that somebody who was processing the production of tar wouldn't know which particular tank, which particular cut, would wind up going into --
 - Α. That's right.

2

3

4

S

6

7

B

9

10

11

12

13

14

15

16

17

18

19

20

21

22

Α.

- 0. So was there a way to tell after the fact ' what was in a particular tank? In other words, after this valve had not been working for awhile or did one simply go on the impression of what one exected would go into a particular tank?
- A. Well, I think I can answer your question if I understand it correctly.
 - I may not have expressed it well. 0.
- I think I understand what you mean: I understand your question you're asking me if various say, for instance, if you put a second pan oil into the third pan oil tank.
 - Is there anyway to know that? Ω.
- 23 Α. Could the guy tell it was second pan oil that 24 went in?
- 25 Q. Yeah.

. . . i

- A. I don't think so. I'll tell you why.

 Because these oils are based on -- the first pan,

 second pan, third pan oils are based on distillation

 curves and on vapor pressures. Of course, the number 2

 pan oil would have a different curve than number 3 pan

 oil and so would number 1. But if you mixed larger

 amount of number 2 with number 3 you could get the same

 results as if you mixed a smaller amount of number 1

 with number 3. Does that answer your question?
 - Q. Yes, I think it does.
- h. In other words, the answer is no. But without explaining it I don't think you'd understand it
 - Q. Would that hold true for the wet cut as well?
 - A. Oh, sure. Sure. I think so.
- O. Could I ask you to look at Minnesota Exhibit

 13. I believe you talked about this Exhibit a little
 bit with Mr. Hinderaker, and if I go over the same
 ground please forgive me. I'll try to avoid
 duplication.
 - A. I read it.
 - Q. Pid you receive this document, Minnesota 137
- A. It was written to me. I was the person it was addressed to.
- Q. Okay. Which lines was Mr. Finch referring to when he discussed with you the idea of revamping lines

1 | from the storage tanks to the refinery?

Λ. He's talking about the lines that were put in trenches when the plant was built.

- Q. What did he mean by revamping?
- A. Well, he meant rebuild them to give him some new lines.
- Q. Had Ar. Finch requested several times that these lines be revemped or improved?
 - A. Yes, I'm sure he did.
 - Q. When was this revamping actually accomplished?
- A. Mr. Fenoglio was there several times and he revamped them a line at a time. As I say, he put up the supports and he'd put up a line so that they didn't shut down the whole refinery at once. But they were revamped. When the job was completed I would guess about '67 or something like that.
- Q. You may have touched upon this next question in your conversation with Mr. Hinderaker in which case forgive me. Now does the problem with these lines effect the loss of inventory which is evidenced by material being dumped to the settling basin?
- A. Can you read that? Somebody put something in longhand. I can't read it. Loss of inventory as a result of leaks. That's what it says. Of undetermined origin as evidence of material being pumped to our

б

- settling hasin. Well, the way I understand that is he saw oil floating on the settling basin and I guess after an investigation he could only determine that there were leaks in lines causing it.
- flow -- excuse me. If there was a leak in a line, the material that was leaked out of the line would naturally would eventually flow down the tile to the settling basin?
- A. Yos. The trenches were concrete covered with wood. It would flow down the trench to a sump and from there it would flow through a tile to the sump at the settling basin and be pumped to the settling basin.
- Q. So if the tile was leaking, more tar or product would wind up on its way to the settling basin it would that it would have normally got to the settling basins?
 - A. Yes. In these trenches it would have, um-hum
- Q. Do you have any reason to believe that Mr. Finch is not accurate in his assessment that these lines were leaking?
 - A. I have no reason to believe it, no.
 - Q. Did you ever see leaks in the lines yourself?
- A. No. Because they were covered and I was inever there to work on that. I just never took the top



off the trench and inspected the lines. That would have been a difficult thing to do anyway because the lines were built in 19 -- early '20's and over the years some of these lines were replaced by putting other lines on top of them and it was getting to the point where -- you've got to have room to work on a pipeline. You can't just have them side by side and work on them. Pretty soon it's just impossible to maintain them.

Q. Is that why Mr. Finch says that he and his plant staff were unable to determine the leaks, the existance of a leak --

A. Yes.

- o. -- until they are a major problem? So you would imagine that the plant would not be likely to find these leaks without taking very unusual efforts to look for them?
 - A. It would be very difficult.
- O. You mentioned that these lines had been installed sometime in the early '20's. What would be the useful life of these types of piping, of this type of piping?
- A. It would depend on what was going through the line. Steam lines have a very long life. I don't know.
 - Q. What about product lines?

ı L

| Α. | Product lines? | Product lines | would have |
|------------|-----------------|----------------|-----------------|
| quite a bi | t shorter life. | For instance | , I think the |
| higher the | cuts that boil | at low temper | ature would be |
| more corro | sive than cuts | that boil at h | igh temperature |
| In other w | ords, I would s | ay that the wa | ter cut and the |
| first cut | of oil would co | rrode lines fa | ster than the |
| second or | third cut of oi | l would. That | 's my opinion. |

- When you said a shorter life, useful life, would you mean something in the range of 20 years for lines carrying product?
- A. I know of lines much older than that carrying product at some of our plants. But 20 or 25 years say, something like that.
 - Q. Would be the useful life?
 - A. Um-bum.
- Q. That's based on your experience as an engineer in the rofining industry?
- A. Yes, um-hum. We don't actually do that. We don't actually time a line and say, "Oh, this line's 30 years old. We better replace it." Where it's possible we examine the line and see what kind of condition it's in.
- Q. Why would Mr. Finch be concerned in Minnesota Exhibit Number 13 about the trenches being filled with water approximately four months of the year and their

1 effect on the piping and the effect of that on the
2 piping?

told you how they built plants in around 1922. They put the tar lines and the oil lines in trenches underground and they ran the steam line through the trench uninsulated and the heat from the steam line heated the oil and tar lines so you could pump it.

Okay? Now, if you have such a construction and get the trench under water, there is no way the steam line's going to heat the tar and oil line and it's going to be very difficult to pump. Plus the fact that up in hinnesota the water in the trench would freeze and you know what freezing water does to concrete trenches.

- Q. It breaks the concrete?
- A. It does the same thing that it does to highways, yes. It lifts it or moves it and the concrete breaks.
- Q. Would the freezing of the water also have the effect of increasing the likelihood of leaks and ruptures in the product line?
- A. Yes. Recause the concrete trenches had supports that supported the piping. And as the trenches broke and moved, why, you might have one or two of these supports one right after the other broken

б

So product could come through the leaks into the trenches and could, in fact, come through the trenches into the ground soil underneath the trenches?

the trench that could happen. See, the trenches had two sides and a bottom and the top was wood.

In item 5 in this list Mr. Finch says that, O. "One of the reasons for revamping piping is to control drainage and set an adequate filtering system." suggests that can only be achieved by the trenchs being eliminated. What do you understand he meant when he was talking about setting up an adequate filtering | |

19

20

21

22

23

24

1 | system?

A. That's what I mentioned before. I don't know what he meant. The only thing I can think of is maybe a second straw filter in his effluent. I can't think of any way he'd filter the water from the trenches going to the settling basin. I don't really know what he meant. But if you ask me to guess, that's what I would guess is he's talking about putting in another straw filter.

- Q. Do you think he could be referring to the combination of the cil-water separator and the straw filter when he uses the phrase "filtering system"?
- A. Well, the oil-water separator does no filtering. It's only settling.
- C. Mr. Hennessy, I'd like to show you now two
 Exhibits together if you would. If you could look at
 Minnesota 24 and I'd also like to show you a new
 document together with that which I guess will become
 United States 15.

(At this time United States Deposition

Exhibit 15 was marked for identification by the Court Reporter.)

23 BY MR. HIRD:

Q. For the record, United States 15 is a one page document, Reilly date stamp number 104308. It

б

- appears to be a memorandum from R. J. Boyle to R. J.

 Hennessy dated October 8, 1963. Mr. Hennessy, did you
 receive United States 15?
 - A. I obviously did since it was addressed to me.
 - O. I notice in United States 15 Mr. Boyle refers to enclosing a photostat of a letter dated September 30th received from N. L. Finch. I'd ask you to take a look at Minnesota 24 and ask you whether that was the letter that Mr. Boyle is referring to and whether you received a copy of it.
 - A. I did not receive a copy, but I'm sure I've seen the letter before, yes.
 - O. Are you sure you didn't receive a copy?

 Because if you look closely at U.S. 15 Mr. Boyle says
 that he sent a copy along.
 - A. All right. I had received a copy, obviously received a copy attached to Mr. Boyle's letter. I did not receive it from Mr. Finch. All right. I see.
 - Q. In United States 15 Mr. Boyle asks you to investigate a complaint of contaminated water made by a Mr. Coldbiatt, does he not?
 - A. He does.
 - O. Did you investigate that complaint?
 - A. I didn't. I never talked with Mr. Goldblatt,

14

15

16

17

18

19

20

21

22

23

24

25

it's correct. But if Herb Finch says Mr. Coldblatt owned that piece of property then I'm pretty sure he owned it.

What did Mr. Finch tell you when you talked Q. with him about Mr. Goldblatt's complaint about contaminated water?

I can't remember. I think he said something about black coating on the ground around Mr. Goldblatt's building or whatever it was Mr. Goldblatt had.

Let me let you look at another document which Q. may help you refresh your memory. Could you turn, please, to Minnesota Exhibit Number 82, please?

- 82. All right. Let's sec. I read it. Λ.
- Mr. Hennessy, do you recognize Minnesota Q.

Exhibit Number 82 as a document which you wrote on or about October 25, 1963?

- A. Yes, um-hum.
- Q. Is Ninnesota 82 a reply to Mr. Boyle's letter which is United States 15?
 - A. Yes, I'm sure it is.
- O. In the second paragraph of Minnesota 82 you state that, "Mr. Goldblatt's property is located south of Highway 7 and part of his land is a swamp." You further state that, "The Reilly plant is north of Highway 7 and the plant effluent runs under the highway and around Mr. Goldblatt's property." Do you know any reason why that statement of yours is not accurate?
 - A. I believe it's accurate.
- O. You further state going down another couple paragraphs that, "During wet years such as 1962 the runoff in the Reilly plant has flooded the swampy part of Mr. Goldblatt's land." Is this based on information told to you by Mr. Finch?
- A. I called Mr. Herb Finch. It says this information all came from Mr. Finch who is much more familiar with Mr. Coldblatt's property than I was.
- Q. Did Mr. Finch also tell you as you report here that the receding waters left an oil residue which colored the land black?

- 1 Α. Yes. He obviously did. 2 Did Mr. Finch further tell you that the land Q. was colored black or rather Mr. Goldblatt's land was! 3 4 colored black when he purchased it around 1950? 5 Α. Yes, obviously, um-hum. You have no reason to doubt the accuracy of 6 Q. 7 those statements? 8 Α. No. 9 You then go on to say that, "Runoff water 10 floods our settling basins stirring up the oil and 11 washing it downstream from the plant." Is this 12 statement based on your observation as well as 13 information from Mr. Finch and others? 14 I have seen this happen, yes. Α. This is an accurate statement? . 15 Q. I believe that -- oh, yes, this is an 16 Α. 17 accurate statement. What did you mean by a wet year? 18 Q. That's a good question. One that had a lot 19 20 of rain I guess or a lot of surface water. 21 What kind of rainfall? Can you put Q. 22 estimate on it? 23
 - A. It's hard to say. I don't know anything about rainfall in Saint Louis Park, but it would be anough rain to cause a large flow from the runoff water

| on | Louisia | ana | Street | down | to | our p | lant. | That | t's | all | I |
|-----|---------|-----|--------|------|------|-------|---------|-------|-----|------|------|
| can | say. | How | much | rain | that | woul | d requi | ire 1 | d | on't | know |

- Q. But you would regard 1962 as a wet year?
- A. '63.
- Q. I think you refer to '62 in the letter.
- A. Okay. "During times of wet years such as '62 If I said it I obviously thought it at the time I wrote the letter that that was a wet year. I can't remember it. All right.
- Q. When you said that runoff water floods the settling basin, do you mean that the water runs directly into the basin and carries the oil out of the basin and into the ditch?
- A. Well, it has at times completely covered the basin. You couldn't see the basin in which case it would do that. Other times it just flooded the trenches and ran in that way.
- Q. Do you know whether the extension on Louisiana Avenue was in existance around 1950?
 - λ. 1950?
 - (). Yes.
- A. No. I don't. I'm sure that some of these papers you have would give you that date though.
 - Q. Actually I haven't found it yet.
 - A. You haven't? Well it should be in there

1 somewhere because we sold them some land to put the 2 street through. 3 You state in State Exhibit Number 82 that the 0. quantity of runoff is considerable. By what; volume or 4 5 volume range did you mean when you used the words "considerable"? 6 7 Enough to cause flooding. That's Α. 8 considerable. 9 You then refor to a suggestion made by Mr. P. 0. 10 C. Reilly. Is this Mr. P. C. Reilly, senior, or Mr. P. 11 C. Reilly, junior? 12 λ. This is P. C. Reilly, junior, because Mr. P. 13 C. Reilly, senior, died in 1952. What was Mr. P. C. Reilly, junior's, position 14 15 at the time that you wrote Minnesota Exhibit 82? 16 Α. His suggestion was to --17 I'm sorry. What was his position? 0. 18 Oh, in the company? Α. 19 In the company. O. 20 I do not know whether he was president. Α. 21 whether he was chairman of the board. He was very high 22 in the management, but what his position was in '63 I 23 can't remember because he's held several positions. 24 Would he have been the highest |individual in Q.

25

the management at that time?

MR. HIRD: Thank you, Mr. Hinderaker.

1 BY MR. HIRD:

Q. Did he make this suggestion to you personally at any time?

A. He made the suggestion to me personally, but whether or not he wrote a letter or not I don't know.
But, yes, it was his suggestion.

- Q. And you remember him making it to you?
- A. Yes. Yes.
- Q. At the end of the fifth paragraph in Minnesota Exhibit Number 82 you say, "I believe this work alone could solve the problem of flooding our settling basin and it should be done first and the result observed." Were you agreeing with Mr. Reilly that this suggestion should be implemented?
- A. No. I was agreeing with Mr. Reilly that if it were implemented it might solve the problem.
- Q. Did you render any advice to Mr. Reilly about whether this suggestion should be implemented?
- A. There again this has to go on memory.

 Probably what I did is -- I can't remember doing it

 But probably what I did I either prepared or had

 someone prepare an estimate for doing the work.
 - Q. When did you recommend that this work be done
 - A. I can't remember.
 - Q. Would you remember -- I'm sorry.

| | | | | | | opinio | | | | |
|----------|------|-------|-----|-------|------|---------|------|-------|-------|-----|
| sentence | or | the l | as | st se | ntei | nce of | this | parla | grapt | · " |
| believe | this | work | . ε | alone | maj | y solve | the | prob | Lem . | • |

- Q. So you think that if implemented it would work?
- A. It had a chance of working. Then I said, "If after this work is completed our own runoff water continues to flood the settling basin, it may be necessary to build a small concrete basin."
- Q. Leaving off the last paragraph of the page for a moment, did you recommend that Mr. Reilly's suggestion be implemented as a potentially effective way of solving the problem created by runoff?
- A. It sounds like I agreed with him. "I believe this work alone may solve the problem," I said. But I can't remember why it was never done. I think I know why it wasn't done, but I can't prove it.
 - Q. Why do you think it wasn't done?
- A. I think what happened was either me or someone under my direction prepared an estimate for doing the work and when they saw what was involved -- I don't believe Mr. Reilly realized what was involved in carrying out this suggestion.
- O. What was involved in carrying out the suggestion that Mr. Reilly was not aware of?

A. Well, we had to go through Wheeler Lumber Bridge and Supplies wood machining plant. We had to bypass their main building. We had to go under our railroad track with a big trench or our inlet tracks. All the railroad tracks in the plant came in one entrance. We had to go under our road right where the scale was. It would have been something that could be done, but it would have been very expensive.

- O. In about what range?
- A. Oh, gosh, I don't remember. Even a small railroad bridge -- it would be very expensive and it would be difficult to do. It could have been done.

 Let me put it this way, it would have been a big project. Say dig a trench around the plant it sounds simple. It wasn't. Believe me, it wouldn't have been simple.
- Q. But to the best of your recollection the reason why it wasn't done was because of the cost?
 - A. I think that's correct.

Let me turn your --

- (At this time a discussion was held off the record.)
- 3 BY MR. HIRD:

0.

Q. In the last paragraph on the first page of Minnesota Exhibit 62 you propose an alternate

| 1 | suggestion if Mr. | Reilly's | suggestion | is | not | effective. |
|---|-------------------|----------|------------|----|-----|------------|
| 2 | is that correct? | | | | | |

- A. That's correct.
- Q. Is that alternate suggestion to construct a small concrete basin similar to the Cleveland basin but high to prevent flooding like Maywood's, is that correct?
- A. That is correct, yes. What? Maywood's built high to prevent flooding. That should have been like Saint Louis Park. Maywood's never flooded. That was high. It's a mistake.
- O. I think what you're talking here, and I may be wrong, is a suggestion of an alternative.
- A. But built high. It's poorly worded. It should have read, "But built high like Maywood's to prevent flooding."
- Q. But the new settling basin that you were proposing here would be a concrete basin similar to that in Cleveland and would be a high basin similar in that respect to the one that had been constructed in Maywood?
 - A. That is correct. That's the idea.
- basin similar to the one in Cleveland? What was distinct about the Cleveland basin?

Why wouldn't a wooden basin be not as good?

25

Q.

.11

A. A wooden hasin would be all right. A tongue and groove wooden hasin. Of course, the original wood basin was built underground -- not underground but just so the top was a foot above ground. It would -- you asked me why it's better. Well, it would be easier to build a wood basin underground. Of course, this was in '42 when it was built too. But if you get above ground where you can get to your forms and don't have to dig a huge hole to put the basin in, I believe concrete would have been better. Does that answer the guestion?

(). Yes, it does. Thank you. When you say a small concrete basin similar to Cleveland, do you mean one as big as Cleveland or one along the Cleveland design but smaller than the one that was installed at Cleveland?

A. The basin would have been built for Saint Louis Park and it would have been completely designed. It would not have been a copy of the Cleveland basin. And however that design came out, that's what we would build. If it was as big as the Cleveland basin, we would have made it that big. If it came out smaller, we would have made it smaller. My opinion is it would have come out smaller.

Q. You mention that the basin should be built high to prevent floodings like Maywood. How high above



| 1 | the ground did the Maywood basin rise? |
|-----|--|
| 2 | A. If you stand on the ground and look across |
| 3 | the basin you'll see nothing but concrete wall. So |
| 4 | that means the top of the basin at Baywood is at least |
| 5 | 6 feet above the ground. |
| 6 | Q. The Saint Louis Park basin was one foot above |
| 7 | the ground? |
| 8 | A. About that, yes. |
| 9 | Q. So you were suggesting that the new basin |
| 10 | extend 6 feet above the ground? |
| 11 | A. Well, |
| 1 2 | O. The new basin that you were proposing at |
| 13 | Saint Louis Park. |
| 14 | A. I don't know about 6 feet, but that would |
| 15 | have been high enough I'm sure. |
| 16 | Q. But in that range? |
| 17 | A. In that range, yes, um-hum. |
| 18 | MR. HIRD: Off the record. |
| 19 | (At this time a recess was held.) |
| 20 | MR. HIRD: Could you read the last |
| 21 | question? |
| 22 | (At this time the requested portion of |
| 23 | the record was read aloud by the Court |
| 24 | Reporter.) |

BY MR. HIRD:

Ð

O. Why don't we go back on the record and clarify that since we seemed to have been talking over each other, Mr. Hennessy. As I understand your testimony, it was that in Minnesota Exhibit Number 82 you were proposing in the final paragraph of page 1 that a basin built high to prevent flooding like Maywood's be built at Saint Louis Park. And by high like Maywood's you meant that the basin would be in the range of 6 feet above the ground such as Maywood's was 6 feet above the ground?

A. Maywood's I would quess was 6 feet above the ground. But what I meant was the basin should be high enough so no flood water could get into it.

- Q. Was Maywood's of 6 feet high enough so that no flood water could get into it?
- A. Oh, yes. You'd flood the whole area that high.
- Q. 6 feet above the ground would be high enough so that no flood water would get into it?
 - A. At Maywood, yes.
- Q. A height that would be high enough so that no flood water would get into it would be closer to 6 feet than the one foot that the --
 - A. Oh, no.
 - Q. -- St. Louis Park's basin was?



- Q. I think we may run into the same problem with the record again because of our talking over each other. So let me repeat that question. But higher than the one foot that this -- let me start from the beginning. What you are suggesting in Minnesota Exhibit 82 is that the basin you're proposing be built higher than the one foot high basin that was already in existance at Saint Louis Park?
 - A. That is correct, yes.

- Q. You go on further to state that water from the plant should be pumped through the settling basin. Was water at the Saint Louis Park plant not pumped through the oil-water settling basin that existed there
- A. Well, water from the plant obviously means water that's going to be treated in the basin, contaminated effluent and it was pumped through the basin.

A. Only the rain water that falls in this small area that drained into the settling basin.

O. You then go on in describing the proposed basin in State Exhibit 82 to say. "A concrete basin should have a hopper bottom as the installation at Cleveland so heavy cils may be more easily removed by a sludge pump." Las there difficulty in removing heavy oils from the bottom of the basin at Saint Louis Park?

A. Well, we discussed that before. I don't remember what remember what, as I said before, I don't remember what kind of a pump they had. But I believe they had a steam pump. They had a line going down into the basin and where this line ended I don't know. It probably ended maybe 6 inches or so off the bottom. They would start to steam pump and pump the oil out. Then when it got down to that level, water would then be pumped in, would flow into the pump.

Q. So the design of the pump was to start pumping at about 6 inches off the bottom at Saint Louis

Ei

1;

Q. That was not as effective a pump as the sludge pump that was used at Cleveland?

- A. The pump was as effective, but the one at Cleveland had a hopper bottom into which the oil would flow and you could pump the oil out without having water break through. In other words, you didn't even have to pump all the oil out. You could start to pump when the oil was below the bottom of the basin but still three feet above the inlet pipe you could start pumping. Then when it got down within one foot of the inlet pipe you could quit.
- Q. So with the Cleveland settling basin it was easier to pump out sludge that might collect at the bottom than it was at the Saint Louis Park settling basin?
- A. Easier? I don't know about easier but it was more accurate.
 - Q. It was more effective?
 - A. More effective, let's put it that way.
- Q. So it was more effective to pump out sludge through the hopper system at the Cleveland plant separator?

| 1 | the already | existing | oil-water | separator | at | Saint | Louis |
|---|-------------|----------|-----------|-----------|----|-------|-------|
| | | | | | | 1 | 1 |
| 2 | Park? | | | | | | |

- A. That's an interesting concept. But I don't think that was ever discussed. If you're asking if, they could --
 - Q. Is it possible as a matter of engineering?
- Λ. It's possible but I don't think it would be too good of engineering to do it.
 - O. Why would it not be good engineering to do it?
- A. Well, in the first place your basin would be terribly deep. Unless you built a sump beside it down below the level of the old basin you'd have trouble pumping the heavy oil out I think.
 - Q. Would it be expensive to do?
- A. I think it would be every bit as expensive as building a new basin.
- O. I'd like you to turn now to Minnesota Exhibit
 Number 48, please. Mr. Hennessy, I notice that you
 were carbon copied on the bottom of Minnesota 48. Did
 you receive a copy of this document?
- A. I obviously did, but again I can't remember, but if my name is on it, I probably received it. Do you want me to read the document?
- O. Of course. By all means. Mr. Hennessy, in Minnesota 48 Mr. Noyle refers to the problem of





| 1 | contaminants at the Cleveland plant, does he not? |
|------------|---|
| 2 | A. You're on 48? |
| 3 | Q. Yes. I suggest you look at the last |
| 4 | paragraph. |
| 5 | A. All right. Okay. Um-hum. |
| 6 | Q. What's your understanding of what problem of |
| 7 | contaminants Hr. Boyle was referring to at the |
| G | Cleveland plant? |
| 9 | λ. There again '65, that's a long time ago. I |
| 10 | believe the problem was oil, phenol and temperature at |
| 11 | Cleveland. |
| 12 | O. Were those contaminants in the effluent |
| 13 | leaving the Cloveland plant? |
| 14 | A. They were in the effluent going to the city |
| 1 5 | sewer. |
| 16 | Q. Mr. Boyle mentioned that this problem of |
| 17 | contaminants has been pretty well solved at the |
| 18 | Cleveland plant. What is your understanding about how |
| 1. 9 | the problem of contaminants were pretty well solved at |
| 20 | Cleveland? |
| 21 | A. We put in a separating basin which satisfied |
| 2.2 | the city but they were unhappy with our temperature. |
| 2.3 | We put in a cooling tower, knocked the temperature down |
| 24 | They were satisfied and they let us into the sewer. |
| - · - • | The blade broader that were much death at a street to the |

22

23

24

25

| plant a | an API | style | separator? |
|---------|--------|-------|------------|
|---------|--------|-------|------------|

λ. Yes.

Was this the basin that you were referring to Q. when you described a basin similar to Cleveland's in State Fxhibit 827

Λ. Yes.

Mr. Royle's view was that the installation of that basin pretty well solved the problem of contaminants at Cleveland Park. Pid you agree with that assessment, I mean at the Cleveland plant?

I would have to agree with it because the city of Cleveland accepted our effluent and we went into the sewer and we had no more problem.

Is your understanding that Mr. Boyle was suggesting in Minnesota 48 that an API style separator like that installed at the Cleveland plant be installed at Spint Louis Park?

Α. Yes.

Would you agree with Mr. Boyle that the installation of that type of facility could go far in solving the contaminant problem at Saint Louis Park?

Λ. I think it would go far, yes. (At this time a discussion was held off the record.)

BY MR. HIRD:

| Q• 1 | Let the record | reflect that | Miss Comstock |
|-------------|-----------------|---------------|-----------------|
| consulted | with hr. Hennes | sy. Mr. Henn | essy, Mr. Boyle |
| in Minnesot | ta Exhibit 48 a | ppears to ask | you to comment |
| on this pro | oblem, this pha | se of the pro | blem. Do you |
| recall com | menting on the | problem in re | sponse to |
| Minnesota | 407 | | |

- A. I don't recall it. I probably commented but what my comment was I can't recall.
- Q. Was Mr. Boyle's suggestion that a Cleveland style API separator be installed in the Saint Louis park plant ever acted upon?
- A. No. It was nover installed. It was acted upon but nover installed.
- Suggestion that you yourself made two years earlier in Minnesota 13, that a Cleveland style separator be installed -- I'm sorry. Not Minnesota 13. Forgive me. My documents are wrong. Isn't this the same suggestion that you make two years earlier in Minnesota 82 that a Cleveland style separator be installed at Saint Louis Park? I'm sorry. I was referring to Minnesota 82
 - A. Yes. That is the same suggestion.

 (At this time United States Deposition

 Exhibit 16 was marked for identification by the Court Reporter.)

1 1 1

1 BY MR. HIRD:

G

Q. For the record United States 16 is a one page document, Reilly date stamp number 100255 and appears to be a memorandum on Reilly Tar and Chemical.

Corporation stationery from P. E. White to T. E. Reilly dated September 7, 1966. Mr. Hennessy, I notice that you are carbon copied at the bottom of United States 16.

Did you receive a copy of United States 16?

A. I obviously did.

Q. Who was Nr. White, the author of United States 16?

A. Mr. White was the plant engineer at Saint Louis Park.

U. In the course of United States 16 Mr. White refers to a pump that drains 60 to 70 percent of the plant waste and surface water. Uhat pump is Mr. White referring to?

A. I read the paragraph and I'm a little confused. I think he's referring to two separate pumps

O. All right. Could you try to unravel yours and perhaps our confusion?

A. Okay. Ho's talking about in the event of a heavy rain he has a gasoline pump to pump what he calls waste water away from the incisor building and the adzing and boring mill. That's one pump. The other

()

.23

nump is -- well, let's see. Haybe I'm wrong. Maybe he's just talking about the pump that pumps rain water. But he's a little bit carcless with his words if he is.

tell you my reading of the document and see if you agree with me.

A. Okay.

O. The way I understand the document Mr. White is referring first to a pump that is in operation at the plant and then later turns his attention to a replacement pump or a second pump that should be bought to replace the first pump and is requesting assistance in acquiring that second pump. Would that be consistent with your reading of the document?

A. When I first read the document I thought there were two pumps. But now after I read it over I'm beginning to think that there is only one pump. I think he's talking about a portable pump to pump rain: water away from buildings and in the tie yard.

Q. What does he mean then about that one pump draining 60 to 70 percent of the plant waste?

A. Well, he says plant waste and surface water That's what confused me. Because I don't think this pump ever pumped plant waste. I don't know how -- I think it's just pumped surface water off the ground.

The state of the s

That was the only plant waste that went through the tie yard was effluent from the settling basin except if he wants to call rain water washing across the yard as waste. But I wouldn't call it that. That's why I say his terminology has confused me. It's been so long. I just don't remember.

Q. Is it your knowledge that at this time, Eeptember 1966, there was one pump at the Reilly facility at Saint Louis Park which pumped rain water out of the yard?

A. I won't say there was one pump, but there was a pump or pumps, portable pumps, to pump rain water out of various parts of the yard.

Q. I'd like to turn your attention to the last sentence of the second paragraph. Do you understand that sentence referring to Mr. White's interest in acquiring the new pump to replace the pump that may already be in use?

A. The way I read it now after reading it over again I believe he wants to replace his portable pump. He wants to have one that -- that's it. He wanted me to make an estimate. That's what I would say the letter says.

Q. That he wants you to assist him in purchasing a new pump to replace the one that he has now or that





he hid at that time?

H

A. Ohay. What he says is, "Mr. Hennessy also agrees that we need to get the pump soon as possible and ask that we send the work order directly to you for approval." All right. He's trying to save time. What he's going instead of sending a work order request to me he is sending it directly to Mr. T. E. Reilly. He's bypassing me but he's letting me know it. I mean not that -- I say bypassing. He's just trying to speed the job up.

- Q. But he's trying to buy a new pump?
- A. He's trying to buy a new portable pump, gasoline pump.
- Q. Is it your understanding that the reason why he thinks a new portable pump is necessary is because the one that was then in use was not effective in eliminating the rain water from the property?
 - A. Yes.
- G. Independently of this document do you recall Er. White's request for a new pump?
- A. I can't recall anything about a portable pump

 If I hadn't seen this document -- you asked if I

 advised about a portable pump. I have said no because

 I have no memory of it at all.
 - Q. Do you recall any criticism of the pump that

2

5

б

7

8

g

10

11

12

13

.14

15

16

17

18

19

20

21

22

23

24

25

was in use at the Saint Louis Park facility at that

- A. The only criticism I can see is this one here that says it's worn out and it's too small. He want's a bigger one and a new one.
 - O. But do you recall anyone else telling you --
- A. No.
 - Ω. -- that that pump was inadequate?
 - A. No. I can't remember.
 - Q. Could a bigger pump than the one described as being in use at the Saint Louis Park property have more effectively pumped out the rain water at the property?
 - A. Well, obviously the bigger the pump, the more effective it would be. There was such a tremendous quantity of flood waters he must be talking about a good heavy rain. That's all I can think of.
 - Q. But could a bigger pump have been much more effective in cleaning out the rain water?
 - A. It would be more effective. If the plant wasn't flooded it would be more effective, yes. As I explained to you before, our customers would complain; bitterly if we had water standing under tie piles that were being seasoned. You can see why. So we had to pump all those puddles when the plant good flooded and then the water receded, we had to pump all those





1 puddles out from under the tie piles. I think that's 2 what he's talking about. He also mentioned that. He 3 mentioned the tie yard. He couldn't even work in the tie yard he says. And he mentioned that the adzing and 5 boring mill and incising building were flooded with G water. 7 Did you ever see the pump that was in use at Q. Saint Louis Park? 8 9 No. I would never have paid attention to a A. . 10 portable pump unless I had a reason to. 11 What is the capacity of a portable pump? Is 12 it basically a very small type of pump? 13 Α. Oh, no. No. You can get -- contractors use 14 them for digging foundations in heavy rain or something, 15 Water washes in the foundation and they pump it out with a gasoline pump. Some of them can be duite large. 1.6 17 Do you have any sense of the size of the that was in use --18 19 No. I don't. A. 20 C. -- at this time? 21 He doesn't say. Λ. 22 While this new Exhibit is being extracted let Q . me ask you do you have any knowledge whether the pump 23 that Mr. White requested was ever purchased? 24

I can't even remember the pumps much less.

25

Λ.

, !! . i

2

3

5

б

7

8

g

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

1 | tell you whether they were purchased or not.

Q. If it was purchased, who would have decided to purchase the pump or not? Would it have been Mr. T. E. Reilly?

A. He could not purchase the pump without an authorization. I assume Mr. T. E. Reilly would have had quite a bit to do with authorizing it because his name's on the letter. That's who the letter is written to.

Q. All right.

(At this time United States Deposition Exhibit 17 was marked for identification by the Court Reporter.)

BY MR. HIRD:

Q. For the record United States Exhibit Number 17 is a two page document. Reilly date stamp numbers 223497 and 223498. It appears to be a memorandum from P. E. White to R. J. Boyle on Reilly Tar and Chemical Corporation stationery, dated october 5, 1966. Mr. Hennessy, I notice that you are carbon copied on the bottom of United States 17. Did you receive a copy of United States 17?

A. Again I don't remember it, but I obviously did.

O. Mr. Honnesoy, earlier on you testified that



| | ' |
|-----|---|
| 1 | you could recall only one explosion at Saint Louis Park |
| 2 | A. Correct. |
| 3 | Q. Foes United States 17 refresh your |
| 4 | recollection? |
| 5 | A. Fvidently the explosion I described which I |
| 6 | thought happened at Saint Louis Park is this explosion. |
| 7 | O. So you recall now at least two explosions |
| 8 | A. Yes. |
| 9 | Q at Saint Louis Park? |
| 10 | Λ. I didn't remember the one where the guy had |
| 11 | fire, that first explosion we talked about I didn't |
| 1 2 | remember that but this one I remember. |
| 13 | MR. HIMDERAKER: Mr. Hennessy, is this |
| 14 | the explosion that earlier you thought may have . |
| 15 | happened at Granite City? |
| 16 | THE WITNESS: Yos. |
| 17 | BY MR. HIRD: |
| 18 | Q. Based on your review of United States 17 and |
| 19 | your knowledge of the explosions, is there any way that |
| 20 | tar from the exploded tank could have found its way |
| 21 | onto the property ground? |
| 2 2 | A. This pitch was 350 degrees C. I don't know. |
| 23 | what the mult or softening point of it was. But it |
| 24 | says softening point oh, no. He says softening |

point of pitch to customer's specifications the

1. 1

B

- temperature in the tank would be as high as 350. That means the softening point was about 350. So at those temperatures there is no way there is any tar in that pitch. All distillate has been taken off.
- propelled from the tank onto the ground in the area around the pitch --
- A. There probably was some pitch on the ground, yes.
- O. About how much would one likely find in this sort of an explosion, how much pitch on the ground?
- A. I don't know. It would be enough to color the ground black around the tank.
- O. Mr. Hennessy, I'd like you to take a look now at Minnesota Exhibit 30, please.
 - A. Okay.
- Q. Mr. Hennessy, did you receive a copy of Minnesota 30 on or about the date of its creation?
 - A. I obviously did. My name is on the letter.
- O. Okay. In the opening paragraph of Minhesota 30 Mr. Finch refers to pipelines in trenches in the Saint Louis Park refinery. Are these the trenches that ran across the refinery that we've discussed earlier today?
 - A. Yes.

Weren't they enclosed trenches with wooden

25

(1.

the graphs

- A. They were enclosed trenches with wooden tops, but the wooden tops were about 6 by 6 by 3 planks and the water could go between. They weren't water tight.
- O. Couldn't the sediment have also included product that had leaked through the pipes?
- A. Anything that leaked out of the pipes would get into that sediment, yes.
- Q. Mr. Finch yoes on to say that the concrete that formed the trenches had gradually deteriorated. Do you understand this to refer to the cracks in the concrete that we discussed earlier in the trenches?
 - A. Yos, um-hum.
- Q. Do you have any reason to doubt the accuracy of that statement?
 - A. No, huh-uh.
- Q. What is meant by the hangers holding the pipes?
- A. The pipes that ran through the trenches were supported by hangers which were attached to the concrete sides of the trench. As the concrete deteriorated and the hangers moved the hangers actually pulled out of the concrete he says. This means that if you had hangers say every 15 feet, I don't know how close they were spaced, but if you had hangers every 15





- O. Would the deflection of the pipe be likely to increase the possibility that the pipe would leak or rupture?
- A. I never heard of any pipes rupturing, but it could cause leaks, yes.
- Q. In the second to the last paragraph of Minnesota Exhibit 30 there is a reference to Mr. Fenoglio preparing a preliminary estimate on June 3, 1963. Was this the same Mr. Fenoglio who worked as an engineer in your office?
 - A. Yes, it was.

F

- Q. Was this preliminary estimate that is being discussed prepared as an estimate for the removal of the pipolines in the underground trenches to be so that they would be revamped as above-ground lines?
- A. It was a request for authorization to spend the money to put the pipes overhead.
- Q. That would involve the removal of these leaking pipes that we've been discussing from the

- estimate had been written up on June 3, 1963 as of the
- date of Minnesota 30, which is March 16, 1967 the
 - That's what he says. I didn't remember that there was that long a time, but that's what he says.
 - Do you remember a delay between the Q. preliminary estimate and the drawing on the basis of that estimate?
 - I can't remember the time. Λ.
 - Can you remember a delay? 0.
 - Yes, um-hum. Α.

13

14

15

16

17

18

19

20

21

22

23

24

2.5

- Would the period between June 3, 1963 and Q. March 16, 1967 be consistent with the delay that you remember?
 - ' I think so.
- Mr. Finch goes on to say that engineering time had not been available to Saint Louis Park. the time that Minnesota 30 was written you were the

| 1 | chief of the ungineering department, were you not? |
|-----|--|
| . 2 | A. Yes, I was. |
| 3 | O. Is Mr. Finch correct that engineering time |
| 4 | was not available to the Saint Louis Park plant during |
| 5 | the period between June 3, 1963 and March 16, 1967? |
| હ | A. Yes, he was. |
| 7 | Q. Why was that time not available? |
| 8 | A. We had a lot of big projects going on in |
| 9 | Indianapolis building a synthetic plant and additions |
| 10 | to it and that took all our time. |
| 11 | Q. Was there a plant engineer at Saint Louis |
| 12 | Park during that period from June '63 to March '67? |
| 13 | A. Yes. I don't remember exactly who he was, |
| 14 | but there was a plant engineer at Saint Louis Park and |
| 15 | when he left he was replaced by Mr. Paul White. |
| 16 | Q. When did Mr. Paul White start at Saint Louis |
| 17 | Park? |
| 18 | A. I don't remember. |
| 19 | Q. Was Nr. Finch suggesting that Mr. Fenoglio be |
| 20 | taken off the project of revamping the piping and Mr. |
| 21. | White be assigned that project? |
| 22 | A. I would say so because he says, "Mr. White |
| 23 | has now become familiar with the Saint Louis Park |
| 24 | refinery sufficiently so that a project of that nature |
| 25 | might be undertaken," yes. |

removal of below-ground tanks. Would, these be, the same

3

4

G

7

¿!

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

A. I can't remember what I was talking about. I was involved in the removel of the underground tanks, let's put it that way. Does that answer the question?

- C. I think it does. Let me turn your attention to the third page of Minnesota 30. Am I correct in -- it should be page 200417.
 - A. Yes, I have it.
- G. Reilly date stamp number. Is this a justification prepared in order to obtain a work order?
- A. This is one of the documents that you must fill out to prepare a -- to get authorization, yes.
- Q. This justification form would be regularly prepared in order to get approval by the finance committee to have work performed that exceeded the plant's monetary limit?
 - A. Yes. Yes.
- O. I'd like you to turn your attention to the first of the numbered paragraphs where Mr. Finch states that, "In winter ico collects around the lines and makes pumping extremely difficult and slow due to cold tar and oils settling up in the lines." What was Mr. Finch referring to when he used the phrase coal tar and oil setting up in the pipelines?
 - A. If you'll remember when we talked about the

Ģ

way the plant was built in the early '20's they ran the uninsulated steam line through pipe trenches with the cil and tar line so the cil and tar line could stay warm and you could pump through them. When cil and tar gets cold, especially tar, it gets viscous and becomes very difficult to pump. Well, we took the steam lines out of the trenches, put them overhead at this time. And as a result of that he was having great difficulty pumping through his tar and cil lines.

- Q. Would cold tar and oil have more of an effect on pipes of inducing leaks than heated tar and oil proceeding through the same pipes?
- A. There again I have to give you a yes and no answer. I'll give you a no answer because obviously when the tar and oil is warm I believe it's a little more corrosive than when it's cold. On the other hand, it takes more pressure to push the tar and oil through the lines when it's cold.
- Q. The more pressure would be likely to induce greater leaks?
 - A. Correct.
- O. If I can now turn your attention to item 4 on the third page of Minnesota 30, right at the bottom.

 Mr. Finch says that, "Lines that are above ground can be inspected and leaks repaired easily." Is Mr. Finch





25

referring here to his difficulty in inspecting and repairing leaks in the below-ground lines that were then in existance?

- A. Well, he's saying that if you put them above ground they can be repaired easily. That's the way plants are built now. They're all above ground.
- Q. But in the situation that then existed where the lines were below ground they could not be inspected easily?
- A. No. You had to take all the tops off the trenches, you had to remove the tops and there was quite a bit of work to it, you had to get down in the trench and look for the leaks.
- Q. Leaks could not be repaired easily when found when they were below ground?
- A. Unfortunately in the 1920's they used screwed pipe, and it's very difficult to keep a screwed fitting from leaking once it starts, especially when hangers break and the pipe is moved.
- Q. All of these pipes date from the era of the
- A. Well, I think over the years he put pipes on top of pipes. In other words, when one would leak bad enough he would replace it with a pipe and probably the pipelines were welded. I don't know.

- O. Well, in number 30 this page Mr. Finch says,

 "The present piping system has been in use since |

 1917-1927." Wouldn't that suggest that the piping

 system was all ---
- A. "The present piping system has been used since 1917, '27 and now beginning to wear a little thin."
- Q. Wouldn't that suggest that the pipes generally date back from the 1917 to 1927 era?
 - A. That's what it says.
 - Q. So that would be the cra of screwed pipe?
- 12 \ \Lambda. Yes.
 - number 4, the second sentence, Mr. Finch says that,

 "This -- referring to above-ground lines -- reduces the amount of ground contamination." What was Mr. Finch:

 referring to when he meant ground contamination?
 - A. Well, he's saying that if you put the lines, overhead and inspect it for leaks, it reduces the amount of oil that falls on the ground. That's what he's saying.
 - Q. Would below-ground pipes increase the amount of ground contamination?
 - A. The pipes when they're in a trench and they're very difficult to inspect and it's much more

1 difficult to fix the leaks and the leaks fall on the 2 floor of the concrete pipe trench and any crack in it, 3 why, the oil could get through to the ground. 4 0. That would be likely to increase ground 5 contamination or produce --6 Λ. Yes. Or produce ground contamination? Q. Eß Λ. Um-hum. 9 Q. Yes, it would? I'm sorry. 10 Α. Yes, it would, um-hum. 11 Mr. Finch then says that, "The amount of Ω . 12 ground contamination is now becoming a public issue." 13 llow do you understand the amount of ground ٠, 14 contamination becoming a public issue? 15 Well, I suppose there were a lot of articles printed about ground contamination, I don't know, in 16-17 1967. 18 Q. Do you have any sense that ground 19 contamination was a public issue in Saint Louis Park at 20 the time that Mr. Finch wrote Minnesota Exhibit 30? 21 I don't remember that it was. Α. 22 Mr. Finch then goes on to say, "This might 0. 23 save us severe control by the government for ground

contamination." Do you know of any efforts to control

the ground contamination at the Saint Louis Park plant

24

- A. Well, only what we have discussed putting in settling busins and changing these lines to overhead lines and bypassing the settling basin with sodium sulfate and keeping the rain water as well as we could out of the basin. Those were all for that purpose.
- O. I think maybe my question wasn't clear. What I meant to say, if I can be allowed to rephrase it, was do you know of any effort by the government, by any government, to control ground contamination in Saint Louis Park about the --
 - A. In Saint Louis Park in'67?
 - O. Yes.
 - A. I can't remember, no.
- Q. Do you have any sense what Mr. Finch was referring to then by "severe" in his reference to severe control by government?
- A. Well, what he says is, "Ground contamination is becoming a public issue and this might save us from severe control by the government." All I know is what it says.
- Q. Did you have any awareness in 1967 about increasing environment concerns about ground contamination caused by plant effluents?
 - A. I think in '67 that's about when I first

| 1 | started hearing about it. Well, let's see. Oh, this |
|-----|---|
| 2 | is ground contamination. No, I didn't. Okay. |
| 3 | MS. COMSTOCK: Before you move on to |
| 4 | another document, perhaps you can go off the record and |
| 5 | discuss some things related to this deposition and Mr. |
| 6 | Horner's deposition. |
| 7 | MR. HIRD: Can I take advantage of the |
| ខ | off the record discussion? |
| 9 | (At this time a discussion was held |
| 10 | off the record.) |
| 11 | |
| 1 2 | (At this time the deposition was adjourned |
| 13 | and set to be resumed at 9:00 on the |
| 14 | 12th day of January, 1983.) |
| 15 | |
| 16 | |
| 17 | |
| 18 | |
| 19 | |
| 20 | |
| 21 | |
| 22 | |
| 23 | |
| 24 | |
| 25 | l de la companya de |

CONTINUED CROSS-EXAMINATION

| 2 B3 | 7 h1 | k. | T 14 | Ę | 17 | |
|--------|------|----|------|---|----|--|

- Q. I Mr. Hennessy, would you take a look at Minnesota Exhibit 22, please?
 - A. Okay. I read it.
- Q. Mr. Hennessy, at the time of Minnesota 22 what was Mr. Mootz' position?
- A. Same that Mr. Lesher's is now. He was production manager.
- Q. Does Minnesota 22 appear to you to be a document written by Mr. Mootz in the course of his duties as a Reilly Tar employee?
 - A. Yes, it is.
- Q. If I could turn your attention to the second paragraph in the middle sentence Doctor Mootz states that, "Boiler blow down enters the settling pond at Saint Louis Park and contributes considerbly to nonpumpable sludge material." Do you understand Doctor Mootz here referring to the settling basin that we have been discussing?
 - A. Yes.
- Q. I believe you testified on an earlier day that you did not believe that the boiler blow down at Saint Louis Park went into the settling basin.
 - A. That is correct. I did.

Indirectly.

Α.

the boiler blow down along with any solids that it would be carried with it.

A. All right. To clarify the story then, the solids in the boiler blow down were settled out or separated and the water, which was distilled water, it was water made into steam, well, not distilled water, but it was water that was treated water, boiled in the boiler. And then that water containing the sludge from the boiler drum was blown down into a tank where the solids were separated. And then the liquid after the tank was elevated the liquid bypassed the basin.

Pefore the tank was elevated the liquid ran through the basin. That's my understanding.

- Q. How did the tank work?
- A. How did it work?
- Q. Yes. Now did it work to settle the --
- And the boiler operator when he blew down the boiler put water in that tank to knock down the temperature of the blow down. From there it flowed into what might be described as an open pan. I called it a pond. Let a call it a pan because it wasn't very big. It didn't have to be very big. The solids settled out and the overflow from that, I believe, went to the settling basin before it was elevated. But after it was

- l elevated it bypassed the settling basin. This is when
 2 Mr. Fenoglio was there.
 - Q. Okay.
 - A. Okay.
 - When Mr. Fenoglio elevated the blow down tank, the blow down water after going through the tank would go straight into the ditch without going through the settling basin?
 - A. That is my understanding, yes.
 - O. If I can turn your attention to the third paragraph of Minnesota Exhibit 22. Noctor Mootz states that the pond has not been cleaned in 20 years. I think we can understand -- do you understand from his use of the word "pond" there that he's referring to the settling basin?
 - A. He's referring to the settling basin.
 - Mootz is not accurate in saying that the settling basin has not been cleaned in 20 years?
 - A. This is strictly production. I wasn't in on that. I won't argue with it. By clean he's talking about taking solids out of the basin.
 - O. So to your knowledge Doctor Mootz' statement is accurate?

was accurate or inaccurate.

g. If the statement is accurate that the settling basin has not been cleaned in 20 years, would that be in accordance with the proper maintenance procedures for taking care of this settling basin?

A. Well, any solids that get into the basin must be dug out, you know, with a back hos or something like that. When we wrote the specifications for operating the basin to Herb Finch -- or not to Herb Finch but David Larkin when the basin was built, we, of course, just discussed oil and water, settlable oil and floating water. We did not think about large quantities of solids being washed into the basin.

O. Mr. Hennessy, I'm a little confused because I think I asked you on Honday whether you had prepared any written instructions to Er. Larkin as to the operation and care and maintenance of the settling basin. I believe you testified that you did not. Are you --

A. I did not but the engineering department obviously did.

- O. Is this --
- A. I don't know whether they were written or whether they were oral. I'm sure they discussed the operation of the basin.
 - Q. Is that based on personal knowledge of events





having occurred or simply your knowledge of the operation of the engineering department?

- A. It's simply my knowledge of the operation of the engineering department.
- (). So you've no specific recollection that instructions were given?
- A. I don't recall any phone calls or letters where the instructions were given.
- Q. If the pond were not cleaned -- or the settling basin were not cleaned in 20 years, would you consider that as the designer of the pond to be proper maintenance procedure?
- A. If large quantities of solids were washed in, they should have been cleaned out. Now, actually if the settling basin never had a lot of sand and stuff washed into it, they could have operated without technically they could have operated forever without cleaning it out because you pumped out the heavy oil and you skimmed off the light oil and that was it. But if you got all kinds of mud and sand in there, why, there is no way you could pump that out. You have to take and clean it out with a back hoe.
- Q. Wouldn't it be likely that over a period of 20 years the mud and sand would find its way into a settling basin in substantial quantities?

- Q. Doctor Mootz goes on to say that there is 6
 to 8 feet of sludge in the bottom of the settling basin.
 Do you have any personal knowledge or information that
 would permit you to doubt the accuracy of that
 statement?
- A. Well, since the settling pond is only 10 feet deep as we saw the other day from some document you gave me, I rather doubt the accuracy of the statement.

 In the first place if the stuff got 8 feet deep, it would cover the effluent pipe and I don't think anything would flow out of it.
- Q. Would the sludge be observable from the top of the pond if it were 6 to 8 feet deep?
- A. It would depend on how murky or how turbid the water was. If you had high turbidity in the water, you won't be able to see it. If you had clear water, you could see it because you can see through 2 feet of clear water. Actually, it would be less than two feet because the pond was 10 feet deep. I'm sure that the operating level was at least a foot below the top of the pond.
- Q. So you'd be likely to see sludge in the settling basin if it were 6 to 8 feet deep?
 - A. If you had 6 to 8 feet of sludge in the

Λ.

conversation?

Yes, he was.

settling basin, the top of the sludge would be within one foot of the surface and I think unless the water were just terribly dirty you would see it, yes.

- y. In State Exhibit Number 22 Doctor Mootz refers to a call from Mr. Finch. Mr. Finch at that time was plant manager of the Saint Louis Park plant?
- Q. Do you understand Doctor Mootz as reporting information that was told to him by Mr. Finch in that
- A. I don't recall this document at all. I never got a copy of it. To be honest about it, it's a surprise to me. But anyway, where it says about the phone call?
 - Q. The first line of Minnesota 22.
- A. All right. I don't recall such a phone cail because Mr. Mootz' office was in the main office and Mr. Finch's office was in Minneapolis and there is no way I would know about the phone call. Incidentally, I worked at the laboratory which is 5 or 6 miles from the main office.
- Q. As plant manager would Mr. Finch be in the best position to know the condition of the settling.
 - A. Mr. Finch would know more about the

3

4

5

6

7

8

23

24

25

conditions of the settling basin than anybody in the company. It was he was the boss of the operators you might say or he was in charge of the operation.

From your review of Minnesota 22, doesn't it appear that Mr. Mootz is speaking on the basis of information that he has gained in part by virtue of his conversation with Mr. Finch?

MS. CONSTOCK: Objection. Speculative.

- A. It would appear that way.
- Doctor Mootz says that the sludge Thank you. Q. that is accumulated in the bottom of the settling basin cannot be pumped out. What type of sludge could not be pumped out from the settling basin?
- Sands, clay, any kind of solids that were and could not be pumped out.
- Q. Would that include tar balls, pitch, solids, et cetera?
- Tar balls if by tar balls you mean a mixture of tar and sand, which I think is probably what you're referring to, they could be untrained in the heavy oil being pumped I suppose and pumped out. I don't know. What was the other thing you asked me? Pitch? is no way pitch could get in there.
- But tar balls consisting of tar and sand . could accumulate in the sludge at the bottom of the

1 settling basin?

1.3

A. I don't know what would make it ball. It might. But I rather doubt that it would because you have to have some sort of agitation I think to form a ter ball.

- Q. I believe you testified a few moments ago:
 that if there were C to 8 feet of sludge in the bottom:
 of the basin, it would not be effective in settling out:
 oils. Why would that be correct?
- A. If there were 6 to 8 feet of sludge in the bottom of the basin it would not be effective for two reasons. First of all, your resident time would be too short to separate it and the second time nothing would flow through the basin anyway. Not even water.
 - O. It would just flow right out of the basin?
- A. Well, if the sump was high enough and it probably was, it could just flow over the basin, but I never heard of that happening.
- O. If there was a tendency for sludge whether in the form of sand or dirt or any other solid substance to accumulate in a settling basin, would it be proper maintenance practice not to clean a settling basin for 20 years?

MR. SCHWARTZBAUER: Could I hear the question again?

(At this time the requested portion of the record was read aloud by the Court Reporter.)

MR. HIRD: Do you have an objection?

- A. It would depend on how deep the sludge got, but I can imagine a settling basin not being cleaned for 20 years and operating properly if great quantities of sand and silt and mud didn't get into it.
- Q. But if quantities that would fill up this settling basin 60 to 80 percent of its capacity qot into the basin, would proper maintenance procedure be to leave it for 20 years without cleaning?
- A. Well, we don't know when this 8 feet accumulated. It might have accumulated over the last year. We don't know. It might have gone for 18 years or 19 years with not requiring cleaning and then all of a sudden due to some event, why, it would require cleaning then if you wash great quantities of solids into the basin.
- Q. Would it be proper maintenance procedure to clean a settling hasin more frequently than once every 20 years or at least inspect a settling basin more frequently than once every 20 years to determine whether sludge had accumulated?

A. I'm sure that the basin was inspected more than once every 20 years.

1

2

3

4

5

6

7

8

. 9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

- O. So then you believe that 6 to 8 feet of sludge developed in the course of one year?
- A. It could very easy have developed in the course of one year.
- O. Why could it have? Why could sludge have developed to such a level within a single year?
- There again we're talking about history and Α. dates and I don't know the dates. But I know in the '60's the city of Saint Louis Park had a flood in an area, I don't know whether storm sewers became stopped up or what, but they had a flood north of the plant. One day a big wall of water came down the north boundry of the plant which was a steep slope and washed gullies in the slope even. And that wall of water flooded the boiler room, it flooded the treating room, it flooded the settles basin, it flooded that whole area of the plant. I remember Herb Finch, "What the hell's going on?" He ran up there and they had fire engines or portable pumps and everything else with hoses thrown across the bank and they were pumping the storm water down into our plant.
 - Q. Was that the only time the plant was flooded?
 - A. Oh, no. No. But that's the only time that, I

| 1 | know | οf | mγ | personal | knowledge | that | the | flood | came | fron |
|---|------|------|-----|----------|-----------|------|-----|-------|------|------|
| 2 | the | nor: | th. | | | | | 1 | | |

- O. You know whether the floods that effected the Saint Louis Park plant happened only in a single year or happened over the course of several years?
- A. Are you talking about floods or are you talking about floods from the north and of the plant?

I'm talking about floods.

- A. Mo. They happened quite often after Louisians
 Street had been relocated. I told you I was at the
 plant when they had a flood and the water was more than
 a foot deep in the road to the west of the refinery.
- O. Do you have any personal knowledge of inspections of the settling basin for accumulated solids in the bottom?
- A. I have no personal knowledge. I never inspected it and no one that was working under my direction inspected. This was strictly a job for the plant manager.
- Q. So you have no personal knowledge when or if these inspections were conducted?
- A. I would have no way of knowing any more than I would know boiler inspections or anything else. I didn't know when they were inspected.
 - O. In the final paragraph of Minnesota 22 Doctor

18

19

20

21

22

23

24

| Mootz refers to skimming t | he top of the oil-wat | er |
|----------------------------|-----------------------|----------|
| separator. Do you have an | y knowledge that the | skimming |
| mechanism at the top of th | e oil-water separator | was not |
| working properly or was no | t functioning at all | at any |
| period of time? | | |

- A. I have no personal knowledge, no.
- Q. Would skimming the top be essential for the oll-water separator to properly function?
- A. It wouldn't function too long without letting light oils down in the effluent if you didn't skim it periodically.
- (). If there were broken baffles on the top of the oil-water separator, would that be inducive to poor skimming?
 - A. Yes, it would.
- Q. If baffles were left in a broken condition for an extended period of time, would that mean the skimming would not be effective?
- A. For an extended period of time. Skimming would be ineffective.
- Q. Mr. Hennessy, I'd now like you to take a look at Minnesota 50 if you would, please.
 - A. Okay. I read it.
- Q. Mr. Hennessy, I notice that Minnesota 50 was carbon copied to you at the time that Mr. Lesher wrote

- it. Did you receive a copy of Minnesota 50?
 - A. I probably did. I don't remember receiving a copy, but I'm sure I did since it was carbon copied to me.
 - Q. Did you see a copy of Minnesota 50 in your witness kit?
 - A. I believe it was in there, but I wouldn't swear to it.
 - Q. What was Mr. Lesher's position at this time?
 - A. Mr. Lusher succeeded Doctor Mootz as the production manager for the tar division.
 - O. Mr. Lusher in his opening sentence refers to a visit to the Saint Louis Park plant during which he reviewed the general refining operation. Do you have any knowledge of the circumstances of that visit?
 - A. I don't know why he went to the plant, but he said -- the letter just says during his visit he reviewed in general the refinery and the water pollution problems at Saint Louis Park. All I know is what it says in the letter. Why he went there in the first place I don't know or what prompted the visit I don't know.
 - Q. You did not accompany him?
 - A. Oh, no. No. 1 did not.
 - Q. Mr. Lesher refers to the plant as having a

basis of some further questioning.

3

5

6

7

8

9

10

11

12

13

14

15

16

17

19

20

21

22

23

24

If you turn to the third paragraph of Q. Minnesota 50 Mr. Leaher refers to one of the problems in the operation of the settling basin being solids from the boiler blow down. Would these solids be substances such as tar balls and the like?

Thure would be no tar balls in the boiler blow down. It would be boiler scale and water.

- What would the boiler scale consist of? O.
- Consist of calcium and magnesium salts, cascium carbonate and magnesium carbonate.
- If boiler blow down solids in the settling (). basin reached quite a high-level, what effect would that have on the operation of the settling basin?
- Α. They would add to the solids. The magnesium and calcium salts would add to the quantity of solids; in the basin.
- That would make the settling basin less Q. effective?
- Well, yes, but how much boiler scale can you Λ. get?
 - Over 20 years probably quite a lot Ω. MS. COMSTOCK: Is that a question? No. That was an aside. HR. HIRD:

BY MR. HIRD:

| 1 | Q. Mr. Lesher goes on to say, "The condition of |
|-------------|--|
| 2 | the baffling system in the pond is questionable." |
| 3 | Would you understand him to mean that the baffling |
| 4 | system in the settling basin is not operating properly |
| 5 | at the time of his observation? |
| 6 | MS. COMSTOCK: Objection. Speculative. |
| 7 | A. Yeah. |
| 8 | Q. I'm just asking him what his understanding is |
| 9 | of written words. That's not speculation. |
| 10 | A. If you want me to prove I can read that's |
| 11 | what it says. It says that it's questionable. That's |
| 12 | what it says. |
| 13 | Q. Well, you received a copy of Minnesota 50. |
| 14 | Mr. Lusher goes on to say that, "The visual appearance |
| 15 | and quantity of oil going out of the plant was |
| 16 | terrible." Is Mr. Lesher here referring to the oil |
| 17 | leaving the plant through the ditch after it had gone |
| 18 | through the settling basin? |
| 19 | HS. COMSTOCK: Objection. Speculative. |
| 20 | i · |
| 20 | MR. HIRD: That's interesting, Miss |
| 21. | MR. HIRD: That's interesting, Miss Comstock. Are you saying that the witness does not |
| | |
| 2]. | Comstock. Are you saying that the witness does not |
| 2 l. 2 2 | Comstock. Are you saying that the witness does not know how to read? Obviously this document was written |

1 BR. HIRD: -- Mr. Hennessy to have him do 2 some --3 MR. SCHWARTZBAUER: It was written to Mr. White, wasn't it? 5 MR. HIRD: It was received by Mr. б Hennessy. David, you can read MR. SCHWARTZBAUER: B and I can read and a Judge and a jury can read. What 9 good does it do to sit for two days to ask the witness 10 of his understanding of a document? 11 MR. HIRD: He was in the Roilly 12 engineering department. 13 BY MR. HIRD: 14 Let me ask you this. What would you have 15 felt yourself expected to have done upon receipt of 16 such a document? 17 What would -- what was the question again? What would you feel that you as a Reilly: 18 employee would be -- what would be your obligation with 19 20 respect to the condition of the settling basin upon the 21 receipt of Minnesota 507 22 If they asked for engineering assistance I! would provide it. If plant maintenance could handle it 23 24 and the plant engineer was Mr. P. E. White could handle 25 it, then I would just -- it would just be for my

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

information.

- But someone in the Reilly organization should handle the problems in the settling basin?
- Mr. Finch obviously had an operator operators for the settling basin. He was running the plant and this is his prerogative and his responsibility. How Mr. Finch ran his plant I have a little knowledge of it, but I can't tell you who's in charge of what or how he did it.
 - Q. So it wouldn't be your concern?
 - I never got into it.
- So it wouldn't be your concern if the Q. settling basin was not operating properly?
- No. I had nothing to do with the operation of Α. the settling basin.
- Q. Do you have any reason to believe that Mr. Leuher's statement that the visual appearance and quantity of the oil going out of the plant was terrible was an inaccurate statement?
- No. Mr. Lesher observed it. I didn't. wouldn't argue with him. I'm in no position to argue with him.
- Mr. Lesher says that, "The presence of solids Q. from the boiler blow down in the settling basin changed the characteristics of the materile in the settling

basin." How could solids in the settling basin change the characteristics of other material in the settling basin?

A. Well, as I've already mentioned, any solids you mix with that heavy oil makes it more difficult to pump. And if you get enough solids you won't have a liquid. You can't pump it and you have to clean it out

Q. Mr. Lesher says at the final paragraph on the page that, "Contaminated water also originates at the tar cistern." How could that water have become contaminated?

A. Tar coming into the plant has about 2 percent water in it of which settles out over a period of time. I've already explained to you how they unloaded tank cars so that if a valve broke or something the tar would flow into the pit rather than all over the yard. But that design also any rain that would get into the unloading shed would also go into the pit. So there is two methods water could get on top of the tar.

Q. What would happen to the water when it got on top of the tar? Where would it go from there?

A. It would sit there until they pumped it off the tar.

Q. And pumped it down into the ditch without going through the settling basin?



| 1 | A. Correct, yes. |
|----|---|
| 2 | Q. What would you consider to be the minimum |
| 3 | frequency for inspecting the settling basin for |
| 4 | accumulated solids? |
| 5 | A. I don't know. |
| 6 | Q. One year, G months? |
| 7 | A. If I were runing a plant, I would go by |
| 8 | experience. If 5 years would do it, okay, I would do |
| 9 | it. But if there were any big upset caused by a flood |
| 10 | or something. I think it should have been inspected |
| 11 | immediately after the water went down. But I don't |
| 12 | know what Mr. Finch did. I have no knowledge of it. |
| 13 | Q. I'd like you to take a look now at Minnesota |
| 14 | 23. |
| 15 | A. All right. |
| 16 | Q. Do you recall receiving a copy of Minnesota |
| 17 | 237 |
| 18 | A. Well, I'm sure I received it because my name |
| 19 | is on it. But I don't recall it. It's been quite a |
| 20 | long time ago, 15 years ago. |
| 21 | Q. But you did receive it? |
| | |
| 22 | A. I'm sure I did. My name is on it. |
| 22 | O. Was a copy of Minnesota 23 in your witness |

It probably was.

25

Λ.

đ

| Ω• | Mr. D | ennessy | , in the c | prening lin | e of |
|------------|-------|---------|------------|-------------|------------|
| Minnesota | 23 th | ere is | a referenc | e to work, | recommende |
| | | | | ontrol of | |
| | | | | What work | |
| recommend | for c | ontroll | ing water | pollution | at Saint |
| Louis Park | at. t | his tim | e? | 1 | 1 |

A. Well, it looks like, it's on the next page, install a straw filter, clean the separator, clean the trenches, and olevated blow down tank. There is your elevated blow down tank. Okay.

O. Does Minnesota 23 refresh your recollection that the elevated blow down tank was not installed as of hay 20, 1968?

A. Well, that's the date on the letter. I don't recall exact dates. But this letter was written May the 20th. It was obviously written prior to elevating the blow down tank.

Q When the blow down tank was elevated was a new tank installed or was the old tank simply elevated?

A. I don't remember whather a new tank was put in or the old one was elevated. I assume a new tank was put in because -- well, I don't know really.

Q. If you look at the opening paragraph on the first page of Minnesota 23 there is a reference to the phrase of installing an elevated blow down tank. Would

that indicate to you that a new tank was put in as opposed to the use of the phrase, for example, elevating the existing tank?

A. Well, I'll have to admit I was a little bit ambiguous -- or I didn't write this. Mr. White wrote it. It's a little ambiguous. It's kind of difficult to tell whether he's going to use the old tank or install a new one. My guess would be he would install a new thing because the thing would be out of service if he elevated the old one. It would be out of service during the construction period. So I would assume he put in a new tank and bypass the old one.

- C. Could you look on the second page of
 Minnesota 23 under the phrase elevated blow down tank?

 A. Yes.
- Q. I believe Mr. White refers there to framework and insulation by more welding including replacement of existing blow down lines with welded pipe. Would that reference and the price figure for that indicate to you that actually the old blow down tank was elevated as opposed to a new one being installed?

A. He says our -- you notice under elevated blow down tank he says, "Our own tank." Now, whether this is the same tank or another one from some abondoned part of the plant I don't know. When you're in the tar

| 1 | Our trash man that picks up the trash in our whole area |
|----|---|
| 2 | uses a dumpster. |
| 3 | Q. Well, about how big is the one that your |
| 4 | trash man uses? |
| 5 | A. How big is it? It's a huge truck, enormous. |
| 6 | But you can get them all sizes. So the word dumpster |
| 7 | is a trade name. It's like how big is a Dodge truck or |
| 8 | how big is a Ford truck. |
| 9 | Q. Do you have any sense of how big the smallest |
| 10 | possible dumpster? |
| 11 | MS. COMSTOCK: I believe the witness has |
| 12 | stated that he does not know the answer to that |
| 13 | question. |
| 14 | Q. Can I have an answer? By question was how |
| 15 | big is the size of the smallest dumpster with which you |
| 16 | ere familiar with? |
| 17 | MR. SCHWARTZBAUER: Don't guess, Dick. |
| 18 | A. I don't know really. There is no way I know. |
| 19 | It's very small though. I know that |
| 20 | MR. MIRD: Why don't we take a break for |
| 21 | a few minutes. |
| 22 | (At this time a recess was held.) |
| 23 | BY MR. HIRD: |
| 24 | Q. Mr. Hennessy, do you know there is a |
| 25 | reference on Minnosota Exhibit 23 to Hirsh Dumpster, |

- 1 Inc. Do you know where Hirsh Dumpster, Inc. was
 2 located?
 - A. No, I don't.
 - Q. Do you have any information about the company?
 - A. No. It's obviously a local company that rents out dumpaters, but who they are I don't know.
 - O. You never had any independent dealings with them --
 - A. No.
 - Q. -- other than this document?
- 11 A. I did not.
 - Of the operations that you recommend for the control of water pollution is the installation of a straw filter at the discharge of the plant. I understood from your previous testimony that a straw filter had been installed at the plant in 1951, is that correct?
 - A. That's correct.
 - Q. In that case there was at the time 1968 there was no straw filter in operation at the plant?
 - A. That is incorrect. There were two straw filters installed. One earlier and one later. There was one just beyond the settling basin and one at the settling basin and one at the effluent of the plant or well, one just before the water left the plant.



1 So the progression of the effluent would be O. 2 to go through the settling basin into the first straw 3 filter and then into the second straw filter? 4 That is correct. · 5 Does Minnesota 23 refresh your recollection 0. that the second straw filter was installed after May 6 1968? 7 6 Well, obviously it was because -- I can't 9 remember the dates, but this letter asking for 10 authorization to install it was written in 1968, May of 11 '68. 12 Why was the first straw filter inadequate? Ω. 13 Well, if Mr. Lesher says that a lot of oil Λ . 14 got through it because of solids in the settling basin, 15 why, it would probably need changing quite often. 16 they wanted a back-up filter for safety. That's the 17 only thing I can think of. That's the only reason I 18 can remember. 19 Q. Was the second straw filter of a different 20 design than the first straw filter? 21 No, it was not. By different design it may 22 have had different dimentions because of where it was

located, but the design was the same.

(612)

23

24

25

Q.

Would it eliminate a different type of oil

that would not be eliminated by the first straw filter?

927-1955

- A. No. It would eliminate the same oil. If the first straw filter ceased functioning because the straw very quickly got saturated, why, then this one would catch it.
- O. I also see a reference here as part of the elevated blow down tank operation to pit construction and trenches. What kind of pit construction and trenches were engaged in order to elevate the blow down tank?
- A. I can't remember. He was asking for \$300 to do something about pit construction and trenches. So what he did with \$300 I don't remember or if that -- I can't even tell you whether that figure -- that figure didn't come from me because it's Reilly labor and I would have no way of -- he put his plant labor costs on there. That is some of his maintenance men evidently were going to do some work.
- Q. Wouldn't the construction of trenches be a decision involving engineering advice?
- A. Well, he says pit construction. I don't know what he means by that whether -- he didn't construct a pit. He may have repaired some trenches. He spent \$300. Well, \$300 even in 1968 I don't know how much work you could do for \$300. This is strictly labor. \$300 Reilly labor it says. I can't





Ι

This is

But you would not regard this price at \$1,250

25

Q.

as being extravagant for hauling away waste from the settling --

A. I don't remember. If I would have objected to it, I would have either written a letter or made a phone call or maybe I questioned it. But I don't remember doing that at all. I think I just let it go. That is when it came to me. See, this work order request is coming from Paul White. He made this out. He used some of my figures and obviously some of his own.

- (). But Mr. White does say that the work order request covers work that had been recommended by you?
 - A. Yes. That's correct.
 - Q. Do you recall recommending this work?
- A. Oh, I can't recall exactly what I recommended no.
- Q. What kind of work did you recommend for collecting data?
 - A. For collecting data did I recommend --
- Q. If you look at the first page of Minnesota 23 there is a reference to recommendations by you for collection of data.
- A. "Covers work recommended by Mr. Lesher and Mr. Hennessy for collecting data." I don't know. I can't remember to be honest about it.

| 1 | O. Do you recollect collecting any data around |
|-----|---|
| 2 | 1968 concerning plant effluent at Saint Louis Park? |
| 3 | A. No. I don't remember what data I collected. |
| 4 | He says, "Covers work recommended by Mr. Hennessy and. |
| 5 | Mr. Hennessy for collecting data. " Evidently I |
| 6 | don't quite understand why this work would be required |
| 7 | for collecting data. I don't know why he couldn't have |
| 3 | collected the data before he did the work. But anyway, |
| 9 | no, I can't remember what I asked him to do. |
| 10 | Q. I'll ask you now to look at Minnesota 51, |
| 11 | please. |
| 1 2 | A. Einnesota 51. Okay. |
| 13 | O. Mr. Hennessy, I notice you are not copied on |
| 14 | Minnesota 51. Do you have any recollection of seeing |
| 15 | Minnesota 51 around the time that it was written? |
| 16 | A. I have no recollection of it, no. |
| 17 | Ω. Did you see Minnesota 51 as part of your |
| 18 | witness kit in preparation for your testimony today? |
| 19 | A. I probably did. I don't know. I read so |
| 20 | many of these things. |
| 21 | Q. At the time of Minnesota 51 Mr. Lesher was |
| 22 | head of the refining division at Reilly Tar, was he now |
| 23 | A. Correct. |
| 24 | Q. This document appears, Minnesota 51, to be |

written in the course of his duties?

ε

A. I think so, yes.

O. I'd like you to turn to page 2 of Minnesota

51 to the last full paragraph on the page. Mr. Lesher states that he and fir. George Reilly observed that the settling basin at Saint Louis Park was in poor condition and that the entire visual site of the ditch flowing from the settling basin along Walker Street was exceptionally poor with tar and oil being quite evident

A. It says the same thing as the letter we looked at proviously.

O. Do you have any information to suggest that this observation by Mr. Lesher and Mr. Reilly was inaccurate?

A. I have no reason to doubt it or reason to believe it. It's just what he says.

O. Mr. Lesher goes on to say that at the time he observed it the settling basin was full of settled oil and boiler solids. Do you have any reason to -- do you have any information that would suggest that that observation by Mr. Lesher was inaccurate?

A. No. The letter we just talked about, the last letter of Mr. Lesher, said the same thing.

O. Finally Mr. Lesher says that the baffles in the settling basin were broken.

A. Um-hum.





- Q. No you have any information to suggest that that observation was inaccurate?
 - A. No. Again he's already said that in another letter that we just talked about.
 - Q. Do baffles and the type of settling basin that you designed at Saint Louis Park break easily or regularly?
 - A. They shouldn't. They were made out of, I, can't remember, four bite tongue and grooved lumber or nomething like that. I can't remember the exact. I know the general construction. I couldn't tell you exactly what each piece of wood was but they were pretty stout.
 - Q. If a baffle were broken, would that be easily observable from a plan view of the settling basin?
 - A. If a skimming baffle was broken, it would be very easily observable. In fact, it would be very obvious. If a heavy oil baffle were broken and the water was turbid, it would not be observable. However, if the water was clean it would be observable I would think.
 - Q. What would be needed to be done to correct a broken skimming baffle?
 - A. Well, you'd just have to -- it would depend on -- you'd just repair it. That's all. Get new wood



him to be referring there to a straw filter?

A. Yes.

2.

.21

Q. A baffle and a filter would be used interchangeably to describe that?

A. Baffle is a poor word. He should have used the word filter, but he's talking about a straw filter. There would be no point to putting a baffle in. Well, I know for a fact that a straw filter was installed.

- Q. Mr. Lesher finally says that those proposals that he's just mentioned correcting, cleaning the settling basin, cleaning out the oil and tar in the ditch and installing a straw baffle or filter, are slight and simple improvements and should not be considered as steps in an overall solution to water pollution problem at Saint Louis Park. In your opinion would those steps that Mr. Lesher refers to as slight and simple be sufficient to solve the problem of water pollution at Saint Louis Park?
- A. This was a stopgap measure before we installed an API settling basin and that type of equipment and straw filters and so forth.
- g. But these improvements would not be sufficient of their own to solve the water pollution problem at Saint Louis Park?
- A. They would not be intended to be the final solution of the problem, no.



1 BY MR. HIKD:

Ğ

Q. For the record U.S. 18 is a one page document Reilly date stamp number 223936. It appears to be a memorandum on Reilly Tar and Chemical Corporation stationery from T. H. Reilly to H. L. Finch dated June 4, 1968. Mr. Hennessy, I notice that you are one of the carbon copyces on United States 18. Did you receive a copy of United States 18?

- A. Well, I obviously did, yes.
- Q. Would United States 18 be a work order to cover the work that you recommended for control of water pollution that was suggested in Nr. White's memo of May 20, 1968, which is State Exhibit 23?
- A. This is an authorization to spend the money to do the work.
- Q. Do you note any inconsistencies between the expenditure in United States 18 and the ones proposed by Mr. White in State Exhibit 23?
- A. Well, Mr. White asked for \$4,043. Mr. Reilly approved it looks like \$4,000. It's been marked over.

 I think it's \$4,000. So there isn't much of a discrepancy I would say.
- Q. Are there discrepancies in any items -- are there any items that Mr. White recommended in Minnesota 23 that are not authorized in U.S. 187

2

3

5

G

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

A. It looks like exactly the same thing to me.

Q. Looking at United States 18, I see that cost for Reilly labor are also priced out in the work order. Was that the practice of the company to list out a cost for the labor of its own employees in its work order?

Α. Yes. Because these employees are on the payroll, and they're going to get paid anyway. So the out-of-pocket expense which means the amount of money the company would have to put out was \$3,650 because these men that are going to be paid \$300, I don't quite understand how 300 and 650 add up to 4,000, but anyway these men that were going to be paid \$300 you're going to have to pay them anyway regardless of what they're working on. So really as far as out-of-pocket money is concerned for maintenance, which I assume this would be alterations to what we had, there is no use putting. that figure in twice. In other words, the total work order is \$4,000. That's how much money the company's going to spend. But the amount that they're going to have to put out for outside labor, contractors' labor and materials is \$3,650. That's what that means.

Q. I see. But the Reilly labor is costed out as part of the ordinary practice of the company in preparing the work orders?

A. The ordinary practice is you give a total





cost of how much the job is going to run. And then if you're going to use some plant labor, after you get the total cost including plant labor, you deduct the amount you're going to pay for plant labor and then you subtract that and you have two figures. One is the total cost of the work order, the amount you're authorized to spend. And the other figure is the amount of outflow, the amount of cash that they have to pay out, that the management has to pay out.

O. But when you're assessing the first figure, you price out specific labor tasks by specific workers? In other words, if you look at U.S. 18 it's a regular practice as part of an operation to say how much the value of Reilly labor spent on a particular job is, for example, install filter repair there is a reference to Reilly Tar of \$300. That's the regular practice to price the labor to do that way?

A. Reilly labor. That's correct. Then you deduct at the end because you're not paying -- you are paying out the cash, but it's in a different -- it's part of production and maintenance.

- Q. Do you see anywhere in United States 18 any reference to any expenditurs for repair of the baffles at the oil and water separator?
 - A. Well, he says cleaning separator. I assume

4 .

- that would mean repairing the baffles. In other words,

 he's going to clean the separator. I assume he's going

 to repair it also but he doesn't say so.
 - O. So he doesn't specifically say that there is any cleaning repair of the haffles?
 - A. This work order does not say there is any repair of the baffles and I don't believe the request he just copied this request is what he did. Mr. White wrote it that way and that's the way Mr. Reilly had it copied.
 - Q. There is no reference to any specific cost placed on the Reilly labor for cleaning the baffles in U.S. 18?
 - A. I don't see any.
 - O. In repairing the baffles at U.S. 18. I made have misspoke.
 - A. I don't see any specific cost.
 - Q. Thank you. Let me ask you to look now at State Exhibit 19, please.
 - A. Okay.
 - Q. Mr. Hennessy, did you receive a copy of Minnesota 19 on or about the time of its writing?
- A. Yes, I did.
 - Q. What was Doctor Wheeler's position with Reilly Tar the date of Minnesota 19?





| | · |
|------------|---|
| 1 | A. I believe his title was assistant director of |
| 2 | research, but his expertise was in well, he was ! |
| 3 | won't say his only he was a good chemist but he was |
| 4 | also a good engineer. He had a |
| 5 | chemical engineering degree and a doctorate in |
| 6 | chemistry. |
| 7 | Q. I'd like you to turn your attention now to |
| 8 | the final paragraph of Minnosota 19. Here Doctor |
| 9 | Wheeler says, "The well is not all rosy," referring |
| 0 | here Mr. Finch says that, "The well is not all |
| L 1 | roses." Is he referring to the deep well in the Saint |
| L 2 | Louis Park property? |
| 13 | A. He's referring to the well marked I don't |
| l 4 | see it on there. But the well just to the west of the |
| L 5 | refinery building. |
| | <u>'</u> |

MR. CCYNE: Would that be the Republic deep well?

A. Let's see if I can find it on here. Trouble is you got too big letters. Yes, that's the Republic deep well, right.

- Q. You're referring to the Republic deep well on Minnesota Exhibit 9, are you not?
- A. Yes.

Q. Thank you. Mr. Finch goes on to say that, "The well in the past has been bringing the tar

б

В

substance to the surface in small balls." Would these tar balls coming out of the -- well, let me ask you this. Let me strike the question. Mr. Finch says that the well in the past has brought tar to the surface in small balls. Do you have any information that would suggest that that statement is inaccurate?

A. Well, I should have objected to -- well, I didn't even think about it then. But I doubt that it was tar. There was a mixture of oil and sand brought to the surface, right, little balls which were a mixture of oil and sand.

Q. Why do you doubt that it was tar? Do you base your doubt on personal observation?

A. I base my doubt on the history of the well because documents that you've shown me before and I've commented on stated that we used an air lift in that well up until about just before this pump was installed which was in the mid '50's, wasn't it, I believe.

- Q. But you never observed anything which Mr. "

 Finch might consider a tar ball that you would consider something else coming from the well?
 - A. I did not personally observe them, no.
- Q. If these tar halls were coming up from the well as Mr. Finch suggests or if these other oil balls as you suggest, would they be likely to get into the





boiler?

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

23

24

25

``22

Well, at that time -- at some time that pond Α. was used -- the pond to the south of the refinery was used for boiler feed water. We've already established that there was a four inch line running between the fire pump and the boiler to bring in water at one time. Now, these halls I don't know whether they were settled They probably would settle out. They must have out. been pretty heavy because the oil that I think was in them was a heavy oil even though it was petroleum oil. If my suspicion is correct. Or if it's coal tar oil then it's even heavier yet. So these things would settle out in the bottom of the pond I would think. Now, whether the suction -- I'm not familiar with the suction of the fire pump. But if the suction of the fire pump did not create quite a turbulence in front of the pump, why, I would think that the tar balls would be settled out in the pond. However, I also am sure that the fire pump is located south of the pond. And the effluent and of the pond from the condensers went into the north end of the pond. So you had the whole length of that pond to settle them out. So whether they got in the boiler or not I don't know. I've told you before, if they got in the boiler you would know it.

- Q. But a strong enough pump could pump them out of the pond into the boiler?
- water and depending on the design of the suction, which I have no knowledge of, I had nothing to do with the installation of that pump, I don't know how they put it in, but if there was quite a bit of turbulence in the pond, which I never observed. I've seen the pump running and I never observed any turbulence, but if there were turbulence you could still them up, yes.
- Q. And they could ultimately be sucked into the boiler?
 - A. Um-hum.
- Q. Mr. Honnossy, you testified before that it was practice at Reilly Tar to issue work orders from Indianapolis for expanditurs above a plant's limitation and that for expanditurs below a plant's limitation that the individual plant would tend to notify Indianapolis of the work that it had done and the cost of the work, is that correct?
- A. The plant manager had to account for all the money he spent, but he could do work up to a certain limit without getting any authorization from the management, that is correct. He could authorize it himself.

O. But he would then have to notify Indianapolis of how the money was spent?

2.3

A. He had to notify the main office if he went out and bought a stamp. Well, that's ridiculous. Any money that he spent for any reason for maintenance, for purchases, anything, he had to account for. I mean, he wasn't just given a lot of money and told to spend it how he wanted. He had to account for all the money spent.

Q. So if the baffles in the oil-water separator were repaired, there would either be a work order issued by Indianapolis or there would be a notice by the plant manager to Indianapolis indicating that baffles were repaired and the cost of the repair?

A. Re sent in accounting records I think monthly but I don't know. I was never into that part of it.

But his accounting records would show so much spent for maintenance, so much spent for supplies, anything, janitorial supplies, light bulbs, whatever, this accounting record would show it. Whether he would say what the maintenance men worked on I rather would doubt that he said we spent \$250 fixing this, we spent \$300 fixing a baffle.

Q. Well, let's say that the repair of the baffles exceeded the plant limit. There would be a

| ĵ | fire mains to fire hydrants for fighting a fire. |
|------|---|
| 2 | Q. Why was a fire pump used in connection with |
| 3 | the cooling pond on the Reilly property |
| 4 | A. There again |
| 5 | Q at Saint Louis Park? |
| 6 | A. I think his terminology is not terminology I |
| 7 | would have used. But fire pump I don't know who |
| 8 | named it fire pump. Before city water was in the plant |
| 9 | we had certain hydrants near the refinery that were fed |
| 10 | by this fire pump, so-called fire pump. The pump was |
| 11 | also used for production. It was also a production |
| 12 | pump. It was a denoral service pump you might say. |
| 13 | That would have been a better name for it. |
| 14 | Q. So it would pump water from the pond to the |
| 15 | boiler? |
| 16 | Λ. Yes, that's right. We've already established |
| 17 | that, that it did that. |
| 18 | Q. Would it also pump waste water to the |
| 19 | oil-water separator? |
| 20 | A. No. No. This was strictly a water pump. It |
| 21 | wasn't a sewage pump. It was a water pump. |
| , 22 | Q. So there was a separate pump for sewage |
| 23 | A. Oh, yes. |
| 24 | Q in connection with the oil-water separator? |
| 2 5 | A. Yes. Um-hum. |



Walker Street. I don't know if he would use the term

: [

- l road if he referred to Walker Street. So I really don't know.
 - Q. Would this track be the railroad track?
 - A. Yes, ohviously.

3

4

5

6

7

В

g

10

11

12

13

14

15

16

17

18

19

20

21

22

2.3

24

- Q. This would be the area between the railroad track and some outside road?
 - A. And some road.
- Q. Would you point to where the railroad track would be on Minnesota Exhibit 9?
- A. Well, I don't know which track he's talking about. But we had a road come in here so there is tracks all along here. I believe that's where the road came in. Then here's Walker Street and there is a track along Walker Street. So it could be either one. But the word road confuses me. If he'd have said street or road then I could have maybe answered your question. If he says road I would guess it was our plant road. I don't know. He doesn't say. No more clues.
- Q. But the reference to the waste ditch would be the waste ditch past the separator on the Reilly Tar property?
- A. The waste ditch ran, yes, to the east plant property line and down along the east plant property line and then along the Walker Street.



25

Ω.

the date of Minnesota 51 and Minnesota 90.

I notice that two years had passed between

I notice

1 that there is a difference of two years between Minnesota 51 and Minnesota 90. 2 3 Α. Um-hum. Would the fact that Mr. Lesher has the same 5 observation two years a part indicate that the waste G ditch has been cleaned up in that two year period? It would indicate one of two things. 7 8 would indicate that they cleaned it up and it got dirty again or it would indicate that it had never been 9 10 cleaned up. So I don't know. 11 0. If it had been cleaned up and gotten dirty 12 again, what would account for its getting dirty again? 13 Α. I don't know. I wasn't there. I don't know 14 whether it was flooding of the basins or, what it; was. 15 I have no idea. 16 Q. Would one of the causes of the waste ditch 17 getting -- could one of the causes of the waste ditch 18 getting dirty again be the failure of the oil-water 19 separator to operate properly in two years between 1968 20 and 1970? 21 Λ. 22

A. Unless the thing was flooded I would say no because he's talking about tar. Tar would be easily settled out. You would have to get the tar clear up to the effluent pipe before it could flow out into the ditch.

23

24

(I)

B

(At this time United States Deposition Exhibit 19 was marked for identification by the Court Reporter.)

BY UR. HIRD:

Q. Please feel free to stop at any point and read what has been marked as U.S. 18 (sic) before you answer it.

MR. SCHWARTZBAUER: 19.

- Q. I'm sorry. 19. Hr. Hennessy, I'd like you to take a look first at Minnesota 62. Did you receive Minnesota 62 on or about the date of its writing?
- A. Since the letter was written to me I obviously received it a day or two after August the 13th, 1970.
- O. Ninnesoun 6? refers to a copy of an investigation being enclosed, an investigation of soil conditions at the Saint Louis Park for possible construction of a sewer connection to the city of Saint Louis Park. Do you remember receiving a copy of that investigation report?
 - A. Yes, I do.
- Q. I show you now United States 19, which is a document extending from Reilly date stamp number 302526 through 302538. I ask you whether United States 19 is a copy of that report that was referenced in Minnesota





62. 1 2 MS. CONSTOCK: If you know. Well, I believe it is because the report's 3 Λ. August the 10th and the letter is August the 13th. believe this is the report, yes. It says proposed 5 pipeline and separator. Okay. 6 7 So you received a copy of United States 18 8 (sic)? 9 I believe I did. 10 1 mean 19. Q. 11 Um-hum. 12 Mr. Hennessy, why was this report undertaken, Q. 13 United States 197 14 The report was undertaken because the ground that we were going through with our sewer -- we had to 15 go from where we were going to locate the settling 16 17 basin to the manhole where we could enter the sewer. 18 Q. Is this the new API settling basin that you' 19 were considering installing at Saint Louis Park? 20 Α. Correct. 21 Never installed? Q. 22 Α. That is correct. 23 MR. SCHWARTZBAUER: Excuse me. Just so we aren't confused, I think Mr. Hird keeps referring to 24 25 an API separator that you were going to install.

| 1 | variety of separators. |
|----|---|
| 2 | A. Okay. |
| 3 | Q. Mr. Hennessy, where was it proposed that the |
| 4 | Edens or API separator be installed? At what point on |
| 5 | the plant property? |
| G | A. Near the wooden separator that was installed |
| 7 | in '41 or '42. |
| 8 | ი. As close as reasonably possible to that point |
| 9 | A. Hell, I don't know reasonably possible. But |
| 10 | it was close to that point, yes. |
| 11 | Q. Not more than 10 feet away, for example? |
| 12 | Λ. Oh, I can't say about 10 feet but, say, not |
| 13 | more than 50 feet away. You know, 10 feet. |
| 14 | Q. Would it be downstream or upstream of where |
| 15 | the oil-water separator was located? |
| 16 | $\Lambda_{\bullet,}$ Well, it would be neither. The sewer running |
| 17 | into it would run to the two influent pumps that we |
| 18 | were going to put in for the new separator. Then it |
| 19 | would run out of the separator to the sewer. It would |
| 20 | neither be upstream or downstream from the other |
| 21 | separators. The old separator was going to be |
| 22 | abondoned and filled in as I recall. |
| 23 | O. Then perhaps I can rephrase my question this |
| 24 | way. Would it be to the southeast of the current |
| 25 | position I'm sorry. Would the new API separator he |

2

3

6

7

8

9

23

24

25

installed to the southeast, to the southwest, in what geographic relationship to the old oil-water separator?

- Α. I would guess it would be to the west, about where it says "sump" on this Exhibit.
 - Where it days sump on Minnesota Exhibit 9? C.
- I'm guessing but I think that's where Λ. Yes. it is.
- Q. Thank you. Were the soil borings mentioned in the investigation which is U.S. 18, soil borings of the area where the API or Edens separator was going to be installed?
- Λ. Well, this is a reason why the soil borings were taken so we would know how much load we could put on the ground there.
- Q. So those soil borings would be taken roughly in the vicinity of where you were going to locate the new Edens separator on the plant?
- There is a map showing where they were ta Α. in this report.
- Ω . I realize that, but since we don't have the API separator actually installed, it's hard for me tell from the map where the map shows, where you were going to put the separator.
- In the lower left-hand corner of the map you see the office and land.

| 1 | (). You're referring to page 302531 of United | | | | | |
|------|---|--|--|--|--|--|
| 2 | States Exhibit 18 (sic)? | | | | | |
| 3 | A. Yes. | | | | | |
| 4 | MS. COMSTOCK: 19. | | | | | |
| ·. 5 | Q. 19. Yes. I see where there is a reference | | | | | |
| G | to office and lab. | | | | | |
| 7 | A. All right. This first boring was 212 feet | | | | | |
| 8 | from the office and lab and it was taken you go in | | | | | |
| 9 | line with the site of the office building 212 feet and | | | | | |
| 10 | you reach a point you see the arrowhead on that point | | | | | |
| 11 | and the borings were taken 32 feet beyond that, 100 | | | | | |
| 12 | feet, it shows exactly where the borings are. | | | | | |
| 13 | C. To the southeast of the office lab though? I | | | | | |
| 14 | notice | | | | | |
| 15 | A. All right. | | | | | |
| 16 | Q. Does that indicate the direction of a line of | | | | | |
| 17 | borings that it would go to the southeast of the office | | | | | |
| 18 | lab building? | | | | | |
| 19 | A. It's going parallel with this track that runs | | | | | |
| 20 | down there. Let's see. Northeast most spur of | | | | | |
| 21 | standard gauge railway. | | | | | |
| 22 | Q. Perhaps we might make it easier if you would | | | | | |
| 23 | take this pencil and mark on Minnesota Exhibit 9 | | | | | |
| 24 | exactly where these borings were going to be taken on | | | | | |
| | • | | | | | |

the Exhibit 9.

2

3

4

S

6

7

8

Ŋ

10

11

12

13.

14

15

16

17

18

19

20

21

22

23

24

25

UR. SCHWARTZBAUER: If you can.

- A. I'd have to guess. I don't have a scale with me or anything.
- Q. If you could just draw the lines because I'm a little confused about the direction from the office and lab.
- A. I believe this is the first standard gauge track. They were taken 38 feet on the office side of the track. There is an office. So they were taken wherever 38 feet is on a line down along here. I assume they followed the track and there should have been a manhole at Walker. Wait a minute. I guess it went straight. Walker Avenue's down here, isn't it? I don't know. Anyway, it went from there to the manhole wherever the manhole is.
- Q. Could you mark a brown line along Minnesota
 Exhibit Number 9 indicating the line of the borings
 that were taken?
 - A. Yes.
- Q. Would you mark that with an "H", that brown line?
 - A. With an H? My initial?
- Q. Yes. So that it can be clear for future generations looking at Minnesota 9.
 - A. Future generations, boy. He's planning on

证明是。





- Where's the office building? Office building I would say that it would be about, I'm guessing, I'd say right about there. Okay.
 - Okay. So that's about where it would be --C.
- 25 Um-hum. Λ.

- 11 · 3



creosote?

., · P

1 Α. There again that's what it says. Do you have any reason to suggest that this 2 0. finding by the boring company was inaccurate? 3 I wasn't there. I didn't see the borings. don't know how he took them. So I don't know. 5 6 Q. I'd like you to turn now to page 302534 of United States Exhibit 19. Does this page show the 7 three that was taken in connection with the 8 investigation --9 10 Α. Again --11 0. -- of soil by Saint Louis Park? 12 Α. Um-hum. 13 Does this horing show that the first 8 feet' Ω. of material dredged up included material that was black 14 15 with creosote? 16 That's the way I would read it. ۸. 17 And you have no reason to doubt the accuracy 18 of borings, the one which we previously looked at?' 19 Α. There again 1 didn't see them drill it. I 20 don't know how he drilled it. I just know why he 21 drilled it. He wasn't drilling for soil sampling as 22 such. He was drilling for load bearings. So anyway, 23 go ahead. 24 I believe you testified that to your 25 knowledge -- or rather that your belief was that

two inches. Would these borings suggest that
information exists, that would indicate that your
belief is inaccurate?

A. Well, the occasion I was talking about was where they pulled trams out of a cylinder and water was or creosote oil would drip from the trams because they'd be wet with oil when you pulled them out of the cylinder. And they'd been doing that for a number of years. And we dug a hole and we hit clean sand down two or three inches. Very shallow. Now, I don't know what this black material was here. I don't know what it was. He says it's brown and moist. On this one over here he says it was black and then he says with creosote. Well, I don't know what it was black with.

- Q. Don't the results of these borings indicate that crossote can desend below a depth of two inches into soil?
 - A. Not to me it doesn't, no.
- (). Why would it not suggest that if creosote is found as far down as 8 feet --
- A. Well, I don't think this guy knew what the black stuff was. He wasn't actually even drilling for that purpose. I don't know what it could have been.
 - Q. So Reilly Tar --

A. I wouldn't swear that it was creosote. I don't think he would either.

1

2

3

5

б

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

- O. So Reilly Tar hired an independent borer, is that what you're testifying?
- No. There again it's terminology. We hired a Λ. borer to test the soil for load bearing. When you test soil for load bearing you here different types of holes than you do when you're testing for what's down there. This guy -- I didn't see his equipment. I don't know what he used. But normally what they use they use a I've seen them bore many holes around Indianapolis. And what the well drillers here have a pipe and when they're testing for load bearing they use a pipe and they beat it with a hammer and they count the number of blows. And all they're interested in is what the soil will take at that level, you know, at various -- how deep you have to go with a piling or foundation to reach a certain load bearing. All right. Now, when he puts this hollow pipe on top of the ground and what's on it and goes down about 8 feet and he brings it up, the material in the pipe, he dumps it out then he looks at it. It's all mixed up. So for instance, he says here that on -- this is the four that you had me look at that I'm looking at. He went down two feet and said it was brown and moist. Then he went

Q.

On-site?

unfortunately.

| 1 | MR. HIRD: Off the record. |
|-----|--|
| 2 | (At this time a discussion was held |
| 3 | off the record.) |
| 4 | |
| 5 | (At this time a rocess was held.) |
| G | |
| 7 | (At this time United States Deposition |
| δ | Exhibit 20 was marked for identification by |
| 9 | the Court Reporter.) |
| 10 | THE WITNESS: Okay. I read it. As much |
| 11 | as 1 could. |
| 12 | RY MR. HIRD: |
| 13 | G. Mr. Hennessy, I've shown you what has been |
| 14 | marked United States Exhibit 20, which is a four page |
| .15 | document consisting of Reilly Tar date stamp numbers |
| 16 | 200975 through 200978 which was provided to us by Mr. |
| 17 | Schwartzbauer in compliance with Magistrate Boline's |
| 18 | order. Mr. Hennessy, can you identify for us what U.S. |
| 19 | 20 is? |
| 20 | A. U.E. what is? |
| 21 | Q. U.S. 20. |
| 22 | Q. U.S. 20. A. Oh, this document? |
| 23 | Q. Yes. |
| 24 | A. I believe it is a request for a work order |
| | A. I wolleve it is a request for a work order |

ونيا

| 1 | Q. Do you believe that it was written on about |
|-----|--|
| 2 | October 30, 1968? |
| 3 | A. That's what it says, yes. |
| 4 | Ω. Did you receive this request for a work order |
| 5 | A. I usually receive requests for work order. |
| 6 | but I don't see my name on this one. I see is S. C. |
| 7 | Boyle. There is a name up there that is not my name |
| 8 | but I can't read who's. Maybe it says Saint Louis Park |
| 9 | I don't know. |
| 10 | Q. Let me turn your attention to page 200978 of |
| 11 | U.S. 20. Mr. White there refers to problems with the |
| 12 | existing tanks. |
| 1.3 | A. Existing tanks? He does say existing tanks. |
| 14 | O. Did Nr. White ever discuss with you |
| 15 | difficulties with the existing tanks at Saint Louis |
| 16 | Park? |
| 17 | A. I don't remember Mr. White discussing it with |
| 18 | me, but I had heard about it, yes. |
| 19 | Q. In and around October 1968? |
| 20 | A. Well, I can't remember the date. |
| 21 | Q. About that time? |
| 22 | A. Yes, somewhere around there. |
| 23 | Q. What problem was there with the existing |
| 24 | tanks? |
| 25 | A. The tanks were buried. He calls them |

11 .

1

2

3

4

5

6

7

B

9

10

11

12

13

14

15

16

17

18

19

20

existing tanks. I call them working tanks. He's talking about the buried tanks just to the north of the refinery obviously.

- Q. These are working or day tanks that we ve previously discussed?
- Correct, yes. That's your understanding? Λ. That's what I got out of it. He says that the water pressure tries to pop the tanks from the ground and water gets in the tanks. Well, this is true. If the water level is running across the ground, the water pressure at the leak would be greater than the oil pressure and the loak would be into the tank. lle says he has problems with water getting into the tanks thus causing additional water pollution of our oils. "This has been further processed in our separator before leaving the plant. This has to be further processed in our separator before leaving the plant." What he means by that is he has to put it in a settling tank, settle the water out and then put it through the separator!
- Q. Is what Mr. White says here on page 200978 of U.S. 20 consistent with your problems with the working tanks about October 1968?
- A. Well, it was consistent with the problem before we removed them, yes.
 - Q. How would the leaks in the tanks in the



21

23

24

1 piping add to water pollution? 2 Λ. Well, if you had a leak in the piping to the 3 tank to the top of the tank, you would get water' flowing into the tank from the ground. All right. Now, 5 that water was separated in a separating tank and then 6 sent to the separator so the separator had to handle it. 7 Q. But that water would carry oil to the . 8 separator?

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

A. Well, when you settle it in a settling tank you don't get 100 percent of the oil out and you don't get 100 percent of the oil out in the separator sither. But you get an awful lot of it out. So he would pump it to -- I believe he even says that here. You pump it to a settling tank. Then he pumps it to the separator.

- Q. But it would carry --
- A. This increases the amount of oil or water going through the separator, contaminated water going through the separator.
 - Q. Contaminated with oil?
- A. Contaminated with oil. That's why the separator's there, yes.
- Q. Based on your information at the time, is Mr. White's statement accurate that these tanks are old and have several leaks?
 - A. Well, I believe they had leaks in them and

۱,

old, as I testified before, I told you before, they were installed about 1924, '23, somewhere around in there.

(At this time United States Deposition Exhibit 21 was marked for identification by the Court Reporter.)

PY HR. HIRD:

United States Exhibit 21, which is a one page document, Reilly date stamp number 200697. It appears to be a memorandum on Reilly Tar and Chemical Corporation stationery from T. F. Reilly to Herb Finch dated September 5, 1969. Mr. Hennessy, I notice you are carbon copied on U.S. 21. Did you receive a copy of U.S. 21 on or about the date it was written?

A. I probably did, yes.

O. I notice a reference in the opening paragraph of U.S. 21 to a work order to improve the quality of water used in the boiler at the Snint Louis Park plant.

Do you recall what problems Reilly was experiencing with the quality of the water in its boiler at the Saint Louis Park in September 1969?

A. Since he is installing the water softner and deagrator and feed water pumps, and regulators, I would say that the problem was inadequate treatment of the





Well,

I don't know. My name is not on here.

ever receive a copy of United States 22?

24

25

Α.

3

4

5

6

7

8

9

| | my name is in the body of the letter. | I | probably | did |
|---|---------------------------------------|---|----------|-----|
| 2 | receivo a copy. I don't know. | | | |

- 0. Was Mr. Royle at this time a Reilly employee?
- Yes, he was. Α.
 - What was his position? **()** .
- He was in charge of insuring all the plants, buying all the insurance.
- ο. Was United States 22 written by Mr. Boyle in the course of his ordinary duties as a Reilly employee?
- Α. Yes, um-hum. I notice he's got a title. That's unusual. Secretary.
- Q. Well, maybe he uses a title when he writes to somebody outside the company.
 - Could he.
- In United States 22 Mr. Boyle refers to certain recommendations made by Mr. Brewster and his company, Aetha Casualty. Do you recall those recommendations?
- No. I don't recall those exact recommendations, but this happened quite frequently and we'd -- go ahead.
- Mr. Boyle refers to a specific recommendation Q. of diking tanks. Do you recall Mr. Brewster ever recommending the diking of tanks?
 - Α. I recall that the insurance company in:

22

23

24

2

3

5

б

7

ß

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

- A. The above-ground storage tanks.
- Q. What was the reason for their recommendation?
- The reason for their recommendation is that Λ. they're used to dealing with the oil industry and when one of those -- if there is a fire in a tank -- I have to stop and think now. If there is a fire in a tank, they went tanks spaced a certain distance apart and they want dikes that will hold the volume of the largest tanks plus I think one-half the volume of the next tank. I forget the exact recommendation they made But it's that type of thing. So the dike must be incombustible like made out of earth. They liked earthen dikes. The purpose of this is to prevent flaming liquids from escaping the area and setting the rest of the plant on fire, getting out into the public railways or streets, preventing flowing liquid from getting out in public streets.
- Q. When you use the phrase "storage tanks" do you mean the tanks that were used to store the various cuts after the tar refining distillation process was completed?
 - A. Okay. Co ahead.
- Q. Or do you mean the storage tanks to store the tar when it first comes into the plant?
 - A. I believe their recommendation was to dike



25

every tank every so many gallons. I don't remember. Say 50,000 gallons and up they wanted those tanks diked. So it would be both the tanks that would hold the tar when it came into the plant and the tanks that would hold various cuts after the refining process was MS. CONSTOCK: If you know. Well, I don't know what was in the tanks, but I think they went on size rather than what was in them. So basically any tank of a certain size that I'm talking about their recommendations, yes. Anything except any combustible material. Why did Reilly not follow their In the first place we didn't agree with their recommendations. We didn't think it would increase the safety. In fact, we think it would decrease it in dur Plus the fact that these insurance recommendations were based on the API code for building storage tanks which was written about 1965. This plant was built in 1922. And in order to follow-up their recommendations we would have had to remove all the tanks, remove a lot of tanks, and relocate them and then dike them. This would have been you might say

just starting over on your tank farm. 1 2 So compared to the standards adopted by the Q. 3 API in 1965, the Saint Louis Park plant was primitive and not in compliance with the safety standards 5 proposed by the API? 6 MR. SCHWARTZBAUER: You're talking about 7 fire standards? L 8 λ. Pardon? 9 I said safety standards. Ω. 10 MR. SCHWARTZBAUER: I asked if he's 11 talking about fire standards. Your question is 12 ambiguous. 13 0. Let me rephrase. 14 These spacings and diking had to do with fire 15 that's correct. That's what they had to do with. So compared to the fire standards proposed by 16 Q. API in 1965, the Saint Louis Park tar storage area was 17 not in compliance with those standards? 18 19 Λ. Well, since the standards to my knowledge were written in the '60's and the plant was built in 20 teens and the '20's, there is no way they would comply 21 22 with something written in early 1960's or so, no. 23 That's right. They did not. 24 I'm sorry? ο. 2.5 They did not comply with those later Α.

1 recommendations of the API.

- Q. Did the API in the '65 standards cover more than fire safety standards?
- A. They covered everything. They covered electrical, they covered a van entering a tank to clean it. They covered how close you could put a tank to the property line. These standards were all written for petroleum refineries.
- Q. Was the Saint Louis Park facility in compliance with these standards generally?
- A. Some of them, yas, and some of them no. The spacing of tanks certainly was not.
 - O. What other standards was the Saint Louis Park not in compliance with?
 - A. Not in compliance? I think we're in compliance on electrical. I wouldn't know because there is a whole list of things that petroleum refineries do that they had standards for. Most of them didn't even apply to us.
 - C. When was an air scrubber installed in the Saint Louis Park plant?
 - A. For what purpose?
 - Q. To scrub the air pollution.
 - A. Well, there was one installed in the '20's.

 Of course, I wasn't there. I have no firsthand

١.

1

2

3

4

5

G

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

2.2

23.

24

- '50's. There were scrubbers installed in the '50's. There were scrubbers installed in the '60's.

 You know, scrubbers covers a lot of territory. Did I answer your question? I don't know. I'm trying to answer it. I don't understand the question, but I tried to answer it.
- O. Perhaps 1'm not clear. As I understand scrubber, it is a piece of equipment used to eliminate particulates from air pollution.
 - A. That's correct. Yes, that's right.
- O. Is it your testimony then that there was various series of air scrubbers used at the Saint --
- A. At various places at various times for various processes, yes.
 - Q. Where would the scrubber water discharge to?
 - A. Well, of course, '28 I can't tell you.
- Q. During the time of your familiarity of the plant would the scrubber water ultimately discharge into the oil-water separator we've been discussing?
- A. It would eventually, yes, it would. But I'm a little vague here, not that I'm purposely vague, but I'm trying to recall. The scrubber I think you're referring -- are you referring to a certain particular scrubber, a particular job?
 - Q. No. I've been under the impression that there





written?

- A. Yes, I did.
- Q. If I could turn your attention to paragraph 3 on the first page of United States 23, there is a reference there to a scrubber at Saint Louis Park plant. Was that the scrubber we were discussing before as the one that Mr. Justin may have installed?
- A. I don't know. I really don't. But Mr.

 Justin I don't believe was even there at that time, was
 he? I don't know when Mr. Justin went to the plant.

 But anyway, go ahead.
- O. Do you know whether a scrubber was used at the plant on or about December 1969 to remove oil and solids from air pollution?
 - A. I'm sure a scrubber was there, yes.
 - Q. To remove oil and solids from air pollution?
 - A. Yes, um-hum.
- Q. Would those oils and solids be in the water stream that would exit from the scrubber?
- A. No. The solids would wash with the oil. The solids would be naphthalene is what they would be.

 They would be dissolved in the oil and carried out to a receiver.
- Q. Would the water go with the oil out to the water receiver or just the oil independently?





page document date stamped 302544, appears to be a |

memorandum from C. I. Lesher to W. A. Justin dated

September 4, 1970.

has had a chance to read it.

A. Yes, I read it.

MS. COMSTOCK: All right.

Q. Mr. Hennessy, I notice that you are copied on the bottom of United States 24. Did you receive a copy of United States 24?

A. I'm sure I did since I was listed, carbon copied there.

O. Why did Reilly ask for a pollution survey of Saint Louis Park from Pollution Curbs, Inc.?

A. I don't know. I don't know anything about Pollution Curbs, Inc. I never dealt with them. I don't know whose idea it was to -- he says, "I have your memorandum." Must have been Mr. Justin's idea. But why he wanted to do it I don't know.

Q. Toward the close of the document United
States 24 Nr. Lesher states he is sending a copy to Mr.
Hennessy for his information and possible questions.
Do you recall ever questioning Mr. Justin about the activities of Pollution Curbs, Inc.?

A. I don't recall discussing Pollution Curbs with Mr. Justin or anybody else to be honest about it.





2

3

5

б

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

- A. I do not recall it, but if anybody from the engineering department visited, it would be someone I sent. And I don't recall who it would have been.
 - Q. Would this -
 - A. I did not visit the plant, correct.
- Q. Would this visit be in connection with the proposed installation of the Edens separator?
- A. If I sent someone that's what it would be for yes.

(At this time United States Deposition, | Exhibit 26 was marked for identification by the Court Reporter.)

MR. HIRD:

- Q. For the record United States Exhibit 26 is a one page document, Reilly stamp 100092 and appears to be a January 12, 1971 memorandum from R. J. Hennessy to T. E. Reilly.
 - A. Yes. I'm sorry.
- Q. I just wasn't sure whether you had read the document.
 - A. Yes, I read it.
- Q. Mr. Hennessy, did you write United States
 Exhibit 26?
- A. Yes.
 - Q. Mr. Hennessy, does United States 26 set forth

stationery from R. J. Hennessy to P. C. Reilly.

2

3

4

5

b

7

83

9

10

12

13

14

15

16

17

19

20

21

22

23

24

- Yes. That's right. Λ.
 - Q. Mr. Hennessy, did you write United States 27?
 - Α. Yes. I did.
 - Why did you write United States 27? 0.
- The Army wanted us to fill out some forms. Α. The forms were not yet available when this was written. But evidently we had a discussion and I wrote the status of waste disposal in our various plants.
- Here the forms that the Army wished you to Q. fill out forms in order to obtain a discharge permit for waste water at the various Reilly plants?
- A. The forms were information for the Army to decide whether or not to give you a permit to discharge into a navigable stream, that's correct.
 - 0. That was the Army Corps of Engineers?
 - Army Corps of Engineers, right.
- Q. If I could turn your attention to page 4 of United States Exhibit 27 and ask you to review the first two paragraphs under the heading Saint Louis Park Do those two paragraphs accurately describe the waste water disposal system in existance at Saint Louis Park at the time when United States 27 was written?
- I think so. The waste water from the plant flows through primary oil separator, that's accurate. Flows from there to a straw filter to plant drain.

1 Storm water falling in the area. That's rain falling 2 in the area served by the drain enters and combines with plant waste. We've already talked about that. 3 The manufacturing area. The plant drain discharges into another straw filter. We talked about that. 5 E Water leaves the south end of the property, the ponding 7 area between Walker Street and Highway 7. We talked about that. In addition to above water separated out 8 9 of the tar and the tar cistern is allowed to flow over 10 the ground to Walker Street. I think we talked about 11 that. This contaminated waste then flows in the road 12 ditch along Walker Street 500 feet to the place where 13 it merges with the remainder of the plant effluent. 14 Okay. It does not run through a straw filter or 15 settling basin. Plans for combining all plant waste, 16 treating it in an oil-water separator, discharging the 17 water to the city sewer and reclaiming the oil have! 18 been drawn. The sanitary sewage would also be 19 discharged to the city sanitary sewer. A discharge of 20 storm water on plant property from streets to the east dkáy 21 and west pose a special problem at this location. 22 We've talked about all these things and it's accurate. 23 (At this time United States Deposition 24 Exhibit 28 was marked for identification by

the Court Reporter.)

1.3

BY MR. DIRD:

O. For the record United States 28 is one page document, date stamp number 300981 and appears to be a January 10, 1972 memorandum from R. J. Hennessy to R. J. Hoyle.

A. Yes. Right.

Q. Mr. Hennessy, did you write United States
Exhibit 28?

A. Yes, I did.

O. There is a reference in United States Exhibit 28 to a Minnesota water Pollution Control Agency report dated April 16, 1970 showing a substantial increase in suspended solids, suspended volatile matter, turbidity and BOD in the waters below the Reilly Tar Saint Louis Park plant has compared with the waters upstream from that plant. Do you have any information to suggest that that report would have been inaccurate?

A. I have no information suggesting this report is inaccurate, but I have information indicating that it did not come from our plant.

Q. What information do you have indicates that these findings were not caused -- these findings of increased pollutants were not caused by your plants?

A. About 1930, I don't remember the date, '34, or somewhere in there they built a road through there





and they excavated through the bog and they went down I don't know how many feet, but it was pretty far down until they hit usable foundation for the road. Then they built a big fill. There is no opening under this fill for water to go to Minnehaha Creek or whatever the creek is. Everybody at Saint Louis Park that I talked to told me there was no way water could get into Minnehaha Creek.

- Q. Did you ever --
- A. Since the time this road was built.
- Q. Did you ever observe for yourself water coming up against this fill and not proceeding on to Minnehaha Creek?
- A. No. Because the only time I ever walked down there and saw it was after the fact. I mean, after the plant had been raised and Saint Louis Park had built some buildings on it. So I can't say that I saw that being stopped by our effluent. But I did see the road and I saw the fill.
- Q. When was the visit to Saint Louis Park following the demolition of the plant?
 - A. I couldn't say.
- Q. Was it within the last 5 years or was it shortly after the plant closed?
 - A. I think it was after I returned from Belgium

| 1 | which was in 1975 or '76. I can't remember the date. |
|----|--|
| 2 | Q. Why did you go to Saint Louis Park in 1975 or |
| 3 | A. To talk to Mr. Reiersgord. |
| 4 | Q. In what connection were you talking with Mr. |
| 5 | Reiersgord? |
| 6 | HS. COMSTOCK: I want to object to that. |
| 7 | lik. HIRD: Niss Comstock, I just want |
| 8 | MS. COMSTOCK: That would be privileged |
| 9 | information. |
| 10 | MR. HIRD: All I'm trying to find out is |
| 11 | whether it was in connection with the privileged |
| 12 | proceedings. That's all the witness has to say. |
| 13 | MS. COUSTOCK: All right. |
| 14 | A. It was in connection with the privileged |
| 15 | proceedings. If that's the term you use. |
| 16 | Q. Privileged conversation. |
| 17 | A. Okay. Yes. |
| 18 | Q. At that point I won't question further. |
| 19 | (At this time United States Deposition |
| 20 | Exhibit 29 was marked for identification by |
| 21 | the Court Roporter.) |
| 22 | BY MR. HIRD: |
| 23 | Q. United Status Exhibit Number 29 is a one page |
| 24 | document, date stamp number 300916 and has a heading |
| 25 | "Questionnaire" and a signature line in which the |

boiler blow down. I said boiler blow down was in the,

б

settling pond. I thought we took it out of there.

Storm water from parking lots and streets. Well, this

I put an X there because rain water -- well, all right.

Rain water that falls over this manufacturing area went through the settling pond, as I said before.

Q. So you --

A. Storm water from roof drains. That goes there too. All right.

Q. So you intended to indicate by United States
29 that processing water, clean up water, boiler blow down or condensate, strom water from the parking lots
and storm water from the roof drains were all going
into the settling pond or settling basin?

A. Yes. Now, from parking lots and streets, I didn't know what to do about that. This is a long time ago. But I believe I put that X there because we did let rain water, as I said before, from the manufacturing area, the wood machining area, let's call it that, and the treating cylinder and the boiler room, rain water that fell in that small area, why, those building where it did go through the settling pond. But rain water from where people parked their cars did not go through.

Q. Why do you mark then that rain water from where people park their cars did go through the





1 settling basin? 2 The only reason I can say that I marked it is 3 because the questionnaire which is very general isn't 4 very accurate in the description of our water. But |well 5 did have water going through the settling pond and I don't know where to put the X so I figured that was the 6 closest thing to it. Does that make sense? 7 В 0. Does United States Exhibit 29 refresh your recollection that boiler blow down did indeed go 9 through the settling pond? 10 11 I'm surprised to see that there. I said it 12 did, but it used to, but it didn't at this time I'm 13 sure. 14 Q. 15 that time? 16 Α. Um-hum. 17

Even though you marked that it did do it at

- So you were inaccurate in preparing Q.
- Λ. I hates to admit it but --
- Q. -- United States 297

18

19

20

21

22

23

24

- But I think I was inaccurate. Α.
 - Why would you be inaccurate about boiler blow (). down?
 - I don't know. Because I was involved in putting the elevated tank in and bypassing the settling basin with it. So don't ask me. My brains must have

been gone that day I quess.

- Q. Mr. Hennessy, do you recall answering certain Interrogatories in connection with --
 - A. Yes, I do.
- O. -- the suit brought by the State of Minnesota in State court in Minnesota?
 - A. Yos.
- Q. Do you remember if you answered Interrogatory number 20? Why don't I give you mine that I marked.
 - A. All right.
- where the State asked you what safequards were used in order to prevent the disposal of coal tars that was transferred to storage at the site, you mention that the most important methods of prevention of disposal was, quote, "precautionary operating practices without which no disposal prevention method will work," close quote. What did you mean by precautionary operating practices?
- A. I meant that the most effective method of prevention of contaminated disposal was to eliminate it as much as possible at its source. In other words, there are two things you can do. First of all, operate the plant in such a manner that there is a minimum of contamination. And the second thing you can do is at



11)

2

3

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

refinery in the way of a precautionary operating practice to eliminate pollution at its source?

We put in settling tanks, a settling tank. We put in settling tanks at the treating plant. We had settling tanks. We've already discussed it. We even found the size and construction of the settling tank at the byproducts building. This was to catch the major part of the oil, settle it at the source. In other words, it would have been a big mistake to put all this contaminated water into one place and then try to settle it.

But if brand new water mixed with this contaminated water, then the total water flow would become contaminated?

922-1955

Λ. Oh, yes. Sure.

В

- Q. That would make the problem even more difficult --
- A. Yes.
- Q. -- to uncontaminate the water?
- 5 A. Correct.
 - Q. You don't remember any other specific precautionary operating practices that were conducted at Saint Louis Park which you haven't discussed with us today and the proceeding few days?
 - A. At one time, my memory, at one time we did build some trenches around some tanks to carry off water. But I can't tell you now where the trenches went. We did this because the water got so high it actually floated a tank at one time. That's all I remember. It was an incident that I recall that makes me remember we did this.
 - Q. Which type of tanks were these? Were these working tanks, tar storage tanks?
 - vertical tank, say a hig 40,000 gallon tank, and you have 6 feet of tar or oil or water, anything in it, it won't float. But if you've got that tank empty and you get a flood in the plant, it's only going to take about 6 inches of water to float it. You're going to break pipes at the bottom of the pipe. You're going to break





I don't'

1

25

 \mathbf{c}

Would that be in the '60's?

G

- A. Either the '50's or '60's. I don't remember.

 It wasn't a major operation to do this. It was

 something we did and that was it.
- Q. Mr. Hennessy, could you turn your attention to Interrogatory number 63 and your response to it?
 - A. Number 60?
- Q. 63. And your response to it. It's on page 49 -- or rather it would begin on 47.
 - Λ. Okay.
- Q. I would suggest you take your time and look at the question and the answer, please.
 - A. All right.
- Q. Mr. Hennessy, based on our discussion of the oil-water separator over the past few days, would you care to make any changes in your answer to Interrogatory 63?
- A. Well, I'm very interested in the figures. This says the settling basin was 51,000 gallons. That was the operating quantity. Over here it says it was designed to handle 800 gallons an hour. If you multiply 800 by 60 you get 48,000 gallons an hour. Wait a minute. Let's sec. Yeah. 48,000 gallons. So a 51,000 gallon basin would give you an hour settling time.
 - Q. Do you mean gallons per hour or gallons per



I minute when you use those figures?

,20

A. 800 gallons a minute, multiply that by 60 add you get 48,000, correct. That would be gallons per hour. The basin was built to hold, according to this, 51,000 gallons. I don't remember these figures. But it's obvious that they -- in other words, what I'm saying is that if the maximum amount it is going to handle is 800 gallons a minute, the settling basin will have a settling time of a little over an hour.

Q. If I could turn your attention to your response in subpart D. You state that at normal flows the actual settling time was four plus hours. What did you mean by that statement?

A. Well, now, this 800 callons a minute would be the maximum. You design it to handle the maximum, but at normal flows it's four plus hours. In other words, the normal flow would be somewhere in the neighborhood of 400 callons a minute. I didn't say what the normal flow was. But evidently I knew because I said it was four plus hours.

Q. A normal flow in the settling operation would take over four hours?

A. It would take over two hours. In other words, if you have 800 gallons a minute and this gives you a settling time of a little over an hour which it

does -- wait a minute. No. I see. I'm sorry. It's 200 gallons a minute. Okay. I divided by two instead of four. The basin was designed to settle 800 gallons a minute in one hour. Okay. Now, I said the settling time was four plus hours. Well, say four hours would give you 200 gallons a minute. So the basin must have been designed for -- not designed, but the normal flow through the basin at that time must have been 200 gallons a minute.

10 NR. SHAKMAN: When you say at that time
11 I wasn't clear.

A. That's a good question. I don't know. This is in answer -- was this written after the plant closed?

I guess it was, wasn't it?

MR. SHAKMAN: 1980 I believe.

A. I don't know what time I was talking about.

I think we established earlier in your questioning that
the basin was designed for 200 gallons a minute, did we
not?

- Q. I think you testified to that.
- A. I think so, yes. So this sort of confirms it I said the normal -- yeah, it was designed -- well, for a maximum flow at 200 gallons a minute that would give you four hour settling time.

MR. SCHWARTZBAUER: That would give you





1 | a quarter of an hour, wouldn't it?

going through the basin will go through a lot slower than 800 gallons will. It will give you four hours. In order to get 15 minutes settling time you'd have to multiply 800 gallons a minute by four. You'd have 3,200 gallons a minute to give you a settling time of 15 minutes. Okay.

MR. HINDERAKER: Assuming the correctness of those figures.

THE WITNESS: Can I answer the question?

MR. HIRD: Was that a question?

THE WITNESS: Did you ask a question?

MR. HINDERAKER: No, I did not ask a

question.

2

3

5

G

B

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

BY MR. HIRD:

Q. However, your statement that the separator was designed to handle 800 gallons per minute would infer that if you had a flow in excess of 800 gallons per minute the separator would not effectively handle that flow?

A. That is correct because once you get over that one hour settling time -- to repeat, we found from our tests -- I don't know who ran the test in the 40's, but tests were run in the '50's and Mr. Justin ran a



25

Interrogatory number 14 and your answer together with

Interrogatory 15 and appendix F which was incorporated

1. in the answer. I also direct your attention to Minnosota Exhibit Number 9 and the milar map. 2 Throughout your examination we've been referring to the 3 Republic deep well and to the sugar beet well! 5 extent that we can this afternoon, I would appreciate if we could continue to refer to those wells by those, 6 It will make the record a little clearer'. 8 All right. Α. 9 I would like to start out the examination 0. with a few bench marks and see if we can agree on terms 10 11 and on time frames for events. The sugar beet well, as 12 I understand it, was never used by Reilly Tar, is that 13 right? 14 I believe that's right. To my knowledge "it 15 was never used. 16 Q. The other well, the Republic deep well, was drilled in approximately 1918 and was used by Reilly 17 18 Tar for its process, is that right? 19 I believe that is correct. Α. 20 Now, I note in your answer to Interrogatory Q.

. 21

22

23

24

good term. Yes.

23

KIRBY A. KENNEDY & ASSOCIATES
(6)2) 922-1955

plants use water from surface water, right.

Oh, some plants used all city water, some

That's a

- 1 0. Because I remember yesterday you mentioned withdrawing from a creek for one of your facilities. 2 3 Λ. Correct. At Arlington, Utah. Is there any reason or what is the reason why 4 0. the Saint Louis Pork facilities was the only facility 5 that replied on ground water for supply? 6 I don't know. I wasn't there when the plant 7 B was built in 1918. I hate to guess. I doubt the city Q water was available then but it may have been. know. I don't know why it was done. 10 11 Q. Now directing your attention to appendix F, 12 13 Reilly Tar's answer to State of Minnesota's
 - this is Mr. Roder's memo which is incorporated in A Reilly Tar's answer to State of Minnesota's Interrogatory Number 15. As you can see, there are about 14 pages. I'm going to direct my questions to the first three pages up to the point where the memo begins to discuss municipal wells in the city of Saint Louis Park.
 - A. All right.

15

16

17

18

13

20

'21

22

23

- O. Now, in 1979 or thereabouts when the memo was boing prepared did you confer with Mr. Roder concerning its preparation?
- MS. COMSTOCK: Have you had a chance to read this memo, Dick?
- 25 A. No, I haven't.

, i. I

| | • |
|----|--|
| 1 | A. Yes. |
| 2 | O. Now, I helieve that that paragraph pertains |
| 3 | to the sugar beet well. Is that your understanding? |
| 4 | A. That refers to the sugar beet well, correct. |
| 5 | Q. The next paragraph says, "An additional deep |
| 6 | well was drilled 909 feat into the Mt. Simon-Hinckley. |
| 7 | My understanding is that that paragraph and the second |
| 8 | paragraph pertain to the Reilly deep well. |
| 9 | A. That is correct. |
| 10 | O. Now, I also note on the second page and abou |
| 11 | the middle of the paragraph there is reference to a ne |
| 12 | hydropneumatic pumping system installed in 1955. Do |
| 13 | you see where we are? |
| 14 | A. Yes. |
| 15 | Q. My understanding is that before 1955 an air |
| 16 | lift pump was in use for water production at the |
| 17 | Republic deep well. |
| 18 | A. Yes. So that means it was in use from 1918 |
| 19 | to 1955, right. |
| 20 | Q. I notice also a few lines further into that |
| 21 | paragraph that Mr. Roder advices that at that time he |
| 22 | could not determine the status of the site well after |
| 23 | 1958. Do you see where I am? |
| 24 | A. "I could not determine the status of the sit |
| | <u>'</u> , i |

well after 1958 with the information I have available."

б

Or approximately at that time another pump was installed, this one being an oil lubricated pump. I have some documents that we're going to be going through this afternoon that I believe indicate that.

Do you have any recollection of a further pump being installed, an oil lubricated pump in 1966?

A. I was only involved with putting in the pump in the hydropneumatic tank. I don't remember any other pump.

Q. Okay. So as we go through the documents a little bit later this afternoon I think we can establish that another pump was installed.

A. All right.

Q. I'd like to now move beyond the types of pumps used at various points in time to some general questions about the construction of the well. Correct me if I'm wrong, but I believe that you said that the top of the well or the well casing extended above the surface of the ground, is that right?

A. I am going hy memory. And as I remember the base of the pump, which would be at the top of the well casing, was, I would say, waist high, whatever that is, three feet, two and a half feet.

Q. Is it fair to conclude then that flood waters





B

- moves up the well to the pump I don't know what would stop liquid from going down.
- O. I have some questions about the use of a compressor in conjunction with providing water supply. Could you tell me how many compressors were used at or near the well or in conjunction with providing water supply over the years at the site?
- A. I don't know. I know that an air lift was used up until -- what does this say -- 1955. And how many compressors had to be worn out and replaced in that time I couldn't say.
- Q. During the operation of the air lift a compressor was needed, is that right?
 - A. Oh, yes. Definitely.
- Q. Would there have been more than one compressor in use at any one time?
- A. Well, the plant certainly had more than one compressor, but I'm quite certain that because of the piping and so forth, which again I'm not familiar with that, but I would assume that a large air compressor was used for this purpose.
- O. What would be the capacity of such a compressor?
 - A. We saw it in one of these documents,



Was the compressor valved to prevent

25

Q.

That is correct.

| | • |
|-----|---|
| 1 | Ω. I also understand that there were times when |
| 2 | the water supply from the Republic deep well connected |
| 3 | directly to the box condensers in the refinery, is that |
| 4 | correct? |
| 5 | A. He says that this tank was used for three |
| 6 | years I believe. Somewhere. We just read it. Let's |
| 7 | see. Over here. I helieve it's in Roder's letter here |
| 8 | MR. COYME: Let's go off the record. |
| 9 | (At this time a discussion was held |
| 10 | off the record.) |
| 11 | A. A hydropneumatic pumping system was installed |
| 1 2 | in a well in 1955. Tarry material caused this pump to |
| 13 | fail in 1958. Now, that means from '55 to '58 the |
| 1 4 | answer to your quastion is yes, there was direct |
| 1 5 | connection between the hydropneumatic tank. The pump |
| 16 | pumped it into the tank and from the tank it was drawn |
| 17 | out to the condensurs. |
| 18 | Q. What was the purpose or use of this tank? |
| 19 | A. Well, there are two ways you can store water |
| 20 | for use and have some decent pressure. One is to use |
| 21 | an elevated tank and the other one is to use a |
| 2 2 | hydropneumatic tank. Now, the hydropneumatic tank is |
| | l |

pressure vessel. The water is pumped from the well

compressed until it reaches a certain pressure where

into the tank, and the air above the water is

23

24

23.

| water out of the tank the level in the tank falls, air expands and then when it reaches another level, it comes on. There is an on-off level. The purpose the tank is to give you pressure so that you can operate and get water out, get water into your condensand so forth. And it has to go all the way back to pond after it goes through the condensers through | ı |
|---|------|
| it comes on. There is an on-off level. The purpose the tank is to give you pressure so that you can optivative and get water out, get water into your condens and so forth. And it has to go all the way back to | the |
| the tank is to give you pressure so that you can opvalve and get water out, get water into your condens and so forth. And it has to go all the way back to | why |
| valve and get water out, get water into your condens and so forth. And it has to go all the way back to | e o |
| and so forth. And it has to go all the way back to | en a |
| | ser |
| pond after it goes through the condensors through | the |
| | |
| piping. | |

Q. I think that you've given a good explanation in terms of how the pump was used in terms of delivering water to the box condensers for the time period between 1955 and 1958.

- A. That was your question, was it not?
- Q. Right.
 - A. Okay.
- Q. At other times, if I understand this correctly, water was withdrawn from the cooling water pond and that water was then provided to the box condensers, is that right?
 - A. That is correct.
- No. What do you know of the use of this hydropneumatic pump after 1958 or why its use was discontinued in 1958?
 - A. It was abondoned and the reason it was





G

- abondoned is because these oil-tar mixtures that got into the controls of the tank gummed them up and they no longer controlled.
 - Q. Is it fair to conclude that the oil-tar mixture was in the water withdrawn from the well during this period of time?
 - A. Yes. That's fair to conclude that.
 - nydropneumatic tank it is possible, isn't it, then to go to the elevated tank that you described, thereby continuing to serve the condensers with water drawn directly from the well?
 - A. Well, it would have been possible if we had elected to do that.
 - Q. Then instead what was done?
 - A. We returned to somewhat the -- okay, this is the first method we had was an air lift putting make-up water into the pond and drawing water from the pond.

 That was method one. Method two was using the hydropneumatic tank, going from an electric pump to the hydropneumatic tank and then from the hydropneumatic tank and then from the hydropneumatic tank to the condensers. Method three is using the electric pump, water-lubricated electric pump, which just means a deep well pump, to the pond for make-up water and that's it. Well, I think that answers your

. 15

1 | question, does it not?

Q. As you've enumerated methods one through three?

A. Yes.

Q. The only difference that I note is that in both methods one and three you rely on water from the cooling water pond for the box condensers, isn't that right?

A. That is correct.

Q. The difference then would be in method one, you use the air lift and in method three you use the water-lubricated pump, is that right?

A. That is correct un-hum.

O. I'd like to refer you, Mr. Hennessy, to linnesota Exhibit 19. You'll notice on the second page the third and fourth lines read, "We have been recently pumping direct from our well through the condensers and back to our pond." This was written by Mr. Finch in 1970. It appears on the face of the document then that this is something other than method three because it appears he's describing water pumped from the well going to the box condensers at that time.

A. If Mr. Finch is correct and accurate, why, this would be method four. But I did not know about this.





. 25

tank was discontinued in about 1958 there was at least some period of time when the water was taken from the well and put into the pond?

- A. Very definitely.
- Q. You don't know at what point in time, if any, there was a direct connection again between the well and the condenser?
- A. No. I didn't even know that there ever was.

 I said I didn't know. If I did I've completely

 foryotten about it.
- Q. My understanding is that in water from the Republic deep well to the pond a surge tank was used, is that correct?
- tank. I know what he's talking about. He is talking about a tank which doesn't do anything but distributes the flow so you don't get a rapid current through the pond. Now to clarify this, the pump was only used for make-up water. In other words, I don't know whether I'm making a speech or telling you more than you want to know or not, but anyway, the water was heated up in the condensers. And because the temperature of the water in the pond rose above atmospheric temperature, it would evaporate more rapidly than a normal mud

puddle would, you know. And because of this we had to have make-up water. So whenever the pond got a little bit low the pump was turned on and pump had filled the pond up again. Then they turned it off. This did two things. It gave you your make-up water for the pond and also reduced the temperature of the pond.

- Q. Was the surge tank sometimes referred to as a stilling basin?
- A. Yes. That would be a better name for it than a surge tank.
- Q. You mention the temperature of the pond. By understanding is that at some period of time when the water temperature of the pond was too high for efficient use in the box condensers water was withdrawn instead from the Republic deep well. Does that make sense to you?
- A. If the temperature of the pond got above the temperature they wanted to use, to my recollection water was pumped from the deep well to the pond to lower the temperature of the pond. Now, Mr. Finch does say in this letter that in 1970 he pointed out that water went directly from the deep well to the condensers in which case they wouldn't have to go to the pond. But I don't remember this at all.
 - Q. I'd like to ask you some questions that would

- A. Not a break. I've never heard of one breaking. But there were leaks.
 - Q. Do they sometimes rupture?

2

3

S

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

- rupturing. In the first place, the pressure on the condenser coil is only the back pressure through the condenser. And the pressure in the stills when they're going full blast is usually 6 pounds. And of course, that means that your pressure entering the condenser is 6 pounds and your pressure at the end of the condenser is atmospheric. So that means that any pipe in there that ruptured would have to be ruptured by a pressure of 6 pounds or less depending on where the pipe was.
 - Q. But in any event they sometimes would leak?
 - A. Oh, yes, because of corrosion.
- Q. In the event that the still was still under pressure, still operating, and that there was such a break or leak in the coil, would this creosote move

ì

2

3

5

6

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

from the coil into the cooling water in the box condenser?

It would move both ways. It would move from Α. the coil, of course -- of course, all right, let me! explain. The scrapers coming off the still are just what I said, scrapers. The top few coils of this condenser are strictly vapor. Now, if this vapor should leak on the vapor part of the coil, bubbles would come up through the water and no doubt some of it Now, if you would be condensed and get into the water. get further down on the coil, of course, it depends on where you are in the distillation, a leak could be the other way. You could leak water into the liquid oil and then fill your pan up with water in which case the operator would immediately have to shut down because he's not doing anything.

- Q. I think you described that the other day.
- A. Yes, I did.
- Q. If you're further down in the coil beyond the point where you simply have vapor then what would happen?
- A. You would get either oil leaking into the water or you would get water leaking into the oil or you would get both depending on where the leak was.
 - Q. Then this water contaminated now in this





1.1

191

4

1 hypothetical with some oil would return to the cooling 2 water pond, is that right? . That's right. 3 If in addition to these facts there was a 5 pump failure at the time, failure in the Republic deep 6 well pump, then in that event there would be some 7 negative pressure or suction which would pull that 8 water into the well, isn't that so? I don't understand it. I'm trying to figure 9 Λ. 10 The water is outside the coils. It comes 11 into the pan and returns to the pond. 'The scrapers are 12 inside the coil and they run to the receiver under the 13 condenser. How, how you could pull a vacuum on a pan 14 which is open to the atmosphere I don't know. 15 But the vacuum I guess that I'm referring Q. is a vacuum on the water in the box condensers, 16 assuming during this period you've got a direct, 17 18 connection between the Republic deep wall and the box: 19 condensers and failure of the pump well. 20 All right. The box condensers if you can imagine, let's say, about the size of this table, 21 22 somewhere close. 23 Meaning about what size? Q. Area of this table. Maybe a little bigger 24

than this.

Q. Could you just describe it on the record because we need to know just an approximate size?

Now, you have a water line that runs up and across the roof of the refinery and it runs down into the condenser. Okay? And the top of the -- the bottom of the pipe is above the water level in the condenser. Now, this is the pipe that is connected to the pump. So if you pulled a vacuum in that pipe, you wouldn't get anything in there but air. Now, the discharge comes off the bottom of the pan and runs down through a valve and out into the pond to the stilling basin.

back siphon from the box condensers, assuming a pump failure, would not result in any flow into the well, is that right?

have on your wash basin at home. The plumber always installs it so the bottom of the valve, the bottom of your faucet is above the top of the basin so that if there ever is a vacuum in there you cannot siphon water back into your drinking water. This is the same deal. People for years have been doing this. This is standard practice in any industry I think.

Q. Let me ask a somewhat different hypothetical,





Mr. Hennessy, and see if the answer is any different.

Assume that a still malfunctions and that it creates

excess pressure, excess temperature in the still. This

sometimes happened, did it not?

б

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

Excess pressure and excess temperature? There again I have to -- some of these questions just can't be answered yet or no. I'm sorry. Prior to 1945 we distilled a coke but Carborendum (ph) and Norton, people like that, had a great demand for coal tar coke for making abrasives and brake linings, whatever, for the war effort and so forth. All right. Now, during that time just before you coke a still, just before coke comes off, the material comes off called red wax. This material has an extremely high boiling point. Now, if you allowed your condenser to get too cold, if you put too much water in it and got it too cold during. this red wax period, you would plug the condenser solid and it would be like shutting off a valve in the vapor line from the still and you'd buildup pressure in the still. That's one way you get over pressure. But all the time I was at Saint Louis Park we never got into this problem because we were distilling only the pitch. We were making electrode pitch. Electrode pitch you couldn't get the water cold enough to plug it because, there are articles by Mr. Justin in there about he

wanted to get the water colder, not hotter. He wasn't worried about the line plugging. He was worried about fumes out into the air. He wanted to cut down air pollution by reducing the temperature in the pans. So this was no problem when you're going to coal tar pitch. Now, what was the second part of your -- I think that answers the first part of your question. You had two parts. What was the second part? I forget. I talked so long.

Q. That's helpful to me because it helps to 'better understand the answer. So basically prior to '45 the process that distilled coke was a different process than post '45 and the production of electrode pitch?

A. That is correct.

Q. My question is I guess whether there would be times, whether there could theoretically be times when liquid from the still could be forced into the coils.

A. Liquid from the still?

Q. From some sort of boil over or some sort of explosion. Liquid from the still being forced into the coils.

A. There again, I never heard of a still -- I won't say it didn't happen. Oh, okay. No. Not from the still. Pans boiled over. But not the still. Not often. But once in a great while a pan would start.





| | · |
|-----|--|
| 1 | foaming and would foam over. But this again during th |
| 2 | electrode pitch operation I never heard of this |
| 3 | happening. I don't think it ever happened during that |
| 4 | process. |
| 5 | Q. Would there be any connection between a |
| 6 | boil-over of a pan and the water used in the box |
| 7 | condensers? |
| 8 | A. No. The box condensers are up above the pan. |
| 9 | As I say, the receiver pan is below it. The water to |
| 10 | the pan and from the pan is through pipes. It's not i |
| 11 | an open trough or anything like that. |
| 12 | Q. Correct me if I'm wrong. I'm going to try t |
| 13 | summarize this last question and answer. In the event |
| 14 | of a still malfunction, a boil-over or creating excess |
| 15 | temperature in the course of the process, it was |
| 16 | impossible to have as a result liquid forced into the |
| 17 | coils? |
| 18 | A, From the still? |
| 19 | Q. From the still. |
| 20 | A. I think that is correct. |
| 21 | Q. That would be true both during the period, |
| 2 2 | when the stills were distilling coke as well as when |
| 2 3 | they were producing electrode pitch? |
| 24 | A. No. Not distilling coke. When you are |
| 25 | distilling the coke they had once in awhile, I don't |
| | • '!' ! |

know what was in the tar, but once in awhile they would get something that they called wild tar. They wouldn't run very much of that. They'd return it. The supplier would hear about it. There again this is hearsay. I haven't had this experience because this is really before my time of learning much about refineries. But this wild tar, the actual red wax or coke, it was right between, right at the beginning of the coking cycle I guess when the temperature reached about 425 degrees C in the still. Then the still would boil over and could plug the vapor lines. I don't know if it ever pluged a condenser or not, but it would actually plug the vapor lines and actually when you took the vapor line down and dug it out you would get coke out of it.

- Q. In this event that you just described would there be some resulting contamination of the water in the box condensers?
- A. I don't know how it could get in the water because it's all contained in pipes.
- O. But assuming that there was some leak or rupture of the coil, would there be some introduction of this product into the water then?
- A. Well, there would be introduction of the high boiling red wax or coke into the water, small amount of it and that would be a solid. It would not be a liquid

to the pond.

Was water used in conjunction with the Q. receiving pans?

> No. No.

18

19

20

21

22

23

24

25

We've discussed the Republic deep well and Q. production of water for use in the refinery. like to direct your attention to the production of water for use in the retort area. My question is

whether the compressor in use at or in conjunction with the Republic deep well was ever used in conjunction with providing water to the retort area, directly to the retort area.

A. Yeah. Wait a minute. I'm sorry. It must have been because we never hooked into city water until except for some fire lines we never hooked into city water until about middle '50's, you know.

- Q. So as far as you know, then the Republic deep well did provide water to the retort area?
 - A. Yes.
- O. What would have been the use of water in this area?

Wherever else water was used. Where was it used?
There were no condensers that I can think of. Of
course, it was used in the boiler house which was just
adjacent, really in the same building I think or
adjacent to it. It was used for boiler water. What
else was it used for? I can't think of anything else,
but there may have been but I sure can't think of it.

- Q. I think you said that water was used at the retort area in conjunction with cooling the cylinder. is that right?
 - A. The air compressor cylinder had a water





1 jacket on it very much like the radiator of your car to 2 cool air which was compressed. Again I don't know 3 about that compressor. I don't know if that was a one stage or two stage compressor. If it was a two stage, compressor, there would have been an air cooler on it. 5 between the stages. But I don't know if this was a two 6 7 stage or single stage. If it was a single stage, it would only be water to the jacket. If it was two stage 8 it would be water to two jackets plus water to the 9 inner cooler. 10 11 The condenser that you just described is a 12 condensor which was separate from or the same as the 13

condenser that was used to provide water from the Republic deep well?

14

1.5

16

17

18

19

20

21

22

23

24

25

You're talking about the inner cooler in case it was a two stage compressor?

Well, whether it was one stage or two stage, the compressor you're talking about was a compressor that was located where?

I believe it was located somewhere in the treating building.

Just so that I have my basic understanding of plumbing at the Reilly site, the water used in the retort area then was provided directly from the pump rather than from the well to the cooling pond to the



2

3

5

8

9

10

11.

12

13

A. All right. We talked about stages one, two and three. In all cases even in stages one, two and three the water was to the treating room, came from the pump which was marked firehouse, the pump located in the -- well, the lines are shown on there. The so-called fire pump, which I object to the terminology, but it was pumped from the fire pump which took its suction from the pond.

Q. So if we want to follow the course of water production in relation to use in the retorts, the water goes from the well head or from out of the casing to the pond?

14

A. Correct.

15

Q. And then from the pond through the distribution system to the retort area?

17

16

A. Correct.

18

Q. Rather than going directly from the Republic

19

deep well to the retort area?

20

A. That is correct. I think even when we had

21

what we called stage two there where you had the

22

hydropneumatic tank, I believe none of the water from

23

Only to the stills. The water coming from the stilled

24

25

condensers to the pond was used to go to the treating

3

5

6

7

8

9

10

11

12

17

18

19

20

21

22

23

24

- Q. If I understand you correctly, even though there was at one point a direct connection from the Republic deep well and the box condensers avoiding the use of the pond, there was never a time when there was a direct connection of the retort area avoiding the use of the pond?
 - A. Not until city water was put in.
 - Q. Was there ever a direct connection to the boiler bypassing the pond?
 - A. After city water was put in there was.
 - Q. But not before?
- 13 A. No.
- Q. How did compressed air move from the compressor that you've described being located next to the retorts back to the well?
 - A. Through a pipe. I mean, there was a pipe that ran along the -- it ran by what's called Wheeler garage, yes, iron shed change room to the refinery.
 - Q. Is that line shown on the map?
 - A. Well, I can't tell. I can't tell. I don't see it.
 - MR. SHAKNAN: Is the air line the phrase you used for that?
 - A. Yes. A line for handling compressed air.



25

vacuum line at Saint Louis Park. Now, Doctor Wheeler

was talking about maybe installing one in about 1970.

1 But to my knowledge none was ever installed.

2

3

5

6

7

В

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

Q. So there would not have been any condensates or waste water then from this process including the vacuum from the retort as far as you know?

- A. Not from drawing the vacuum, no.
- O. Any other waste water stream?

Well, ties were put into the cylinder and a Λ. vacuum was pulled, filled with oil and then a vacuum was pulled in order to get the sap out of the wood; that is, the remaining sap after the ties had been seasoned in the yard. Now, when they pump the oil out of the cylinder they pumped it to a settling tank where this was settled for days and the water layer would come to the top and the oil would go to the bottom and they would then draw the water off, find where the line was, they'd draw the water off and run it through the settling basin. As far as process water goes, I can't think of any other contaminated process water from there. Yes, I can too. There was when they opened the door of the cylinder to pull the charge there always was a little bit of oil-water mixture would flow out into a sump right at the end of the cylinder. And this sump was numped into the same settling tank I was talking about before when it would be settled and the water would be put through the settling basin.

are the only two streams of contaminated water other than water washing whrough the place that I can think of.

- Q. Were there other connections to the air line?
- A. Oh, yes. Many connections to the air line.
- Q. Where would they be found?
- A. Well, our tar tanks all were connected to it.

 Our creosote oil tanks I believe were connected to it.

 I'm sure they were.
 - Q. For heating?
- A. Oh, no. For agitation. Air agitation.
 - Q. Any other connections?
 - A. I believe at the tie machining plant there were air cylinders that used that compressed air. I don't know whether the incising -- I can't think. I think probably there was an air cylinder for kick-off at the conveyors at the incising machine. But I can temember. This was machinery. You have hydraulic cylinders and air cylinders. These would be air cylinders.
- Q. My question is -- and it's a pretty simple question and if you can give me an answer and explain your answer that would be helpful. That is, whether it was possible given the piping at Saint Louis Park to have some preservative from the retort area used in the



- Q. I quess above land surface or above the cooling water pond. I'm trying to establish some relationship between the cooling water ponds.
- A. I guess I would say -- I don't know. I don't know. It wouldn't be 10 feet. It would be like one or two or three feet.
 - Q. Above the --
 - A. Yes, I think so.
- Q. Above the level of the cooling water pond surface?
- 11 A. Yes.
 - Q. The compressor that was used in conjunction with providing water from the Republic deep well was not used exclusively for production of water, was it?
 - A. No.
 - Q. What were its other uses?
 - A. Agitating tanks. Let's just say in conveyors in the wood machining area. I'm not sure whether that creosoting cylinder had a hydraulic gasket or not, but it would have been there if -- I don't know what kind of doors they had, whether they were quick opening doors or whether the guy had to take a whole bunch of bolts loose to open it. I can't remember. I don't think there was any connection because I think that particular plant had a lot of bolts around the cylinder

Where else would it be used? I don't know where else it would be used.

1

2

3

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

- Q. The conveyors were used in the adzing and boring mill, is that right?
- A. Adzing and boring mill, incising mill. What else is there down there? Blacksmith shop would take air I think. I guess that's it.
 - Q. How were the retorts' pressure used?
- They had a fill pump and a pressure pump. What they would do is they would fill the cylinder vory rapidly with oil and this pump would be a centrifugal pump, a very high capacity low head centrifugal pump which would just pump water very rapidly to fill the cylinder. Then after the cylinder was filled they bear would shut that pump off. And they had steam pumps. These steam pumps were very low capacity, high pressure pumps. After the cylinder was completely filled they would start these steam pumps and these steam pumps would force the oil into the wood. They would raise the pressure to something like 200 pounds per square inch in the cylinder. These big cylinders were pressure vessels. This would force the oil into the wood.
- Q. If I understand you correctly then, the compressor used in conjunction with providing water

- trucks were loaded. Some used a pump. 1 Some used a 2 They put the road tar in a pressure tank and then they put a row to the tank to lead the truck. 3 Now whether this is what -- I think this must be what he's 5 talking about. Because where else would we load a tar We were buying tar. We weren't selling it. 6 truck? So 7 this tar had to be road tar. 8 I guess my point is that the same air 0. 9 compressor used in the production of water from the 10 Α. Oh, okay. 11 -- Republic deep well was also used for the 12 purpose of loading tar trucks. 13 Yes, if that's the way he did it. 14 what he says so I assume it's correct. I don't remember it. But it must be. 15 Do you know whether the compressor was 16 Q. 17 located down gradient from this tar loading area? 18 19
 - A. The tar loading area was at the refinery and the trucks were loaded -- well, there again from memory I believe the trucks were loaded on the east side of the refinery. However, it's possible they were loaded on the west side.

21

22

23

24

25

O. Just for your reference, Mr. Hennessy, you'll note that loading dock is indicated on the milar map,
Minnesota 9. That indicates an area to the east of the

between the bottom of a truck and the road.

- Q. So that in general would it be true to conclude that the pump was at a point generally down gradient from this loading area?
 - A. By pump you mean air compressor?
 - Q. Right.
 - A. Yes.

2

3

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

- O. If the compressor should fail in the course of the loading of tar, would there be some back-flow or siphoning then down through that line back to the compressor?
- No. These tanks were loaded from the top. The man, the truck driver, would have to get out and get on top -- or I guess he stayed in the truck and our employee got on. I don't know. I wasn't in on the operation. But anyway, the pipe would come down as much as you would see bulk stations in oil -- if you've ever gone by a bulk station in a city where the petroleum industry fills gasoline trucks and oil trucks to go out to filling stations, you'll notice they have a pipe which they pull down and the bottom of this pipe never gets inside the truck. The truck has a little dome on it and it goes inside the dome but not inside In the first place, the nipple's too short the truck. for it to go down in. You couldn't put it in if you wanted to. It's very much the same idea as your wash

1.

2

3

5

Ĝ

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

the basin so you can't siphon water back into your drinking water. This thing here the bottom of the pipe has nothing around it but air.

- O. So then if I understand you correctly, it would be impossible because of this process to have a back siphoning in the line even if you lost pressure in the compressor?
 - A. Yes. In my opinion it would be impossible.
 - Q. For the reasons that you've --
- Λ. Now wait a minute. Oh. The compressor in the first place would be putting air -- if they used a pressure tank to do this, the compressor would put air on the tank above the pitch from the top of the tank and then the guy would shut off the valve and you'd open a valve on the bottom of the tank and the road tar would then go into the truck. In other words, what I described to you had nothing to do -- I was making a I was thinking of leading the truck instead mistako. of the air. You were asking about the air line. air line was connected -- if we used that system, and I don't remember because I was never involved in loading tank trucks at Saint Louis Park. I had nothing to do with designing the system or anything else. But based on my knowledge of how we load trucks, if a pneumatic

| 1 | tank was used, the air went into the top of the tank |
|-----|---|
| 2 | and the amount of tar you were going to load in the |
| 3 | truck would be put in the tank and then you would open |
| 4 | the valve and put the tar into the truck. |
| 5 | Q. So the conclusion of that would be what with |
| 6 | regard to |
| 7 | A. That would been no. |
| 8 | Q. It would be impossible? |
| 9 | A. I think it would. |
| 10 | MS. CONSTOCK: Could we maybe have a |
| 11 | short break? |
| 1 2 | MR. COYNE: Sure. |
| 13 | (At this time a recess was held.) |
| 14 | MR. COYNE: Back on the record. |
| 15 | BY MR. COYNE: |
| 16 | Q. I'd like to go back, Mr. Hennessy, to the |
| 17 | appendix F which is incorporated by reference in Reilly |
| 18 | Tar's answer to State of Minnesota Interrogatory number |
| 19 | 15. Particularly to the first page of the memo. |
| 20 | A. All right. |
| 21 | Ω. My questions pertain to the Republic deep |
| 22 | well which is discussed in the paragraph beginning. |
| 23 | "Additional deep well was drilled 909 feet into the Mt. |
| 24 | Simon-Binckley." There is a notation here in the memo |
| 25 | in the third line of what appropriate the addition of |

. 1

2

3

5

G

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

a 10 inch casing in 1933 as well as an 8 inch casing and a 4 and a half inch casing. You'll note also that at the same time Reilly Tar laboratories reported the presence of phenol in water withdrawn from the well and you'll note that at the bottom of the page, do vou? Α. Yes.

Now, in your experience would you expect phenols to be present in ground water at these concentrations?

Α. Well, it obviously was at the peat bog. hundredth of a part per million. But I know there is phenol in swamps and there is also - yes, there is phenol, natural phenol.

But if I understand you correctly, you conclude that because there is phenol in the peat bog there would also be phenol in water drawn at a depth, for example, of 370 feet as reported here?

Well, of course, I have no knowledge of the connection between the bog to the northwest of our plant site and our wells so I can't say. I don't know!

So if I understand you correctly, you don! the have any explanation for the presence of phenols in the well as reported here?

Λ. No.

In 1933 at the time these phenol results were α.



reported there was also this additional casing added to
the well. Was this done to somehow contain or
eliminate the phenols?

A. In 1933 I was in high school. I'm sure I
don't know. Mr. Roder I guess somehow or other went
into the history and got this out of the literature. I
don't know where he got it. Well, I guess maybe those

numbers will tell you. I don't know.

- O. The numbers that you refer to here refer back to pages 13 and 14 entitled References and Documentation used in Report and apparently these are letters or memorandum of certain dates attributed to certain authors --
 - Λ. Um-hum.

- Q. -- who would know what the reasons were for adding this casing in 1933, if you don't know.
- A. Well, Herb Finch would not know because he syounger than I am. Mr. Horner might know because he was with the company since I think in the mid '20's. I don't know who else would know. Doctor Mootz wouldn't know because he was in Newark until about 1952. I can't remember what it was.
- Q. You mentioned pilot plant. What plant was that?
 - A. There was a plant -- pilot plant means a

В

right?

plant where you test processes see how they work. The chemist comes up with a new process for taking chemicals out of coal tar and selling them. They would make it into a pilot plant. And then if they decided it was a money-maker, it had a chance of being a money-maker, they would build a production plant for it. But a lot of the pilot plant material was sold trying to get ideas of whether they could make a profit or not.

Q. That pilot plant then is not a separate Reilly Tar plant, it's a part of a laboratory, is that

A. It's an adjunct to the laboratory and really research and development was running it.

- Q. Did the activities of this pilot plant group, if I may call it that, extend into waste water treatment?
 - A. No, not to my knowledge.
- Q. Was there any research done on waste water treatment by the company?
- A. Not to my knowledge. That's a hard question to answer. I can't say no and I can't say yes. I don't know.
- Q. Who would have knowledge of any research done in this area?
 - A. I would suspect that Doctor Courtney might.





| | · |
|-----|---|
| 1 | I know of research done in the area but it was far |
| 2 | after the fact. It was in the late '70's that research |
| 3 | was done and it was for the chemical plant in |
| 4 | Indianapolis. But I don't know of any other research |
| 5 | prior to that time that is what you would really call |
| 6 | research. There is search of literature for facts like |
| 7 | Mr. Roder did here. This certainly isn't research. |
| 8 | This is just history. He just pulled out all the |
| 9 | documents he could find and read them and wrote a |
| 10 | report on it. There was a lot of that kind of work |
| 11 | done. But there was no what I would call research |
| 1 2 | where we would have our own in-house method of treating |
| 13 | waste water. |
| 14 | Q. You mentioned that Mr. Courtney had a |
| 15 | doctorate. Do you know |
| 16 | A. No. No. |
| 17 | Q. I thought you referred to him as Doctor |

Q. I thought you referred to him as Doctor Courtney.

18

19

20

21

22

23

24

- A. If I did it was a mistake. He has an advanced degree. I don't know what it is, but I do not think it's a Ph.D.
- Q. And the advanced degree would be in what, science?
- A. I imagine chemistry. I don't know. He worked as a chemist so I assume it was chemistry.

Jugarit

1

. 2

3

5

6

7

8

9

10

11 12

13

14

15

16

17

18

19

20

21

22

23

24

25

 Ω . What's Mr. Roder's background?

Mr. Roder is a graduate chemist and he's Λ. worked at the laboratory as a chemist ever since he came to work for the company I believe.

Which was? Ω.

Oh, Mr. Roder is young. I don't know. Α. would say he came with the company in maybe -- judge somewhere around 1970, between '65 and '70. I don't know. He's a young man I'll tell you that. Much younger than I am.

Perhaps going back to Mr. Roder for a minute, you mention he's a graduate chemist. And by that you mean that he has a Bachelor's Degree?

Yes. He has a Bachelor's Degree from the University of Wisconsin somewhere. I don't know whether it's at Madison or where. I don't know much about Wisconsin. He has a Bachelor's Degree in chemistry from one of the Wisconsin state universities

Which division does he work in? Q.

Here we come to titles again. He works as a chemist in the laboratory. Now, what division that his I don't know. I can tell you what kind of work he does He does both chemical research, I believe, you could call it research, and he also does development work Okay.

MR. SCHWARTERAUER: It's the refinery division, isn't it, hr. Hennessy?

A. I don't know that Mr. Roder has ever worked on road tar, but -- I'm sorry. I must have road tar on the brain.

Q. Is it Mr. koder?

A. Mr. Roder has worked on coal tar refineries. Well, for instance, when we built the pitch plant at Cleveland he was very much involved in that. He is in development. He works in better ways of making things out of coal tar.

quality of water used in the course of the activities at the Reilly Tar in Saint Louis Park. You'll note in the Roder attachment appendix F he references in 1933 analysis which establish the phenol concentrations as they're reported here. He indicates that later that same year in June 1933 there were also phenots present in the water. And in the course of this past week."

we've referred to many documents mentioning the presence of phenol in the water that went through the plant process. Some people have referred to the presence of oil, others to the presence of tar, some to the prosence of other contaminants. So my questions pertain to the quality of water, the next few questions.

A11

It would be a very small amount.

24

25

Q.

However, this same data referenced in the May

1 2, 1979 appendix F refers to 50 parts per million, does it not, from water withdrawn from the well with 65 feet 2 3 of casing? 4 20 to 50, right. Wait a minute. 5 Yes. In 1933 it was 20 to 50. Riley. 6 Q. Would concentration of phenol at that level 7 cause problems in the hoilers or not? 8 I doubt it. Α. 9 So the real concern would be oil as Q. 10 distinguished from phenols, is that right, with regard 11 to foaming in the boilers? 12 Real problem with what now? Α. 13 With regard to foaming in the boilers would 0. 14 be caused by the presence of oil rather than phenols. 15 Oh, yes, I'm sure that's right. Now, if there was tar as some have said in 16 Q. 17 the water that was used to service the boilers, what problems would be associated with the presence of tar? 18 19 Goodby boiler. Α. 20 Ω. Hould you explain that? The tar would, of course, come in contact 21 with the boiler tubes. And when it came in contact 22 23 with the boiler tubes, it would distill in there and 24 eventually it would go to coke. Then you'd have a

scale on the tube. The tube would get red hot.

the tube gets red hot, it would have very low strength and it might rupture. Any good boiler operator when he sees a red tube he shuts the boiler down immediately and calls the plant manager and says, "Look, I'm shutting down. We got red tubes."

Q. Did the Reilly Tar facility at Saint Louis
Park experience red tubes?

A. Everybody that's ever run a boiler experiences red tubes at one time or another and they immediately shut down before any damage is done. If they don't shut down fast enough they'll get a big bulge in the tube. And they have to (inaudible) or if they shut down slower than that, you got steam all over the boiler room. If you got a water tube boiler, you just got a room fall of steam and hot water running all over the floor. If you got a fire tube boiler, you got a big bang and the roof may come off the boiler house.

Q. Did the presence of tar in the water supply used for the boilers cause any such ruptures or upset in the boilers?

A. It certainly never caused any explosion because I don't know of any boiler explosions at Saint Louis Park. I won't say there weren't any. I certainly don't remember any. Of course, there were maintenance problems with those boilers. They were





neither know nor have read about any problems associated with tar in the water supply used by the boilers that there was no tar, is that a fair statement.

A. It's a fair statement, yes.

' 18

19

20

21

22

23

24

25

O. On the other hand, do you doubt those who have reported the presence of tar in the boiler feed water?

A. Did someone report the presence of tar?

your examination by others there are documents and 1 references to the presence of tar in the cooling water 2 pond, isn't that true? There was something in the cooling tar pond that they called tar balls. I believe I gave my 5 opinion that I don't believe -- I believe they're 6 misnamed. Rather than being globs of tar, if you will, 8 0. they were really what? 9 10 Cylinder oil from the air compressor. Α. 11 Assuming, however, that there actually was tar in the cooling water pond, would we then conclude 12 that the boiler feed water contained tar? 13 If there was tar in the pond in sufficient 14 15 quantities to be entrained in the suction to the fire 16 pump, the boiler feed water would contain tar prior to 17 the time city water was put in, yes. . 18 Q. At about what concentration would be 19 sufficient to be entrained in the flow in the fire 20 water pump? I don't know. But it would have to be enough 21 22 to coat some tubes and form a scale on the inside of 23 the tube or the outside of the tube depending on which

So that tar in sufficient concentrations can

boiler it was you're talking about.

24

25

Ω.

A. Tar in sufficient concentrations can produce scale in a boiler and it will ruin the boiler and the boiler will get red tubes very rapidly. And if it isn't shut down, it will fail, it will rupture.

- Q. Would oil also cause the buildup of scale?
- A. Oil would be much less likely to cause a buildup of scale because it would not coke and it would not form as much -- what oil would do rather than cause a scale would cause the boiler to foam over. You would get water in your tar lines -- I'm sorry. You would get water in your steam lines, steam mains.
- Q. Would phenols contribute to the formation of scale?
- A. If they were, as I say, in sufficient -- well wait a minute. I don't know. Phenols would be -- I don't know. Because phenols would be a dissolved oil. And when you heat water to steam I don't know whether -- I don't think -- I don't know. I just don't know. Suspended solids can make a boiler foam too. You'd have to have a lot, in my opinion, I don't know, but in my opinion you'd need a much greater concentration than this. These are very small concentrations.
- Q. These concentrations being the ones referred to at the bottom of the second page of Mr. Roder's memo



G

18.



appendix F --

1

2

3

4.

5

G

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

Um-hum. Say you had 10,000 gallons of Yes. water. I don't have a pencil. I'll do a little figuring here. Say you have 10,000 gallons of water. All right. Say you have .02 parts per million. | Okay. That means you would have -- there is .01 and then multiply .01 by .02 would be .02 parts per million. It would be not .02 parts per million. .02 gallons!. sorry. .02 gallons of phenol. And then you've got -wait a minute. This is at a parts per million of -this is .01. That would be .01 gallons of phenol if it was .01 ppm. And .02 would be .0? gallons. Okay. You've got four quarts in a gallon. So four times two is eight. That would be .08 quarts. Anyway, it would be less than a tenth of a quart in 10,000 gallons. That's what we're talking about. The boiler would never see it. It wouldn't do anything.

Q. We've talked about oil in the water, tar in the water, phenols in the water. What problems would be associated with pulling crossote contaminated water into the boilers?

A. I can't point to any specific incidents, but I know that if you pull creosote oil into the boilers in sufficient quantities you will get foaming in the boiler.

б

В

Q. Was that a problem at the Saint Louis Park facility?

A. I can never remember flooding the steam lines with water because the boiler -- the term that management used, not the plant manager, boiler operators liked to use was puke. So I cannot recall a case in which the boilers at Saint Louis Park puked. Now, I won't say they didn't. But I just have no knowledge of it.

O. If you'd refer to Minnesota Exhibit Number 17
This is an inspection report completed by the Travelers
Insurance Company. In the first few lines the
inspection reports four blistered water wall tubes,
heavy scale deposits with evidence of old oil was
noticed in the steam drum, the water wall tubes and
headers were heavily scale coated. Does the presence
of oil cause water walls to blister as reported here?

A. I don't know. This guy observed the boiler. I don't know whether the scale was due to poor treatment of the water or whether old oil caused it. would imagine the oil would cause, if it is present in enough quantity, would cause the thing to boil over into the steam line. And I would say that the calcium and magnesium salts would cause the scale.

Q. How does that associate with the blistering





he reports?

1

3

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

A. Well, when you get scale -- this is the water wall, all right? Water wall boiler has water circulating through the tubes and fires outside the tubes. Now, in a clean boiler the temperature of the tube is going to be 5 or 10 degrees hotter than the water. The water is very rapidly passing through these tubes and carrying the heat away. Actually, the water in the tubes would be finely dispersed bubbles of steam in the water. This is what causes the tube -- the top of those tubes would look like a fire hose if you could see them squirting water up into the drum. If you get scale on the tube, the scale acts as an insulator. And instead of the heat going through the tube and into the water and cause it to flash into steam, it heats the tube and the tube no longer is 5 or 10 degrees hotter than the water. It can get somewhere halfway between flame temperature and water temperature. As the temperature of the tube goes up, the strength of the tube goes down. Steel at room temperature has a certain strength. Then as you heat it it gets stronger and stronger. Then it gets weaker and weaker after you pass 300 or 400 degrees and then at 600 degrees I believe, 600 or 650, it has the same strength as it does at room temperature. Then after 650 F the

1.9

strength of steel drops rapidly and at 900 or 1,000 it's at the point where most codes won't let you attribute any strength to it which is regular carbon steel which boiler tubes are made of. You get those tubes red hot, they're way above 1,000 and they're going to be -- steel actually is going to be soft. Like you've seen blacksmiths they can bend iron, how easy it is. When it's red, that's how these tubes are. The boiler pressure will cause it to balloon up like blowing, you know, a balloon. That is what is meant by what does he call it? Blistering. They call those blisters, yes. All right.

description?

A. Um-hum. What you would have is you'd have a cylindrical pipe with like a blister. The metal would actually have stretched and formed a blister on the tube.

Q. Mr. Hennessy, this inspection report, and there are other inspection reports in our document collection which reference contaminated water supplied to the boilers with problems or maintenance problems in the operation of the boilers. This memo, for example, describes the cooling water pond as being subject to creosote contamination after the connection to city



There is

Wasn't that connection made in the 1950's 1 2 sometime, approximately 1958? 3 Α. I think so. Wasn't that done for the purpose of improving the operation of the boilers by providing a better 5 G quality of water to the boilers? 7 Α. That's correct. 8 So therefore, isn't it fair to conclude that Ω. 9 much of the maintenance problem experienced prior to 10 connection to the city is attributable to contaminated water supply to the boilers? 11 12 Well, I'm sure some of it was, yes. Λ. 13 You say some of it was. Is it fair to 0. 14 conclude that a major part of the upset in the boilers 15 is attributable to contaminated water supply? 16 Well, as I say, I don't know. I don't know Α. 17 how often they got water in their steam lines and I 18 don't know how often they had to turbine the tubes. So unless I knew that I couldn't say. You see, if you get 19 20 oil in the boiler, it could also cause tubes to get that 21 because I think it would inhibit the formation of the 22 flow of water through the tubes. I don't know. I'd be speculating. I can't telling you which was the -- !! 23

cortainly the facts that creosote oil was in the water

certainly contributed to the boiler problems.

24

25

no question about that now. Whether the internal treatment which they used at that time or the creosote in the water, which one caused the most problem I can't say. I don't know.

Q. When you say treatment do you mean treatment supplied to the commercial treatment provided to the boiler? I understand there was some better way to ask it. What did you mean when you said treatment provided to the boilers?

A. Before the zeolite softner was put in chemicals were dissolved in water and pumped into the boiler. These chemicals treated the boiler internally. The salts that would normally have been changed, instead of the salts being changed to sodium salts in the water softners, they were later reciprocated out by these chemicals in the boiler and had to be blown down from the boiler drum, from the blow down drum.

Q. Mr. Hennessy, I have a document I just wanted to know if you could identify it for us. I'm showing you a handwritten note that appears to have the word "Dick" in the upper left-hand corner underscored. This would be Hinnesota Exhibit Number 117. Do you recognize the handwriting?

- A. No. I don't recognize the handwriting.
- Q. Have you ever seen the document before that



Mr. Finch probably wouldn't know!

(612) 922-1955

24

25

lift other than Mr. Finch?

Α.

- O. Where did you happen upon these letters referring to the old sugar beet well and the dropping of the tools?
- A. I think Mr. Roder's letters mentioned or if they didn't mention I think he had them. He had a whole stack of stuff on wells in Saint Louis Park including that one. So I don't know where I read them.
- Q. So that in the course of preparing this memo which is appendix F he gathered together some reports which are the reports that you just referred to?
 - A. Yes.

. 2

3

5

6

7

8

'9

10

11

12

13

14

15

16

17

18

19

2 Q

21

22

23

24

- O. And among those you believe were documents referring to the dropping of the tools?
- 25 A. Yes, there were. I believe. I believe

' 5 '

7

8

10

11

12

13

14

15

16

17

18

19

20

21

2.2

23

24

25

- Q. Are those documents still intact, do you know
- A. Well, I think Rob Polack -- I think they were all sent to the office and I think the State went through them all and copied what they wanted. I don't know where they are now. I don't have them.

NR. COYNE: Is it your understanding, Ed, that these documents that Mr. Hennessy just described have been produced to us?

MR. SCHWARTZBAUER: Well, if Reilly has any such documents, they would have been produced to you. I don't know of the documents that Mr. Hennessy's talking about.

Polack about the materials referenced in the Roder memorandum and he said he would locate those documents and provide them to us. So we still have that request outstanding. If you would please provide the documents in reference to Miller's memorandum, reference documents, before the resumption of Mr. Hennessy's examination that would be important to us if you could

do 'that. 1 MR. SCHWARTZPAUER: We'll do that. 2 Yes. MR. COYNE: If you would check further 3 4 just to see that the packet of material gathered by Mr. Roder in the course of preparing the answer has been 5 produced to this date and not somehow inadvertently 6 7 been left out of the production. 8 MR. SCHWARTZBAUER: We have records 9 which indicate what has been produced to the State. As I say, I don't know what Mr. Hennessy is referring to 10 11 in his answers to the last couple questions. 12 THE WITNESS: All I know is I read a 13 letter because 1917 I was two years old. I have no 14 knowledge of this thing. 15 MR. SCHWARTZBAUER: That's okay, Dick. 16 All I can say is that we will do what you just asked us 17 to do and we will produce the document referenced by 18 Roder. We'll also ascertain of those documents whether 19 they were produced. 20 MR. COYNE: The documents that I'm 21 concerned with are the total document collection pulled 22 together by Roder from which he apparently selected or may have selected only a few documents which are those 23 referenced in the appendix "F". 24

25 ·

MR. SCHWARTZBAUER: I don't know what

1,

2.5

Roder looked at precisely. But I believe the only thing he could have looked at are the documents that I have seen in Reilly's files which were produced. They all have number stamps. Everything that had a number stamp was shown to Steve and to the paralegal from the Popham firm when they came down in April or May of 1979.

All I'm asking you to do is

double-check to see if they weren't somehow inadvertently left out of the production.

, MR. COYNE:

MR. SCHWARTZBAUER: I can't do that because I don't know what they refers to.

MR. COYNE: Mr. Hennessy's referred to a bundle of documents which Mr. Roder had assembled which Mr. Hennessy reviewed. In that collection of bundled documents there were these documents referring to loss of tools in the water.

existance today a bundle of documents that Roder looked at. I've been told, and, of course, this is hearsay, that Roder went through the company's original files and examined those original documents. And those original documents were not pulled aside into a bundle, but they're still where they were at that time and that's where they are today and they all have a document number on them and they were produced.





| 1 | |
|------|---|
| 1 | MR. COYNE: I'm asking you to ascertain |
| 2 | as far as Roder knows if all of his documents were |
| 3 | returned to the files and then later stamped and |
| 4 | produced and so forth. |
| 5 , | MR. SCHWARTZBAUER: Yes. All right. |
| 6 , | BY MR. COYNE: |
| 7 | Q. Mr. Hennessy, what were the difficulties with |
| 8 | the operation of the air lift over the years? |
| 9 | A. There again I don't know anything about the |
| o | operation of the air lift. All I know is the water was |
| 1 | pumped by an air lift. That's about all I know. |
| 2 | Q. Because the air lift was in production for |
| 3 | approximately 20 years after your coming to Reilly Tar |
| 4 | and through many years when you were assistant chief |
| . 5 | engineer it seemed appropriate to ask you what you |
| 6 | might know or |
| .7 | A. It's appropriate to ask but I don't know. I |
| 8 | don't believe I ever got involved in the air lift until |
| . 9 | we replaced it. |
| 20 | Q. So you were involved at the point when the |
| 1 | transition was made then from the air lift to the water |
| .2 · | lubricated pump? |
| 23 | A. I was involved in purchasing the water |
| 24 | lubricated well, not purchasing but specifing the |
| . S. | water-lubricated numb and the hydronnoumatic tank yes |

2.2

23

MR. SCHWARTZRAUER: Yes. That's what we're shooting for.

MR. COYNE: We'd agree with Mr.

Schwartzbauer to set aside two weeks in March 1983 for

that purpose here in Indianapolis. Thank you. THE WITNESS: You're welcome. (At this time the deposition was adjourned.) 2.2

40'5* PG LIN 11 was somewhere in the late 14 Might have been the late 28 18 54 2 Early designed --Α. 65 1 days, back in the early 93 9 -- whatever it was, late .15 20 , you know, back in the 115 22 pretty well in the early 21 .41 Then in the late 23 143 19 -- well, in the late :47 15 I would say from late 157 2 2 was designed in the early :73 9 designed in the early 173 12 the basin of the early L74 was designed in the early 6 174 5,3 2 Oh, no, not in the Α. :75 taken into account in the 175 Q. Retween the 2.5 307 was, I don't know, in the 347 line. Back in the late 347 -6 the late '.40,'s and early the boilers. 347 1.C In the 1 Q. 347 the '40's? 11 In the Α. 562 24 who ran the test in the

'40'S I was more or less '40'S. 0. I believe '40'S I was told it was a '40'S, we used an awful '40'S, was hot off the '40'S, you know. '40'S. Now, you know, '40'S you had a job title '40'S or early '50's I '40'S until they '40'S. Q. I know '40'S also did not remove '40'6 and the settling '40'S, if I understood '40'8, no. We did take 40'8? Α. No. ''40'S and the planning . '40'S I guess, the pond '40'S and early '40's, as '40'S, as I mentioned '40'57 Α. In the ''40'S, yes. Okay. 40's, but tests were run

PG LN '50'S* 8 11 8

25

28

28

33

39

42

42

54

80

92

106

was probably in the late 16 that seminar in the late 24 17 moved about in the early until 1950, in the 1 15 was done about when, the you said? 17 Α. Early In the late 12 when? Α. 22 time? In the early Α. late '60's? 11 λ. Late Late '50's. 12 Ç. Late 18 Farly you saw 'it? Α. , designed? Α. Early 92 18 one installed again, early 19 I would guess late ? 2 2 L 04 which was 'in the early 9 , which would be in the 106 2'0 I think was in the mid 106 22 So probably the late 119 in I believe the late 143 2:4 in the late '40's or early

'50'S, maybe the early '50'S or early '60's? '50'S, say, and the plant '50's. Q. If you '50'S I believe you said? '50'S I think. Might '50'S I would say, maybe '50'S. '51, '52, '50's. Q. Late '50's ''50's. I'm sorry. '50'S when I made a .trip. '50'S. Q. Were these 150'87 A. I would ີ່ 50 ' ຄ. But I'm not sure '50'ន. 0. Did you, '50's. Q. Did you : '50's. I don't know. ľ 150187 Α. Probably, '50'S and the ground was '50'S I was registeréd.

'50'S*

PG LN

20

17

20

16

16

10

22

18

17

18

12

16

21

21

18

2

157

301

308

331

131

331

146

147

367

387

187 199

100

503

;39

;59

62 i89

525

331

8

29

33

35

42

92

110

142.

142

142

142 147

L78

186

189

292

was designed in the early It had to be in the were at the plant in the must have happened in the say it was, in the early you doing in the early 1 A. switched? Oh, the you're talking about. The made a trip during the Lauck was sent out in the system back in the mid know, somewhere in the that high? Late Α. frame it was in the late was involved or middle Α. It, was in the high Ptu content. In the Oh, from late ? Α. But that was in the mid was in the mid '50's, late Α. 'In the late in '63 instead of late which was in the mid installed in the '60's? A. Either the but tests were run in the water until about middle O. . About the mid

'50'\$? Α. No. The '50'S. It might have '50'S, did you ever '50'S that this happened. That is a guess, '50'S to connect up tubes '50'S you're talking What did we do? '50'S for the boiler? '50'S to look at the Α. It was part '50'S or '60's. I don't '50'S I'd say. Q. Do '50'S because I was '50'S. I don't know. '50'S somewhere. '50'S when the residue of '50'S to maybe the mid '50'S, late' '50's. I don't know '50'S. '50'S or somewhere around All right. '50'S, wasn't it, I '50'S. There were '50'S or '60's. I don't '50'S and Mr. Justin ran '50'B, you know.

'60'S* PC LN 12

16

25

12

23

10

21

23

3

6

9

12

14

9

17

3

16

'50's, maybe the early in the late '50's or early I think it was the early I would say, maybe early Let's see. I thing early That you said was the late I would say maybe early at the plant? Α. early 1970's, you -wait a minute. Middle of Q. Middle there. might have been the late early '70's, maybe late have been in the early Q. In the late about the very early No. That, was in the Q.

until sometime in the mid

60'5. 0. What was . . '60'5? Well, okay. Α. '60'S we replaced all .'60'8, somewhere around, '60'S. Q. Did you '60'8? Late '50's Α. ''60'S. These were Q. "60'S I think. It may '60'S I think. Well, '60'S. Somewhere around 60'S. And your job '60'S. It's when Mr. '60'5. Q. Did you '60's. It may have been '60'S there was some 60'8. Q. In both

'60'S, wasn't it, that

Α.

'50'S when the transition

He might



'60"S* PG LN back. I did in the early 197 297 was the work done in the 16 somewhere in the '50's or 308 19 Make it the 316 it back. one trip. Yeah. 316 Lat.e you converted in the early 143 I said early 344 date was. 344 why I quessed it was early 146 21 I'd say in the early! '50's to maybe the mid 167 21 time this --Λ. In the 161 172 11 dates. But I know in the were written in the 20 537 scrubbers installed in the ;39 i 5 & 0. Would that be in the Fither the '50's or 159 ŀ Α. of tests in about the j 6 3

'60'S when we were '60'S in connection with '60'8. I don't '60'S. I forgot about. '60'S. BY MR. HIRD: 60'57 Α. To the best '60'S. I was trying to '60'S is one of my later '60'S. Q. A good '60'S. C. Do you have '60'5. It was elevated. '60'S the city of Saint '60'S and the plant was '60'S. You know, '60'5? Α. Either the '60'8. I don't remember '60'S. The sattling

135

15

API* pitch I would say. Q. Q. Apiece? say. Α. was before the days of the I never heard of an basin. at Indianapolis is a true the method of designing an So you designed the Q. Q. Were these both They were modified A. difference's between an to the separator. In an On the bottom of the Α. building which is an built in a plant, but an the site? A .. Well, the 201 --A .. That's an an API. -- is an IQ. Why wouldn't an Q. separators on the These were all, '60's. Q. Do you know when the 0. involved in building the 'We designed an start. First of all we put in an them according to the Cleveland had an Q. had an API? Α. into the Cleveland plant an

in Minnesota 48 that an

APIECE? Α. Apiece, APIECE, yes. How-0. API settling basin. I:. API settling basin until API basin. At that ii. د نار ' It had API basin. API basin to replace the API separators? Α. separators because API API separator and the API separator it's, API separator they move API basin. Then down API separator can be API separator and the API. 0. -- is an API. API. That stands for API separator be more API format in API design separators? API design for a API settling basin at API separator and then API separator. We API instructions and we API type API? Α. API type basin, yes. API style separator? API style separator like

API* PG LN 136 10

196 19

14

18

25

11

18

20

25

25

10

21

13

20

17

ñ

8

197

514

514

515

515

515

515

515

515

516 516

517

517

32.0

526

i36

537

537

537

i38

538

156

311

312

100

113

113

113

113

113

113

114

115

133

134

134

135

135

135

136

136

143

528

532

PC LN

16

25

14

17

20

25

16

14 19

7

2

9

7

18

22

8

that a Cleveland style before we installed an ' Q. All right. Was an Is this the new . 0. Hird keeps referring to an could be called a true better than the home-built more sophisticated than an was using the basic why I referred to it as an I'm referring to 0. proposed that the Edens or -- I'm sorry. Would the new of the area where the but since we don't have the oil-water separator, the I think. Q. Why was the were based on the standards adopted by the standards proposed by the fire standards proposed by recommendations of the

0.

API separator be API settling basin and API separator over API settling basin that API separator that you API separator or not. API separator. It's a API separator. MR. API separator design. API separator. API too to indicate the API separator be API separator be API or Edens separator API separator actually .. . API oil-water separator. API or Edens separator API code for building API in 1965, the Saint API? MR. API in 1965, the Saint 0. Did the API API in the '65 standards

BOYLE*

of the API.

this one.

It doesn't look like Robert ahead. A. Mr. R. J. Mr. Horner and Mr. by B. L. Finch to R. J. be a memorandum from R. J. in United States 15 Mr. was the letter that Mr. look closely at U.S. 15 Mr. a copy attached to Mr. In United States 15 Mr. Herb Finch and Bob Minnesota 82 a reply to Mr. , in Minnesota 48 Mr. problem of contaminants Mr. the city sewer. Mr. 0. 827 Α. Yes. Q. Mr. your understanding that Mr. Would you agree with Mr. Mr. Hennessy, Mr. recall. Q. Was Mr. from P. E. White to R. J.

BOYLE'S. I don't know BOYLE was in charge of BOYLE worked together on BOYLE dated April 17, BOYLE to R. J. Hennessy BOYLE refers to BOYLE is referring to. BOYLE says that he sent BOYLE'S letter. I did BOYLE asks you to BOYLE. I'm sure those BOYLE'S letter which is BOYLE refers to the . . BOYLE was referring to BOYLE mentioned that BOYLE'S view was that · BOYLE was suggesting in BOYLE that the BOYLE in Minnesota BOYLE'S suggestion that BOYLE on Reilly Tar and BOYLE. There is a name BOYLE to R. A. Brewster

I see is S. C.

to be a letter by R. J.

Did the

PG. LN BOYLE* Was Mr. BOYLE at this time don't know. Q. 533 BOYLE in the course of 533 States 22 written by Mr. BOYLE refers to certain; In United States 22 Mr. 533 15 -- go ahead. 533'22 Ω. Mr. BOYLE refers to a R. J. Hennessy to R. J. BOYLE. 549 A. Yes. PG LN CHATTANOOGA* 80 under my direction both for CHATTANOOGA and for and somewhere else. 92, 16 Α. CHATTANOOGA. Q. CHATTANOOGA. When were 92 17 Chattanooga. When was the CHATTANOOGA one 92 20 sure. Q. Indianapolis, 'Cleveland and 93 15 · CHATTANOOGA separators, you who designed the one at CHATTANOOGA. I think 259 10 PG LN CISLAK* 198 14 That's right. Doctor CISLAK was still CISLAK? How do you spell 198 16 Q. Α. do you spell Cislak? 198 17 C-I-S-L-A-K. Λ. Q. Does CLEVELAND* PG LN 15 a naphthalene plant at CLEVELAND. We built a , the naphthal'ene plant at 'CLEVELAND there was an 18 20 60 for Chattanooga and for CLEVELAND. 0. AQ. format in Indianapolis, in CLEVELAND and somewhere 92 15 . When were the CLEVELAND one installed 92 17 CLEVELAND and 93 15 , the Indianapolis, 190 16 pretty well solved at the CLEVELAND plant." The flow from the plant in CLEVELAND. 190 21 0. 190 25 problem was solved at the CLEVELAND plant? Α. CLEVELAND did the same to enter the city sewer. 191 They had some laboratory in CLEVELAND test it. 191 So the 191 2.5 watch it. 0. CLEVELAND plant is in designed the one at CLEVELAND. I couldn't 259 basin similar to the 123 CLEVELAND basin but high basin similar to that in 123 CLEVELAND and would be a 19 basin similar to the one in . CLEVELAND? 123 What was 24 What was distinct about the · CLEVELAND basin? 123 Α. Cleveland basin? The Α. CLEVELAND basin handled 124. we just copy 'exactly what CLEVELAND had but to a 124 124 to base the design on the CLEVELAND basin which CLEVELAND had an API? ! worked very well. 124 CLEVELAND, do you mean a larger basin existed at 124 11 Yes. Because the 124 13 CLEVELAND plant was a 12 -- in fact, I believe CLEVELAND is our largest 124 16 concrete basin similar to CLEVELAND, do you mean 125 12

CLEVELAND or one along

do you mean one as big as

125

CLEVELAND* PG LN Cleveland or one along the CLEVELAND design but 125 13 one that was installed at CLEVELAND? λ. The 125 15 not have been a copy of the CLEVELAND basin. 125 18 And If it was as hig as the CLEVELAND basin, we 125 20 as the installation at CLEVELAND so heavy oils 129. 11 pump that was used at CLEVELAND? Α. 13-0 effective, but the one at CLEVELAND had a hopper 130 So with the CLEVELAND settling basin 15 quit. 130 Q · CLEVELAND plant the hopper system at the 130 CLEVELAND plant, does he of contaminants at the 134 1 was referring to at the CLEVELAND plant? Α. 134 , phenol and temperature at CLEVELAND. Were 134 11 ٥. in the effluent leaving the CLEVELAND plant? 134 13 What pretty well solved at the CLEVELAND plant. 1 '8: 134 were pretty well solved at CLEVELAND? Α. We put 134 20 basin that you put into the CLEVELAND plant an API 25 134 CLEVELAND'S in State 135 a basin similar to CLEVELAND Park. problem of contaminants at 135 CLEVELAND plant? assessment, I mean at the 135 10 .CLEVELAND accepted our 135 12 with it because the city of CLEVELAND plant be like that installed at the 135 16 CLEVELAND style API Boyle's suggestion that a 136 CLEVELAND style 136 16 in Minnesota 13, that a CLEVELAND style in Minnesota 82 that a 136 20 we built the pitch plant at CLEVELAND he was very 10 ز PG LN COURTNEY* COURTNEY, if you know? one question? Who was Mr. 288 I would suspect that Doctor COURTNEY might. I know 507 COURTNEY had a doctorate You mentioned that Mr. 508 14 referred to him as Doctor COURTNEY. If I. Α. one 18 DANZ PG LN DANZ held as of the date recall what position Mr. 285 15 DANZ at that time ran , but I'm quite certain Mr. 205 18 DANZ here says that the what he was. Mr. 285 24 C. DANZ describes? 286 10 have that tendency that Mr. PG LN EDENS* EDENS separator." "We're going to use an 83 20 beside the point. EDENS separator is just' An 83 21 EDENS separator which is letter is talking about an 84 10 . The memo mentions an EDENS separator. 20 84 letter is talking about an EDENS separator and this 85

drawing doesn't show an

20A im not necessarily an

. 4

85 85 15 Q .,

But

EDENS separator.

separator.

EDENS

EDENS*

PG LN

85 16

85. 19

85

85

LGO.

160

160

161

161

162

162

162

175

199

1991

201

258

515

515

515

515

i15

115

515

516

517

517

526

345

546

546

37

158

158

235

235

253

254

254

254

258

258 1d

235·18 235

174 24

17

20

1 2

20

22

21

12

2 2

13

16

20

14

17

23

24

10

17

13

10

14

10

16

17

2 0

2 2

11

17

21

9

the difference between an an Edens separator is an separator can be either an , the API separator and the we were going to put in an the plant close before the was installed? Α. The Q. With regard to the sewer you would install the in those matters, the then we heard about this to sit -- the bottom of the that into account with the and the planning for the in the design of the We've talked about the operation which was true. When we did the work on the you referred to an THE WITNESS: one? me. I don't know whether THE WITNESS: It's the testified earlier that an 0. But ves. is a brand name? was it proposed that the the area where the API or quing to locate the new

EDENS separator is EDENS separator is EDENS separator or an EDENS separator have EDENS separator. We EDENS separator was EDENS separator was EDENS separator, were EDENS separator? Α. EDENS separator and the EDENS separator which is EDENS separator was EDENS separator though . EDENS separator there -PDENS separator and that We'ye EDENS separator. EDENS. separator is built EDENS separator. Q. **EDENS** Which separator. EDENS is a trade name of EDENS could be called a EDENS separator, yes. EDENS separator was EDENS is a brand name? EDENS is a brand name, EDENS or API separator EDENS separator was EDENS separator on the EDENS separator never A. RDENS separator? separator at the EDEN8 EDFNS separate was

EDWARDS* PG LN

> That was called the you. he wrote a letter to Mr. to Mr. Edwards and Mr. But you knew Mr. 0. Α. Oh, yes, I knew Mr. well. 0. What would Mr. at this time? Α. Mr. from A. E. Larkin to C. B. time know Mr. Horner, Mr. This looks like Mr. Yes. to Minnesota 80, when Mr. days after U.S. l. Mr. you understand what Mr.

Why was the AFI or

installation of the

the cost of installing an

for the installation of the

EDWARDS still. What it EDWARDS and Mr. Edwards EDWARDS asked Mr. Horner EDWARDS? A. Oh, yes, EDWARDS very well. EDWARDS' position have EDWARDS was Mr. Reilly's EDWARDS dated July 11. EDWARDS and Mr. Larkin EDWARDS' signature. 1 EDWARDS discusses a EDWARDS in Ninnesota 80 EDWARDS is construing

102

102

102

10.2

102

103

103

103

103

103

103

104

144

144

144

144

144

144

144

145

585

513

513

12

14

20

21

25

4

17

19

21

2 2

24

1

6

11

14

19

11

20

21

22

EXPLODE*

any way that tar from the Q. However, would the

EXPLODED tank could have EXPLODED pitch have been

EXPLOSION* problem lead, potentially to rare, but it could lead to have any knowledge of any A. They had an Park? Could you describe that It was an but ruptured. have any idea of when this 14 describe the pitch tank was the Granite City this. 1 think that , but I believe this this happens you get an have been a very low class explosion for that type of Is your account of the Q. My account of the Α. pitch and what causes must have been a different because when you have an with Mr. Finch about this with Mr. Finch about the Would this about it. 0. Do you recall any other I thought they had a steam knew they had a pitch tank I can only remember one Q. Do you recall recall any. No boiler you could recall only one Evidently the at Saint Louis Park is this you recall now at least two guy had fire, that first Mr. Rennessy, is this the and your knowledge of the find in this sort of an boil over or some sort of certainly never caused any

I don't know of any boiler

EXPLOSIONS at these EXPLOSIONS in the stills EXPLOSIONS of any kind EXPLOSION in a pitch EXPLOSION to the best of EXPLOSION. 0. Do you EXPLOSION occurred? Α. EXPLOSION which you were EXPLOSION after reading EXPLOSION, and again I'm EXPLOSION since there I mean, the EXPLOSION. EXPLOSION for that type EXPLOSION because it EXPLOSION based on a EXPLOSION is just based EXPLOSIONS. 0. EXPLOSION because when EXPLOSION due to water. EXPLOSION? A! EXPLOSION. I don't EXPLOSION as described EXPLOSIONS at Saint EXPLOSION in a pitch I can only EXPLOSION. EXPLOSION, but if EXPLOSIONS anywhere else When EXPLOSIONS. Q. EXPLOSION at Saint Louis EXPLOSION I described EXPLOSION. So you EXPLOSIONS --Α. Yes EXPLOSION we talked EXPLOSION that earlier EXPLOSIONS, is there any EXPLOSION, how much EXPLOSION. Liquid from EXPLOSION because I EXPLOSIONS at Saint

PG LN

33 6 was this man? A. 209 24 at the piping? A.

FENOGLIO*

FENOGLIO. Q. Did he FENOGLIO went. Sent

Ruddy '

Mr.

163

PG

19

82

83

119

122

123

165

168

183

183

199

500

501

201

202

508

510

539

239

240

240

240

374

378

379

12

FENOGLIO* or by telephone? Λ. Mr. time was. A. Yes. Mr. · I think Mr. Chattanooga. of those designs with Mr. No, I did not. I sent Mr. Do you know where Mr. But now in the trenches Mr. Α. Yes. Mr. for the contractor and Mr. water? Α. I'm sure Mr. accomplished? Α. Mr. there is a reference to Mr. Was this the same Mr. Finch suggesting that Mr. yes. Q. Was Mr. on it. I know Ruddy Α. Well, either Mr. which, I believe it was Mr. basin. This is when Mr. Okay. 0. So when Mr.

there the water, when Mr.

PENOGLIO was a very · FENOGLIO designed the PENOGLIO probably FENOGLIO? Α. Yes. PENOGLIO. Do you 0. FENOGLIO is today? FENOGLIO went to the FENOGLIO made one and I FENOGLIO was in and out PENOGLIO visited the PENOGLIO was there FENOGLIO preparing a FENOGLIO who worked as FENOGLIO be taken off FENOGLIO at that time FENOGLIO worked on that FENOGLIO or Mr. Lauck, FENOGLIO did the work. FENOGLIO was there. PENOGLIO was there the FENOGLIO elevated the

LN

PINCH* with Mr. Holstrom or Mr. ostensibly from you to Mr. identified I think by Mr. first, I believe, and then is a -- and I believe Herb I think if Herb WITNESS: up in Minneapolis. I don't know what Herb of the comments made by Mr. got page 23. Is this Mr. A. Wheeler? Well, Hr. any discussions with Mr. discussed it with Mr. you may have had with Mr. you're not sure what Mr. in the first paragraph Mr. have told you and what Mr. a questionnaire sent to Mr. questionnaire from Mr. , Minnesota 10, as Mr. Could you 'recognize Mr. I doubt that it is Mr. In this document Mr. - it leaked.

All right.

FINCH? I'm sure: Α. FINCH dated September 30 FINCH came without a FINCH and then Bill FINCH in his deposition FINCH used the term FINCH hired them to do PINCH did with the FINCH at the meeting. FINCH saying --FINCH says here that FINCH to further prepare FINCH. I can't PINCH or anyone else? FINCH may have meant by. FINCH references product FINCH might have told FINCH asking him to FINCH? Α. Oh, yes. FINCH'S handwriting? FINCH'S handwriting FINCH'S handwriting is FINCH refers to the FINCH in the State FINCH, do you recall

Mr.

Mr.

Q.

Q.

PG LN PINCH* 194 FINCH arranged it and removal. · O • But Mr. 394 and supervised? Α. Mr. FINCH I believe arranged 394 19 be a memorandum from II. L. FINCH to H. R. Horner 195 a document written by Mr. FINCH in the course of 395 of United States 13. Mr. FINCH says he is 17 195 or to consult with Mr. FINCH about the removal of United States 13 Mr. 396 FINCH refers to problems to be a memorandum by H. L. 100 FINCH to R. J. Boyle 100 12 a document prepared by Mr. · FINCH when he was plant 102 11 on a conversation with Mr. PINCH about 127 λ. 102 24 you recall talking with Mr. FINCH about this 103 I'm sure I talked with Mr. FINCH about the 103 as described by Mr. FINCH propel pitch or 'Okay. 105 Which lines was Mr. FINCH referring to when 106 new lines. 0. Had Mr. FINCH requested several 107 20 reason to believe that Mr. FINCH is not accurate in Is that why 108 10 Mr. FINCH says that he and 109 23 Ω. Why would Mr. in. FINCH be concerned in 111 20 In item 5 in this list Mr. ' FINCH says that, "One of I'd ask you to 113 30th received from H. L. FINCH. FINCH. 113 did not receive it from Mr. 18 All right. 114 complaint? Herb Λ. FINCH and Bob Boyle. 114 it's correct. But if Herb 11 FINCH says Mr. Goldblatt 114 What did Mr. 14 it. Q. FINCH tell you when you I called 115 19 told to you by Mr. FINCH? Α. 115 20 I called Mr. Herb FINCH. It says this 115 all came from Mr. 21 FINCH who is much more Did Mr. 115 23 than I was. FINCH also tell you as 0. Did Mr. FINCH further tell you 116 did. 0. 116 13 as information from Mr. FINCH and others? Α. of Minnesota 30 Mr. 145 21 FINCH refers to 146 6 in the trenches that Mr. FINCH had expressed some 9 146 Yes, um-hum. 0. Mr. FINCH refers in the Do you recall Mr. 146 1 2 locate. FINCH ever discussing 146 FINCH'S accuracy about 15 any reason to doubt Mr. 147 9 sediment, yes. Q. Mr. PINCH goes on to say 149 been filled. Mr. FINCH goes on to say, 0. 149 Is what Mr. 6 project." FINCH is saying there is 149 23 I think so. Q. Mr. FINCH goes on to say 3 150 Is Mr. FINCH correct that ? Yes, 1 was. 0. Was 150 19 remember. ' 'Q. Mr. FINCH suggesting that 151 9 page of Minnesota 30. Mr. FINCH refers to the 151 16 ground tanks which Mr. FINCH refers to? 152 19 paragraphs where Mr. FINCH states that, "In. the lines." 152 2'3 What was Mr. FINCH referring to when FINCH says that, "Lines 24 right at the bottom. 153 Mr. repaired easily." 153 2,5 Is Mr. FINCH referring here to FINCH says, "The present 155 in number 30 this page Mr. 4, the second sentence, Mr. 155 14 FINCH says that, "This



PINCH*

PG LN

155 16

156 11

156 20

156 22

15

เย

2 2

25

19

12

10

24

20

24

12

2 2

18

20

17

24

157

165

165

168

468

168

168

168

168

169

172

180

180

1812

198

502

502

503

503

503

531

540

577

577

579

506

524

524

i 25

PG LN

113 22

¥13 25

114 11

15

19

19

12

18

2 2

114

114

114

114

114

115

115

115

115

116

What was Mr. would, um-hum. Q. Mr. Park at the time that Mr. that it was. Q. br. you have any sense what Mr. operating the basin to Herb Finch -- or not to Herb refers to a call from Mr. call from Mr. Finch. that was told to him by Mr. in the main office and Mr. As plant manager would Mr. settling basin? Mr. his conversation with Mr. I remember Herb plant. settling basin? Α. Mr. responsibility. How Mr. But I don't know what Mr. from T. E. Reilly to H. L. referring here -- Mr. Q. Thank you. Mr. strike the question. Mr. observed anything which Mr. up from the well as Mr. from T. E. Reilly to Herb from W. R. Wheeler to H. L. This was written by Mr. at that time. ' A. If Mr. of the pond. Now, Mr. know. Α. Well, Herb the air lift other than Mr. than Mr. Finch? Α. Mr.

.FINCH referring to when PINCH then says that, FINCH wrote Minnesota FINCH then goes on to FINCH was referring to FINCH -- or not to Herb FINCH but bavid Larkin Mr. Finch at FINCH. PINCH at that time was FINCH in that FINCH'S office was in FINCH be in the best FINCH would know more FINCH? MS. FINCH, "What the hell's FINCH obviously had an FINCH ran his plant I FINCH did. I have no FINCH dated June 4, 1968 FINCH says that, "The FINCH goes on to say FINCH says that the well FINCH might consider a FINCH suggests or if FINCH dated September 5, FINCH dated December B. FINCH in 1970. FINCH is correct and PINCH does say in this FINCH would not know FINCH? Α. Mr. Pinch FINCH probably wouldn't. FINCH come to the plant?

COLDBLATT*

water made by a Mr.

I never talked with Mr.
did you talk with about Mr.
Minnesota 24 refers to Mr.
But if Herb Finch says Mr.
talked with him about Mr.
on the ground around Mr.
or whatever it was Mr.
82 you state that, "Mr.
the highway and around Mr.
the swampy part of Mr.
much more familiar with Mr.

colored black or rather Mr.

I don't know. When did Mr.

GOLDBLATT, does he not?
GOLDBLATT, no. O.
GOLDBLATT'S complaint?
GOLDBLATT as owning a
GOLDBLATT owned that
GOLDBLATT'S complaint
GOLDBLATT'S building or
GOLDBLATT'S building or
GOLDBLATT'S property is
GOLDBLATT'S property."
GOLDBLATT'S land." Is
GOLDBLATT'S property
GOLDBLATT'S land was

PG LN GRUENHAGEN* 167 10 memorandum from T. O. (sic) Who was T. O. (sic) 367 16 0. 36.7 17 ٠Λ. It's really T. C. 367 C. What years was Mr. 19 367 22 have any idea of what Mr. 368 25 of the document state Mr. O. I see that Mr. 369 369 13 what it is. 0. 369 22 No, I don't. , 110. 370 That's what Mr. 370 13 BY MR. HIRD: 0. 372 2 2 plant operation that Mr. 373 it is. 0. I believe Mr. 373 22 BY MR. HIRD: Q. Did Mr. HOLSTROM* PG LN 19 any disagreement with Mr. 28 10 would be Mr. Larkin or Mr. 28 1 2 no one subordinate? 7 119 with? Α. 1 talked with 398 25 from T. E. Reilly to H. L. 302 20 from T. E. Reilly to II. L.

GRUENHAGEN read German? HOLSTROM or Mr. Finch? HOLSTROM. Q. No one HOLSTROM I think was HOLSTROM first, I HOLSTROM dated February HOLSTROM dated September HOLSTROM'S position at HOLSTROM was the plant - HOLSTROM dated May 26, HOLSTROM. 0. But you HOLSTROM dated March 3, HOLSTROM was at the time HOLSTROM that he.

HOLSTROM pour the zinc

HOLSTROM is deceased.

GRUENHAGEN to H.

GRURNHAGEN at the

GRUENHAGEN was a

GRUENHAGEN did after he

GRUENHAGEN'S results of

GRUENHAGEN also refers'

GRUENHAGEN refers to the

GRUENHAGEN was measuring

GRUENHAGEN also mentions

GRUENHAGEN tested, it

GRUENHAGEN refers to a

λ.

He was an

GRUENHAGEN?

GRUENHAGEN.

Mr.

Mr.

Mr.

Mr.

So Mr.

Mr.

PG LN HORNER*

books.

at this time?

from H. R. Horner to H. L.

manager.

it out, isn't it?

, F. J. Mootz and H. L.

from F. J. Mootz to H. L.

he's suggesting that Mr.

Ο. Do you remember Mr. between Shulty (ph.) and came along. Where Mr. Did you or Mr. ი. on. C. What was Mr. did. C. At the time Mr. easy to do. Q. Pid Mr. I don't know that Mr. in. , yes. C. By whom, Mr. , did you talk to either Mr. Did you relay to Mr. Ω. I got into that. Q. Mr. time was selected by Mr. attachment signed by Mr.

O. What was Mr.

Α.

Q.

' -- states to Mr.

HORNER ever doing that? HORNER where it should HORNER wanted it we put HORNER or anyone in the HORNER'S involvement in HORNER gave you the HORNER design the weir? HORNER designed a weir HORNER? A. I suppose HORNER or to people at HORNER any ideas or HORNER was the project HORNER in your design? HORNER. Α. Which we



303

303

351

351

352

525

18

18

18

19

46

48

50

50

54

75

75

77

L 0.2

9.1 17

310 12

334 14

353 11

9

11

18

16

17

21

22

10

3

3

6

17

22

2,2

5

PG LN HORNER* HORNER for a moment, he 10 Exhibit, page signed by Mr. 103 HORNER involved at all 2 Was Mr. 115 Α. Yes. ·O. HORNER retired. 142 '60's. It's when Mr. whenever HORNER retired? chief engineer after Mr. Α. 142 HORNER was still chief L42 that is correct. Now. HORNER was still at L42 15 sense of how many years Mr. is one which references Mr. HORNER as an attendee at 142 23 L42 · 25 you can recall, would Mr. HORNER have been chief more chief engineers. HORNER was one. 144 Mr. Mr. 16 four engineers plus Mr. HORNER who was the chief L45 13 obviously he's asked Mr. HORNER for -- well, 158 and Mr. Edwards asked Mr. HORNER to prepare an 10 158 HORNER telling how it -- I think my report to Mr. 178 15 But in Indianapolis Mr. HORNER and I had a 203 15 believe it. Ò. So Mr. HORNER convinced you? 204 one you looked at with Mr. HORNER? Well, it 204 15 Α. HORNER. I believe Mr. one sheet supplement by Mr: 219 I believe HORNER when he described Mr. Horner. Mr. 219 222 anybody at that time, Mr. HORNER or anyone else , Mr. Mitchell and HORNER still living? 223 11 you at this time know Mr. HORNER, Mr. Edwards and 254 10 that after meeting with Mr. HORNER he learned that 255 21 Do you know whether Mr. HORNER or anyone working 257 HORNER chief engineer --81 was written was Mr. 259 24 , regularly prepared by Mr. HORNER in the course of 300 HORNER begins his letter Mr. 260 right, yes. Ω. HORNER worked with you 261 remember it. Q. Mr. 1 When Mr. HORNER says in the . Q. 301 22 It's Mr. HORNER'S term. basin. I want, 301 0. HORNER goes on to say, 261 25 Α. Yes, he is. Q. Mr. I'don't think Mr. HORNER has used it in ! 262 Q. 25 I was wondering whether Mr. HORNER was referring to 263. again to Minnesota Bl, Mr. HORNER states that, 264 HORNER goes on to say 7 Mr. ?64 14 . A . Yes. Q. That's what Mr. HORNER'S letter says, 7 265 11 Α. 'Q. Now, Mr. HORNER in describing the 268 the pipe. HORNER talks about of this paragraph Mr. 269 HORNER'S concerns to be read do you understand Mr. 271 basin, 'So what HORNER is saying is run. 273 Mr. 274 his settling basin-Mr. HORNER is writing a anywhere in this letter Mr. HORNER explicitly say 274 22 I understand. HORNER in the paragraph 276 Mr. 276 16 to the next 'paragraph Mr. HORNER suggests, "In page of Minnesota 81, "Over 278 23 Mr. HORNER says that, two paragraphs down Mr. HORNER says that, "We 380 11 HORNER says, "For the 185 23 from the bottom Mr. 287 separator, did Mr. HORNER or anyone else 309 19 11 was written Mr. HORNER was chief be a memorandum from H. 310 12 MORNER to H. L. Molstrom

HORNER* PG LN 310 19 it I'm sure. HORNER at this time Q. Mr. chief engineer? 310 21 Α. Mr. HORNER was chief 311'10 Um-hum. HORNER in the second , yes. Q. Mr. 1944 or '43. 311 ю. Was 20 Mr. HORNER dealing with the 312 the responsibility of Mr. HORNER. Mr. Horner and 312 of Mr. Horner. HORNER and Mr. Boyle Mr. 313 remember it would be Mr. HORNER. 0. Mr. be Mr. Horner. 313 0. Mr. HORNER here says, as you of that phrase that Mr. 313 HORNER believes that the 7 to the next paragraph 316 10 HORNER says, "I would 316 18 know Mr. Holm. 0. lir. HORNER here recommends 316 20 in which case Mr. HORNER I believe says, 316 23 what type of operation Mr. HORNER is recommending 317 21 from Mr. Lauck to Mr. Based on your HORNER. 317 25 auspices as well as Hr. HORNER'S? Α. On the and reporting back to Mr. 318 HORNER. However, I did , you know, Mr. 318-12 HORNER would ask me for suggests, and I believe Mr. 324 10 HORNER earlier suggested 324 your understanding that Mr. 23 HORNER thought the tar 325 at U.S. Number 7 and Mr. HORNER there, as you 10 333 16 from J. A. Lauck to H. R. HORNER dated October 12, 340 from J. A: Lauck to H. A. HORNER. 10 Do you recall. 357 be a memorandum from H. R. HORNER to F. J. Moote 19 357 a memorandum written by Mr. HORNER in the course of. 158 messy situation that Mr. HORNER refers to that he 366 Mr. Lauck and I believe Mr. 12 HORNER referred to tar 367 10 (sic) Gruenhagen to H. R. HORNER dated October 8. from H. L. Finch to H. R. 394 20 HORNER dated February 26 395 department; preferably Mr. HORNER or yourself, Mr. 131 23 I got overruled by Mr. HORNER or whether we 158 to this deposition and Mr. HORNER'S deposition. 506 18 younger than I am. Mr. HORNER might know IRONTON* PC LN , for Minneapolis and for 165 10 IRONTON. Then there 165 there was a lawsuit up at IRONTON against the Army 11 L 6 5 13 result is we had to file at IRONTON. So that was' 311 12 Reilly's risk on the IRONTON hoilers a few 311 16 its policy on the IRONTON boilers? A. 312 Reilly's risk on the IRONTON boilers? 10 Α. 312 11 boilers? . y -On the IRONTON boilers because. 312 16 I'd never been to the IRONTON plant. But I with what went into the 312 20 IRONTON --Well, Α. 312 25 about the rupture of the IRONTON boilers in out, that, "The pond at 313 IRONTON became 313,17 IRONTON became as to how the pond at was at the pond at 313, 19 IRONTON? THE

IRONTON situation?

130

occasion to investigate the

314 21

IRONTON* PC LN the source of water at the IRONTON facility? 315 Source of water at the IRONTON facility was 315 of water supply for the IRONTON facility? 315 12 of water supply at the TRONTON facility? 315 of water supply at the IRONTON facility? 315 19 IRONTON until very much I wasn't involved at 315 21 I was involved with the IRONTON plant I'm sure 115 22 become involved with the IRONTON facility then? 116 the first trip I made to IRONTON was when? 316 PG LN JUSTIN* 119 then Finch and then Bill JUSTIN. I talked with .62 And Mr. JUSTIN and I went and of equipment. 13 . JUSTIN installed 340 talking about one that Mr. the impression that Mr. JUSTIN'S used water. 540 12 before as the one that Mr. JUSTIN may have 541 I really don't. But Mr. JUSTIN I don't believe 541 541 I don't know when Mr. JUSTIN went to the plant 10 from C. F. Lesher to W. A. JUSTIN dated September 4 543 543 Must have been Mr. JUSTIN'S idea. 17 But why recall ever questioning Mr. JUSTIN about the 543 22 Pollution Curbs with Mr. JUSTIN or anybody else 543 Do you know whether Mr'. 544 JUSTIN was seeking 362 25 run in the '50's and Mr. JUSTIN ran, a bunch of រំដ4 25 there are articles by Mr. JUSTIN in there about he KEMPE* PG LN KEMPE you will see at 226 14 report who I believe is Mr. What 'do you think Mr. KEMPE meant by surface 227 , KEMPE refors to 227 22 confused because here Mr. KEMPE was referring to? outside of the plant Mr. 330 ,10 covered with tar as Mr. KEMPE observed in this 231 16 232 17 surface of the bog as Mr. KEMPE apparently saw in PG LN LARKIN* 28, 10 Probably would be Mr. LARKIN or Mr. Holstrom. Α. I think was subordinate to LARKIN at that time. 28 12 47 remembered that because Mr. LARKIN was plant manager 24 I ever talked to Mr. I can't ever 47 LARKIN. LARKIN asking for design with the 'letter from Mr. 158 158 for -- well, obviously Mr. LARKIN saw the L 58 I guess is that in 1951 Mr. LARKIN may have been 14 I don't even know Mr. LARKIN had ever made 158 24 248 Mr. Mitchell to Mr. A. E. LARKIN dated May 1, 1940 12 153 2 2 4 is a document from A. E. LARKIN to C. B. Edwards Horner, Mr. Edwards and Mr. LARKIN to be employees 254 11

LARKIN*

PG LN

18

16

20

12

15

21

24

16

20

11

11

15

20

18

24

10

19

21

23

10

23

21

2 2

3

5

154

255

255

256.

156

256

256

156

256

257

257

258

158

25€

258

160

274

275

165

165

325

288

169

589

189

290

290

291

192

294

295

295

296

298

301

311

311

311

317

317

318

123.

I can't vouch for Mr. minute. 0. What was Mr. In United States 4 Mr. 0. of any complaints from Mr. any discussion with Mr. 3 in United States 4 Mr. indicate to you that Mr. parts of the paragraph Mr. Would you believe that Mr. In the second paragraph Mr. indicate to you that Mr. would relieve this, Mr. refers to a letter from Mr. is construing from Mr. letter to be that -- at the time Mr. Q. First of all, Mr. thing. He assumes that Mr. Park. not to Herb Finch but David written instructions to Mr. lie would know. Mr.

LARKIN'S, but I'm sure LARKIN'S position at LARKIN says that after LARKIN or his staff in LARKIN about anything at "We must . LARKIN says, LARKIN was concerned LARKIN refers to a very LARKIN was concerned LARKIN says, "We will LARKIN'S view was that LARKIN'S concern about . LARKIN regarding LARKIN'S letter to be LARKIN is requesting an LARKIN was plant manager LARKIN complained that LARKIN is an intelligent LARKIN when the basin LARKIN as to the LARKIN, I don't know

2 j.

PG LN LAUCK*


man working for me, Mr. Joe Α. Louis Park? When Joe 1 Q'• Was Mr. boiler. kept in contact with Mr. kept in contact with Mr. you know which company in about just before Joe Yeah. Exactly. Joe treatment program that Mr. in connection with Mr. boiler? Yes. Mr. Α. about how many trips Mr. Q. Before Mr. it in. of my activities with Mr. 1 see that Q. U.S. 7 and the copy to Mr. with a job that Mr. inspection report from your recollection that Mr. of Einnesota Exhibit 18 Mr. correct. Okay. 0. Mr. It was muddy. დ. Mr. Minnesota Exhibit 18, Mr.

Α.

page 3, Minnesota 18, Mr.

room?

. LAUCK, installed boiler LAUCK put the equipment ·LAUCK a member of your LAUCK? Α. What? LAUCK? Do you know LAUCK works for LAUCK left the company, LAUCK installed a boiler LAUCK --Α. LAUCK'S work on the LAUCK was also assisting LAUCK made to the plant LAUCK was sent out in LAUCK doing the work, LAUCK is carbon copied . LAUCK that that U.S. LAUCK was doing under LAUCK to Mr. Horner. LAUCK was at the Saint LAUCK appears to be LAUCK says that the pond LAUCK goes on to say LAUCK says that, "The LAUCK'S letter says it LAUCK refers to cracks



Well, Joe

PG LAUCK* LN 123 17 page 3 of Minnesota 18 Mr. LAUCK has a If as Mr. 324 water. Q. LAUCK suggests, and LAUCK describes as being 324 this water main that Mr. 12 the water main which Mr. 'LAUCK describes in 325 these mains that Mr. LAUCK is describing in 125 21 way I understand what Mr. . LAUCK'S recommendation 325 24 126 the pipe. Mr. LAUCK refers earlier. Q. 326 Q. -- that LAUCK was describing? 14 it would. Mr. LAUCK'S recommendation? 326 Are you talking about 17 326 I'm talking about Mr. LAUCK'S discussion on No. 326 23 Yes. Which Mr. LAUCK describes as Q. 3 of Minnesota Fxhibit 18 Mr. LAUCK under the heading 327 24 127 the statement because Mr. LAUCK was pretty LAUCK is describing here 128 7 and the pans which Mr. 329 IV on Minnesota 18 Mr. LAUCK refers to the 332 -- which is who? Α. Joe LAUCK. Joe Lauck 0. 132 c. That, "It may be Joe Lauck. Joe LAUCK. Α. 6 132 LAUCK'S recommendation this disagreement with Mr. 333 16 be a memorandum from J. A. LAUCK to H. R. Horner 334 inspection report that Mr. LAUCK would have Arabic "2. Water" 334 2.2 Mr. LAUCK states that, 335 inch water main. Ç. Mr. LAUCK goes on to say, 336 "5. Waste." LAUCK here identifies 7 Q. Mr. 15 338 these trenches that Mr. LAUCK is describing? 338 2 d down a little further Mr. LAUCK refers to a wooden 140 1 Q 1954 memorandum from J. A. LAUCK to H. A. Horner. 140 16 a document written by Mr. LAUCK in connection with 340 21 U.S. 9, item 13, where Mr. LAUCK discusses a 341 I can remember Joe LAUCK'S discussion with 16 Α. 342 But when you heard Mr. LAUCK talking on the 342 Park, yes. ' O. LAUCK talking with :Mr. Was Mr. 343 to ask you to go down Mr. LAUCK'S 13 1 . . . 350 20 were accomplished. And Mr. LAUCK here suggests that 350 23 period of time after Mr. LAUCK'S memorandum to 363 15 same steam lines that Mr. LAUCK was referring to' 21 LAUCK mentioned that 3.63 the same time, 1954, Mr. of documents in which Mr. LAUCK and I believe Mr. 366 11 LAUCK, I can't remember 161 either Mr. Fenoglio or Mr. LESHER* PG LN Q. ' Was this the LESHER still? 35 10 these. Α. Yes 35 12 know. Let's call it the LESHER still. The We'l' call it the 35 14 it. LESHER still. I always 35 think of mark two as the LESHER still. 15 Q. I 35 I've just heard the phrase "LESHER still" used. 17 , 15 and 16 were changed to LESHER stills. 36 0. 42 converting the stills to LESHER stills. 22 What Sounds to me like Mr. LESHER was there when it 192 21 Α.

LN LESHER* PG work recommended by Mr. LESHER and Mr. Hennessy. 12 193 was the predecessor of Mr. LESHER. Yes, he was 151 17 LESHER testified that he During the deposition 379 13 any conversations with Mr. LESHER? MS. 379 18 you recall talking to Mr. LESHER in or around 1961 380 LESHER is here 10 III do you believe that Mr. 380 marked "Waste Water" LESHER states that, "The Mr. 381 381 15 correct, right. 0. Mr. LESHER goes on to say, LESHER says that, "The paragraph on page 5 Mr. 382 23 183 14 at the plant agree with LESHER'S assessment that LESHER says, "The area paragraph on page 5 Mr. 384 18 184 21 with dirt and tar." Is Mr. LESHER here, to your reason to believe that LESHER'S observation of 385 11 Mr . LESHER as well he's a 13 Because Mr. 385 A. No. LESHER testified it was 387 9 was written. . 0. Mr. LESHER says that, "With you about them. 387 15 0. Mr. LESHER describes the 9 388 State Exhibit Number 3, Mr. and leaking pipes that LESHER is referring to? Mr. 188 21 LESHER says that, 389 15 they started. 0. Mr . LESHER refers to a State Exhibit Number 3, 190 8 Mr. LESHER was discussing? tank problem which 190 11 Mr . LESHER refers to water 190 started leaking. 0. Mr. 16 LESHER describes water All right. Mr. 191 5 0. LESHER goes on to state 192 great force. 0. Mr. 11 LESHER was inaccurate 393 6 reason to believe that Mr. LESHER was pretty Mr. 193 There again I think 10 reason to believe that LESHER was inaccurate 193 13 Mr . LESHER'S is now. He 159 8 3 A . Same that Mr. LESHER wrote it. Did to you at the time that 174 25 Mr . 175 9 to it. 0. What was Mr. LESHER'S position at LESHER succeeded Doctor at this time? 175 A. Mr . 10 Mr. 175 12 tar division. 0. LESHER in his opening 175 Mr . LESHER refers to the 25 No. I did not. 0. 7 LESHER was visiting the 176 So as of 1968 when Mr. LESHER says at the time 176 0. Mr . 12 technology. LESHER'S observations 176 15 would indicate that Mr. LESHER refers to one of 177 of Minnesota 50 Mr. 3 178 1 BY MR. HIRD: 0. Mr. LESHER goes on to say, 14 Mr . LESHER goes on to say 178 copy of Minnesota 50. 178 was terrible." Is Mr. LESHER here referring to 16 LESHER'S statement that 17 reason to believe that Mr. 180 LESHER observed it. No. Mr. 180 20 statement? A. LESHER says that, "The 180 23 arque with him. 0. Mr. to clean it out. LESHER says at the final 181 8 0. Mr. A. LESHER says that a lot 188 13 ? Well, if Mr. work recommended by Mr. LESHER and Mr. Hennessy 191 23 192 time of Minnesota 51 Mr. LESHER was head of the 21 3 on the page. Mr. LESHER states that he 193 193 12 this observation by Mr. LESHER and Mr. Reilly

LESHER* PG LN 193 16 what he says. that observation by 193 20 193 , the last letter of Mr. 22 193 23 195 23 196 8 15 196 ۰09° 8

i43

!13

146

246

146

154

155

255

160

161

162

162

162

!62

162

264

168

168

169

170

170

175

183 183

140

140

141

123

123

123

123

123

343 20

PC LN

12

13

24

10

12

20

10

11

13

16

10

11

16

23

25

25

1 d

1 5

21

· Finally Q. of State Exhibit 51. was installed. C. would those steps that Mr. did, um-hum. Q. of Minnesota 90 where

509 14 iir . I f Street. 0. Mr. 511 111 10 2 of Minnesota 51. Mr. O. 'Um-hum. Mr. ? 511 17 Would the fact that Mr. 512

LESHER was inaccurate?, LESHER, said the same LESHER says that the LESHER uses the phrase LESHER finally says that LESHER refers to as LESHER at this time was LESHER says that, "The LESHER had any LESHER says --LESHER states that, · LESHER has the same LESHER to W. A. Justin LESHER states he is

LESHER goes on to say

Mr.

Mr.

Mr.

Mr.

IIr.

Mr.

Q.

1 15

MS.

"The

MAYWOOD*

some of them we took out at to those at Mohile and basin similar to Mobile and , would he be referring by that you constructed at the Now much larger was the Park basin? The Α. this letter. I know about the same size as the the two ponds is that the sludge make the "Shortly after starting the into in connection with the settling basin? Α.

be a memorandum from C. F.

United States 24 Mr.

the settling basin at oil in our effluent in a straw filter at it could be piped in. Αt that was what was done at He told how he did it at at the straw filter in in Maywood? Α. In the maintenance program at the maintenance program in letter I gather that the to prevent flooding like is correct, yes. What?

like Saint Louis Park.

read, "But built high like

had been constructed in

in the bottom of the

MAYWOOD, at Newark, New MAYWOOD." At the time . MAYWOOD, would he be MAYWOOD to the settling MAYWOOD plant in 1948? MAYWOOD basin that you MAYWOOD basin I remember MAYWOOD'S problem which MAYWOOD settling pond , MAYWOOD has a mechanical MAYWOOD settling basin . MAYWOOD pond -- and I MAYWOOD settling basin? MAYWOOD was extracting MAYWOOD basin would have MAYWOOD says that, quote MAYWOOD with a gravity MAYWOOD which does an MAYWOOD it was piped in MAYWOOD, wasn't it? MAYWOOD and he doesn't MAYWOOD? Α. In MAYWOOD? I would say MAYWOOD. . Do you have MAYWOOD was? Α. I. MAYWOOD system was being MAYWOOD'S, is that MAYWOOD'S built high to MAYWOOD'S never flooded. MAYWOOD'S to prevent MAYWOOD? ۸. That is

MAYWOOD* PG LN 125 to prevent floodings like MAYWOOD. How high 25 above the ground did the ·MAYWOOD basin rise? 126 the top of the basin at MAYWOOD is at least 126 to prevent flooding like MAYWOOD'S be built at " 127 And by high like MAYWOOD'S you meant that 127 above the ground such as MAYWOOD'S was 6 feet 127 127 11 above the ground? Α. MAYWOOD'S I would guess' get into it. MAYWOOD'S of 6 feet high 127 14 Was 127 20 get into it? At MAYWOOD, yes. Α. MCADAMS* PGLN :55 11 on these. Then Mr. 0. MCADAMS was in the .55 12 accounting area? Α. Mr. MCADAMS was -- well, if 13 Mr. Ryan was president, Mr. .55 MCADAMS was chief .55 16 was not president then Mr. MCADAMS was what? I don't know if Mr. MCADAMS was at this time 21 PG LN MCLELLAN* ?35 12 0. Do you know who Mr. MCLELLAN is? Α. No. 19 testimony is that what Mr. :38 MCLELLAN is referring to not entirely clear what Mr. MCLELLAN is referring to 142 16 MCLELLAN refers to about next to last paragraph Mr. 145 16 MCLELLAN says, "In 1929 146 at which point Mr. :46 24 Q. The next sentence Mr. MCLELLAN says that, 147 suggest to you that Mr. MCLELLAN was concerned 247 18 right. Q. So if Mr. MCLELLAN was concerned PG LN MINNESOTA* . COURT DISTRICT OF MINNESOTA 1 6 Plaintiff, 1 ∣and State of .MINNESOTA, by its 1 23 County of Hennepin State of MINNESOTA, taken on the MINNESOTA 55113, County Road B2, Roseville, 2 2 · . State of MINNESOTA. ALLEN 2 IDS Center, Minneapolis, 11 MINNESOTA 55402. Bank Place, Minneapolis, MINNESOTA 55402. 14 No. 29 587 MINNESOTA Exhibit No. 4 18 No. 20A . 121 MINNESOTA Exhibit No. 4 18 to direct your attention to MINNESOTA Exhibit 9 25 25 think you could show us on MINNESOTA 9 where the your attention again to MINNESOTA Number 9, 53 18 Could you designate on MINNESOTA Exhibit 9 73 11 Q. Deposition Exhibit State of MINNESOTA 20. 82 19 MINNESOTA 207 83 Q. Do you recognize I the drawing. The original MINNESOTA 20 when 83 12 in the opening line of MINNESOTA 20. 83 Do you that was attached to MINNESOTA 207 Α. I 83 14

1

MINNESOTA*

PG LN 84 in the first line of 9 85 to my colleaques as 85 10 20A. (At this time 1 5 85 Hennessy, that the diagram 85 25 Q. But this diagram you could on this drawing 86 6 107 21 to where there was tile on . 23 You'll note on 25 MR. COYNE: room. Q. 129 21 Marked on 22 .35 Q. Could you point on 22 156 here is all of the State of .67 15 Louis Park and state of 187 any well in metropolitan 11 .87 18 well in the metropolitan 101 15 7 Q. -- said to the 218 17 43 which is comprised of !18 20 The State or the at? !21 of that document from the 16 221 seeing any documents by the 221 22 memoranda, concerning the 126 you to look again at the 129 You're referring to 330 would help you to refer to 11 135 you to take a look now at 235 23 Would you from reviewing 139 Take a moment to look at 139 11 Am I correct in saying that 140 2 on this document, 241 24 If I can refer you back to 12 "untreated lumber area" on 145 253 14 you to take a look now at **253 16** in conjunction with 253 25 you to take a look at both 154 20 referring first to 258 If you'll note, Q. 258 U.S. 1. Mr. Edwards in I ask you now to look at 259 2:0 159 Q. 23 At the time when 160 department, does 164 To refer you back again to 278 22 on the 'first page of 278 2'3 over to the second page of 285 you please take a look at 15 191 the area marked "pond" on 291 1.8 of the refinery. On Q. 191 19 Exhibit Number 97 Α. On . 3.09 18 you to take a look now at , 11, please. 109 18 At the time 310 Hennessy is not looking at

MINNESOTA 207 If you MINNESOTA 20A. (At. MINNESOTA Deposition ' MINNESOTA 20A is not . MINNESOTA 20A MINNESOTA 20A just mark MINNESOTA Exhibit 9? MINNESOTA Exhibit 9 MINNESOTA Exhibit 9? !! MINNESOTA 9 to the MINNESOTA Deposition MINNESOTA commenced a MINNESOTA? No. MINNESOTA? Α. Well, MINNESOTA Pollution MINNESOTA 58 and 95 and MINNESOTA? 0. The MINNESOTA Department of MINNESOTA Department of MINNESOTA Department of MINNESOTA Department of MINNESOTA Exhibit 9 when MINNESOTA 9, please do MINNESOTA document MINNESOTA 79 and your MINNESOTA Number 10 MINNESOTA Number 10 is a MINNESOTA 10, as Mr. MINNESOTA 79. If you MINNESOTA 9? Α. MINNESOTA 80 if you MINNESOTA 80. (Ati MINNESOTA 80 and United MINNESOTA 80, when Mr. MINNESOTA 80 is dated : MINNESOTA 80 refers, to a MINNESOTA 81, please. MINNESOTA 81 was written MINNESOTA Number 81 MINNESOTA 81, Mr. Horner MINNESOTA 81 which goes MINNESOTA 81, Mr. Horner MINNESOTA Exhibit Number MINNESOTA Exhibit Number MINNESOTA Exhibit Number MINNESOTA Exhibit Number MINNESOTA 11, please. MINNESOTA 11 was written MINNESOTA 11, that it

٠.,

MINNESOTA* turn in the Exhibit book to you recall ever having seen something like that. on the first page of top of the second page of designation firehouse on the record you by examining In the middle of page the bottom of the page 3 Mr. Lauck describes Mr. Lauck is describing on the top of page 2 If you'll turn to page 5 οſ on the last page in the bottom of page 7 7 under Roman numeral IV handwriting on page 7 of it be before the date o f hand corner of page 7 o f On on that drawing. Q. , could you look now copied on the bottom You're looking Could I ask you to look you receive this document, Mr. Finch be concerned in Plus the fact that up in If you could look at ask you to take a look at The I talked with. Q. 20 Could you turn, please, Hennessy, do you recognize Yes, um-hum. Q. ΪB In the second paragraph of at the time that you wrote of the fifth paragraph in on the first page of testimony, it was that What you are suggesting I'd like you to turn now copied on the bottom of means. Mr. Hennessy, Mr. Boyle was suggesting in Mr. Hennessy, 'Mr. Boyle the problem in response to made two years earlier in -- I'm sorry. Not make two years earlier in

MINNESOTA Exhibit MINNESOTA Exhibit Number MINNESOTA Exhibit 18 MINNESOTA Exhibit 18 Mr. MINNESOTA Exhibit 18, MINNESOTA Exhibit 9? MINNESOTA 9 determined MINNESOTA 18, Mr. Lauck **MINNESOTA 18 Mr. Lauck** MINNESOTA 18 as being MINNESOTA 187 Α. " No. MINNESOTA 18 about the MINNESOTA Exhibit 18 Mr. MINNESOTA 187 MINNESOTA 187 Α. It MINNESOTA 18 Mr. Lauck MINNESOTA 18 as Mr. MINNESOTA Exhibit 18. MINNESOTA 18 Doctor MINNESOTA 97 Α. MINNESOTA Exhibit Number MINNESOTA Exhibit Number MINNESOTA Exhibit 97 MINNESOTA Exhibit 13. MINNESOTA 13? Α. Ιt MINNESOTA Exhibit Number MINNESOTA the water in MINNESOTA 24 and I'd MINNESOTA 24 and ask you MINNESOTA 24 refers to MINNESOTA Exhibit Number MINNESOTA Exhibit Number MINNESOTA 82 a reply to MINNESOTA 82 you state : MINNESOTA Exhibit 82? MINNESOTA Exhibit Number MINNESOTA Exhibit 82 you MINNESOTA Exhibit Number MINNESOTA Exhibit 82 is MINNESOTA Exhibit Number MINNESOTA 48. Did you MINNESOTA 48 Mr. Boyle . MINNESOTA 48 that an API MINNESOTA Exhibit 48 MINNESOTA 487 I MINNESOTA 13. that a MINNESOTA 13. Forgive MINNESOTA 82 that a MINNESOTA 82. Α. Yes

I was referring to

sorry.

MINNESOTA* PG .LN 145 15 you to take a look now at MINNESOTA Exhibit 30, 145 18 , did you receive a copy of MINNESOTA 30 on or about 145 In the opening paragraph of 2 C MINNESOTA 30 Mr. Finch 148 to the last, paragraph of 13 MINNESOTA Exhibit 30 149 3, 1963 as of the date of MINNESOTA 30, which is 25 149 Park. At the time that MINNESOTA 30 was written 151 to the second page of MINNESOTA 30. Mr. Finch 152 to the third page of MINNESOTA 30. Am I item 4 on the third page of 153 23 MINNESOTA 30, right at 156 20 time that Mr. Finch wrote MINNESOTA Exhibit 30? . 159 , would you take a look at MINNESOTA Exhibit 22. 159 Hennessy, at the time of MINNESCTA 22 what was 159 10 manager. Ω. Does MINNESOTA 22 appear to 160 I did. C. Does MINNESOTA 22 correct 163 to the third paragraph of MINNESOTA Exhibit 22. 12 168 15 The first line of Q. MINNESOTA 22. Α. A11 169 From your review of 0. MINNESOTA 22, doesn't it 173 25 In the final paragraph of MINNESOTA 22 Doctor 174 22 MINNESOTA 50 if you like you to take a look at 174 Mr. Hennessy, I notice that MINNESOTA 50 was carbon 175 Did you receive a copy of MINNESOTA 507 Α. I 175 MINNESOTA 50 in your 0. Did you see a copy of 177 to the third paragraph of MINNESOTA 50 Mr. Lesher 176 13 you received a copy of MINNESOTA 50. Mr. basin upon the receipt of 179 21 MINNESOTA 50? If 182 13 you to take a look now at MINNESOTA 23. A-1 1 Α. 182 recall receiving a copy of MINNESOTA 237 16 Α. MINNESOTA 23 in your 162 23 on it. Q. Was a copy of 183 , in the opening line of MINNESOTA 23 there is a 183 11 tank. Okay ., Q. Does MINNESOTA 23 refresh 183 24 on the first page of MINNESOTA 23 there is a 184 14 look on the second page of MINNESOTA 23 under the up the second page of 185 1 d MINNESOTA 23 there is a 186 -- there is a reference on MINNESOTA Exhibit 23 to 25 187 MINNESOTA 23 I see that 12 C. Mr. Hennessy, in 188 is correct. MINNESOTA 23 refresh Q. Does look at the first page of 191 **2** d MINNESOTA 23 there is a 192 I'll ask you now to look at MINNESOTA 51, please. 10 192 12 MINNESOTA 51. 51, please. Okay. Α. 192 14 you are not copied on MINNESOTA 51. Do you 192 15 any recollection of seeing MINNESOTA 51 around the 192 17 it, no. Q. Did you see MINNESOTA 51 as part of At the time of 192 21 0. MINNESOTA 51 Mr. Lesher 192 This document appears, 24 Q. MINNESOTA 51, to be 193 MINNESOTA 51 to the last you to turn to page ? of 198 24 Mr. White recommended in MINNESOTA 23 that are , did you receive a copy of 501.22 MINNESOTA 19 on or about 25 with Reilly Tar the date of 501 MINNESOTA 197 Α. I to. The final paragraph of 502 MINNESOTA 19. Here

PG LN MINNESOTA* 102 22 the Republic deep well on MINNESOTA Exhibit 9, are 1 109 you take a look, please, at MINNESOTA 907 Hennessy, did you receive 109 MINNESOTA 90 at or on the first page of 109 14 MINNESOTA 90 where Mr. railroad track would be on 110 9 MINNESOTA Exhibit 9? attention back again to 511 MINNESOTA 51, I believe? paragraph on page 2 of 511 10 MINNESOTA 51. passed between the date of 511 25 MINNESOTA 51 and date of Minnesota 51 and 111 25 MINNESOTA 90. I notice 512 2 of two years between MINNESOTA 51 and 512 between Minnesota 51 and MINNESOTA 90. you to take a look first at 113 MINNESOTA 62. 10 62. Did you receive 113 11 MINNESOTA 62 on or about 113 15 the 13th, 1970. 0. MINNESOTA 62 refers to a 113 25 that was referenced in MINNESOTA 62. 517 5 Where it says sump on MINNESOTA Exhibit 97 this pencil and mark on 518 23 MINNESOTA Exhibit 9 you mark a brown line along MINNESOTA Exhibit Number 519 16 519 24 generations looking at MINNESOTA 9. line that you marked on 320 MINNESOTA Exhibit Number 3 right at that point on 320 20 MINNESOTA Exhibit 97 521 1 Um-hum. 0. -- on MINNESOTA 9? 549 States Exhibit 28 to a MINNESOTA water 11 155 brought by the State of MINNESOTA in State court 5 155 Minnesota in State court in 6 MINNESOTA? 563 Chemical to the State of MINNESOTA 23 564 direct your attention to MINNESOTA Exhibit Number 2 Tar's answer to State of MINNESOTA'S 166 13 MINNESOTA Exhibit 19. 577 15 refer you, Mr. Hennessy, to right? And I refer you to 599 8 MINNESOTA 18 where I MINNESOTA 9. 500 indicated on the milar map, 25 Tar's answer to State of 504 18 MINNESOTA Interrogatory 10 119 Q. If you'd refer to MINNESOTA Exhibit Number This would be 523 22 MINNESOTA Exhibit Number 524 (At this time MINNESOTA Deposition Park. PC LN MITCHELL* Do you recall if Mr. 77 16 0. sure it would have been Mr. 122 20 222 22 Q. Do you know where Mr. 123

other than yourself, Mr. 11 12 3 is a document from Mr. , were you familiar with Mr. 17 ? A. Oh, yes, I knew Mr. is. Q. -- drafted by Mr. 1 , would this document by Mr. 149 14 the opening paragraph Mr. up the figures that Mr.

MITCHELL worked on this? MITCHELL who would have MITCHELL is now? A. MITCHELL and Mr. Horner MITCHELL to Mr. A. E. MITCHELL? A. Oh, yes MITCHELL May 1, 1940. MITCHELL --A . MITCHELL refer to the MITCHELL gives figures MITCHELL gives for the

A.

Mr.

A.

Did you

MS.

Thank you

Yes.

A.

248

148

148

149

149

MITCHELL* PG LN 19 event, this indicates Mr. MITCHELL indicated a --250 sentence. I believe Mr. MITCHELL says that the 250 21 MITCHELL'S memo under 263 21 which is mentioned in Mr. MITCHELL here indicates same thing. And Mr. 263 24 1 Q+ PG MOOTZ * LN Which is what? ' A. 129 F. J. MOOTZ. F.J.M. MOOTZ' handwriting. 130 7 of Minnesota 18 as Mr. Doctor 330 handwriting. A. Doctor MOOTZ. Q. MOOTZ? Α. Um-hum. 130 10 Doctor Mootz. Q. Doctor MOOTZ frequently visit 330 12 your knowledge did Doctor 130 21 indicate to you that Poctor MOOTZ had visited the MOOTZ whose handwriting 7 of Minnesota 18 Doctor 331 7 recommendation by Doctor MOOTZ was about? 332 15 MOOTZ was not an it's "keep". Doctor 332 Α. 134 for T. E., Reilly, F. J. MOOTZ and H. L. Holstrom 14 stationery from F. J. MOOT2 to II. L. Holstrom 351 10 MOOTZ at this time head 351 that at all. Ç. was Mr. 14 MOOTZ was the Reilly Tar? Doctor 351 16 λ. 351 to, be a document which Mr. MOOTZ would have --2 2 MOOTZ would have written 352 to be a document which Mr. 15 numeral 1. There Doctor MOOTZ states that, 352 Do you understand Mr. NOOTZ to be referring 352 19 5 As I say, Doctor MOOTZ was no engineer. 353 system. MOOTZ' terminology here. 353 I don't understand Doctor 17 MOOTZ refers to an 354 22 numeral 3 in which Doctor MOOTZ had his doctorate 356 , do you know what Doctor 20 357 When you say Doctor MOOTZ was no engineer MOOTZ dated July 31, ; 357 20 from H. R. Horner to F. J. MOOTZ' position? A . . 159 Minnesota 22 what was Mr. 159 11 a document written by Mr. MOOTZ in the course of MOOTZ states that, the middle sentence Doctor 159 15 NOOTZ here referring to 159 Do you understand Doctor 19 MOOTZ is right in saying 160 Do you believe that Doctor MOOTZ is incorrect when 161 you believe Doctor 18 Doctor MOOTZ states that the 163 12 Exhibit 22. MOOTZ is not accurate in 163 19 reason to believe that Mr. MOOTZ' statement is ... So to your knowledge Doctor 163 24 MOOTZ' 164 you to believe that Doctor statement that 16 MOOTZ' you to believe that Doctor statement was ... 164 23 MOOTZ goes on to say of it. 0: Doctor 167 Exhibit Number 22 Doctor MOOTZ refers to a call 168 MOOTZ as reporting 168 Do you understand Doctor a phone call because Mr. MOOTZ' office was in the 168 doesn't it appear that Mr. MOOTZ is speaking on the 169 Thank you. Doctor MOOTZ says that the 169 10 MOOTZ refers to skimming of Minnesota 22 Doctor 174 MOOTZ as the production 175 Mr. Lesher succeeded Doctor 1 d

You knew

PHENOL out.

PHENOL was in there.

Newark, New Jersey, we took

of them. O.

113

213

Yes, I

PHENOL* PG I.N at that time in designing a 222 14 involved in designing the 122 18 might have worked on that 223 with anyone about how the 223 15 223 19 I can't remember when that 224 10 your understanding was the 224 25 See, we never extracted ?25 without going through the 225 that's correct, yes. 125 lab did any testing on 225 10 Did you ever work on Ω. !25 13 company where we extracted ?25 Decause that's where our 18 ?25 25 They were selling the 237 25 building where the 238 would be extracted in the 238 oils which contain some 10 And of course, :38 11 phenol. 238 that was also used for 13 138 25 system? . λ. After the it definitely went to the 239 249 take your dissolved oils or 11 ?51 would be operating at the 251 you testified that the ?51 in order to remove 251 17 planning on extracting the a proposal for adding on a 251 20 and does not refer to a 251 21 was -- well, extraction of 252 you don't know whether the 252 17 272 21 replace the tar acids, the 134 the problem was oil, 10 505 reported the presence of 505 experience would you expect 505 But I know there is 12 is also - yes, there is 305 13 505 13 there is phenol, natural 505 that because there is 15 305 16 bog there would also be 505 22 for the presence of 505 25 In 1933 at the time these 506 contain or éliminate the 510 16 which establish the 510 18 June 1933 there were also 510 21 mentioning the presence of 511 we know that there was some 511 16 That's right. Q. 511 18 the concentration. 511 19 get balls or slicks of

PHENOL extraction tank -PHENOL --Α. That I PHENOL extraction tank PHENOL extraction tank PHENOL extraction tank PHENOL extraction tank PHENOL anywhere else but PHENOL extraction tank? PHENOL extraction tank PHENOL extraction during PHENOL extraction PHENOL, the only places PHENOL formaldehyde PHENOL? Α. I think PHENOL would be PHENOL extraction tank. PHENOL. And of course. PHENOL would be PHENOL extraction. Q. PHENOL was extracted. PHENOL extraction tank. PHENOL and other oils PHENOL extraction tank PHENOL extraction tank PHENOLS from byproducts PHENOL from those waters PHENOL tank and does not PHENOL extraction tank PHENOL is part of your PHENOL tank was used for PHENOLS and the other PHENOL and temperature, PHENOL in water PHENOLS to be present in PHENOL in swamps and PHENOL, natural phenol. PHENOL. Q. But if I PHENOL in the peat bog PHENOI, in water drawn at PHENOLS in the well as PHENOL results were PHENOLS? Α. In 1933 PHENOL concentrations as PHENOLS present in the PHENOL in the water that PHENOL contamination of PHENOLS also cause PHENOLS are very, very PHENOL. They would be

Would

PHENOL* PG LN i 1 2 0. Would concentration of PHENOL at that level oil as distinguished from 512 10 PHENOLS, is that right; 512 presence of oil rather than 14 PHENOLS. Oh, yes, Α. 517 13 steam mains. 0. Viould 'PHENOLS contribute to. 517 I don't know. 16 PHENOLS would be -- I a minute. 17 -- I don't know. PHENOLS would be a. Because I'm sorry. 518 .02 gallons of PHENOL. And then .you've 518 11 would be .01 gallons of PHENOL if it was .01 ppm 118 19 water, tar in the water, PHENOLS in the water. PG LN REIERSCORD* 551 '762 Α. To talk to Mr. REIERSGORD. 0. In 351 were you talking with Mr. REIERSGORD? MS. PG LN REILLY TAR EXHIBIT* 126 line that you drew on REILLY... Number REPUBLIC* PC LN 83 10 It has in the corner a REPUBLIC Creosoting .84 22 that the one identified as REPUBLIC deep well on :85 See that in big words 1 "REPUBLIC deep well"? .85 25 would be with regard to the REPUBLIC deep well only? 186 22 , as I said before, is that REPUBLIC deep well. 205 5 well water you mentioned a REPUBLIC deep well and ' 248 14 303040 and appears to be on REPUBLIC Creosoting 253 23 11, 1951 and appears on REPUBLIC Creosoting 254 15 to be ordinary Reilly and REPUBLIC Creosoting 199 -風 February 2, 1955 and is on REPUBLIC Creosoting 351 to be a memorandum on REPUBLIC Creosoting 302 16 COYNE: Would that be the REPUBLIC deep well? Α. 502 19 Yes, that's the letters. REPUBLIC deep well. 502 You're referring to the 21 REPUBLIC deep well on j 64 we've been referring to the REPUBLIC deep well and 564 REPUBLIC deep well, was 16 0. The other well, the 564 22 with the use of the REPUBLIC deep well. My 564 23 understanding is that the REPUBLIC deep well was 565 through the use of the REPUBLIC deep well, 568 17 for water production at the REPUBLIC deep well. 570 12 be the location of the REPUBLIC deep well, 570 14 That is the location of the REPUBLIC deep well, yes. the water supply for the 572 15 REPUBLIC deep well you 573 water was 'taken from the 14 REPUBLIC deep well we have water from the 573 22 REPUBLIC deep well going 574 2 the water supply from the REPUBLIC deep well 578 13 is that in water from the REPUBLIC deep well to 15 withdrawn instead from the 579 REPUBLIC deep well.

REPUBLIC* PG. LN REPUBLIC deep well and 380 connection between the 582 at the time, failure in the REPUBLIC deep well pump. connection between the REPUBLIC deep well and 582 18 We've discussed the REPUBLIC deep well and, 2 2 588 0. REPUBLIC deep well was 589 or in conjunction with the far as you know, then the REPUBLIC deep well did 189 to provide water from the REPUBLIC deep well? 390 14 REPUBLIC deep well to : going directly from the i 9 1 1.8 592 direct connection from the REPUBLIC deep well and 597 providing water from the REPUBLIC deep well was 13 599 providing water from the REPUBLIC deep well was REPUBLIC deep well was Oh, okay. 500 11 C. --My questions pertain to the REPUBLIC deep well which 504 21 RODER* PG LM RODER'S memo which is 566 to appendix F, this is Mr. 12 21 did you confer with Mr! RODER concerning its 166 that paragraph that Mr. RODER advises that at 36B I believe it's in RODER'S letter here. 574 here. sure I don't know. Mr. RODER I quess somehow or 206 for facts like Mr. RODER did here. This 308 What's Mr. RODER'S background? . A. $Q \leftarrow$ 509 Mr. RODER is a graduate 509 background? Α. Which was? Oh. Mr. RODER is young. 109 Α. Perhaps going back to Mr. RODER for a minute, you. 509 I don't know that Mr. RODER has ever worked on 510 Is it Mr. RODER? Α. brain. 'n. Mr. Roder 1 C it Mr. Α. Mr. RODER has worked on coal 510 Roder? You'll note in the Park. RODER attachment 510 15 second page of Mr. RODER'S memo appendix F. 517 25 of the RODER'S letters ... I think Mr. 526 15 tools? Α. I believe Mr. RODER dug the document 527 the game. materials referenced in the RODER memorandum and he 527 RODER in the course of . of material gathered by Mr. 528 the document referenced by RODER. We'll also 528 18 pulled together by RODER from which he 528 22 I don't know what RODER looked at 529 of documents which Mr. RODER had assembled 529 13 RODER looked at. ·I've 529 18 a bundle of documents that RODER went through the 529 2 d , this is hearsay, that RODER knows if all of . 530 you to ascertain as far as PG LN RYAN* RYAN was president. I don't know. 1 .49 Maybe Mr. RYAN is carbon copied? the bottom that Mr. T. J. 23 .54 155 of the company, Mr. T. J. RYAN was chief accountant., And if Mr. RYAN was president of .55

RYAN* PG LN McAdams was -- well, if Mr. RYAN was president. 155 12 If Mr. correct. Q. RYAN was not president .55 15 believe Mr. Reilly and Mr. RYAN was. I don't know 155 20 , 1970 memorandum from T. J. RYAN to R. J. Hennessy. 544 19 PG LN SAINT LOUIS PARK authority · Civil No. SAINT... Oak Park 1 10 City of SAINT... 1 13 Defendants. and SAINT... City of EDWARD J. .. 2 12 660 SAINT... 20 Exhibit No. 49 4 No. 117 4 21 Exhibit No. 49 184 SAINT... Exhibit No. 50 did you work on at the SAINT... plant? 23 8 λ. project I worked on at the SAINT... plant was the 9 23 SAINT... plant? Α. 23 15 did you work on at the you can remember doing in 21 SAINT.... Α. Well, 23 SAINT.... · Those were too many projects at 24 1 Before I ever went to 7 SAINT.... Probably 24 I that you put in lines at SAINT.... Λ. 28 20 about or concerned in at SAINT...? A. The 34 17 became involved with the SAINT... property still 37 that you worked on in the SAINT... sites? A. 41 11 projects that you did at SAINT...? A . The 42 18 SAINT... over the years 44 you got involved with at SAINT... site? 47 17 the settling basin at the Α. 47 SAINT... about the 21 with anybody while at separator, had he been to SAINT... and seen the 48 7 I can't 10 nature of the drainage at SAINT...? Α. 48 Was this a graph based on SAINT... drainage or is 49 3 Yes. At SAINT...? Α. 49 the sewer, yes. 11 Q. 52 3 of enamel in the tanks at SAINT...? Α. No. SAINT.... What kind of coming through the sewer at 53 11 concrete. Q. The one in SAINT... was made out of 77 23 one that 'you' designed for 78 SAINT...? Α. Oh, yes very well. The one for SAINT... I couldn't tell 78 15 14 that you designed for SAINT...? Α. Well. 80 SAINT...? that was installed in Α. 88 23 SAINT... basin for less said that you, designed the 1.9 90 SAINT... in any other one that was installed in 93 1 SAINT... separator you' 23 engineering work on the 93 that was installed at SAINT...? Α. Well, 95 22 **A.** SAINT... plant? 96 21 to treat crossties at the you speaking of the one in SAINT...? Q. The one 97 25 98 Park? 'Q.' The one in SAINT.... I'm sorry. heavy oil coming into the SAINT... separator had 8 98 SAINT..., but that's the 98 2 l never saw them clean one in as the one you designed at SAINT...? Α. 99 3 SAINT... for the first 99 2.5 at it, when you came to to

J

I'd like to show you now

.9

.02

SAINT... Exhibit Number

SAINT LOUIS PARK PG LN 103 rate of drainage from the SAINT... facility around oil-water settling basin at · SAINT... in operation? .. 04 2'0 I never saw that at SAINT.... 16 At .05 I never saw it at SAINT.... 20 or not. Q. .05 Did when you first saw it at SAINT...? .05 22 Α. When I Well, I was SAINT... probably ten 6 Α. .06 was put in there, put :07 13 SAINT...? Α. Some of your various trips to SAINT... and your .10 1.6 120 8 rain that whole area of SAINT... drained into 9 mostly used on ties at the SAINT... plant was first .30 it out we will but it was SAINT... Exhibit 43 and :42 21 .43 8 your visits to the plant at SAINT..., the occasions 17 work order relative to the SAINT... facility and 146 a telephone call from the facility, would .46 19 SAINT... here. (At this time Deposition .48 SAINT... 11 for identification as .48 SAINT... Exhibit 49. 19 .48 to an appraisal of the SAINT... plant? .49 buyer could be the city of 16 . SAINT... or any other 149 is a sale of property to 22 SAINT... or a developer fair market value for the SAINT... plant property 154 15 Mr. Reilly, had deeded to 154 SAIUT... years ago. Ιt (At this time 156 welcome. SAINT... Deposition 156 at what we've marked as SAINT... Exhibit 50. 15 We're talking about the .57 SAINT... facility? The 157 16 memo is in regard to the SAINT... facility? Α. 20 .57 that the settling basin at SAINT ... was designed in :57 21 Α. No. The basin at SAINT... was designed in 9 and wanted one like it at .58 SAINT... and he wrote a :59 of the drainage water at SAINT...? A. No, I. 16 .59 the settling basin at SAINT...? Q. Yes. 23 try to limit myself to the : 59 SAINT... facility. Α. .59 25 Park facility. Α. Oh. SAINT.... Well, no. 19 involvement relative to the 164 SAINT... plant, if any: involvement relative to the SAINT... facility? A. 165 15 SAINT...? of the facility at You're 166 Α. You're talking about Only. 166 Α. SAINT...? Q. Only. Α. No. Not for 166 SAINT.... Q. . The ٤ from the Reilly plant in .66 SAINT...? Α. Yes, it October of 1970 the city of 167 14 SAINT... and state of .69 19 the 80 acres of the Reilly SAINT... facilities do of the settling hasin at .75 6 SAINT..., was there? .75 25 of the atraw filter at the SAINT... facility. I SAINT... facilities am I .77 times that you were at the 10 being discharged onto the SAINT... facilities 178 16 181 23 1972 the plant property in SAINT... was sold to the .81 was sold to the city of Just for a 24 SAINT.... April of '72. Other than SAINT... Exhibit 49 182 with the city of SAINT... for the .82. SAINT... Exhibit 49? limited to that appraisal, 182 17

SAINT LOUIS PARK PG LN .82 21 between the city of .83 10 previously been marked as 15 transcript of a session at .83 water supply of the city of .86 14 :87 of the Reilly plant in В 17 of the Really facilities in .87 13 788 water supply of the city of of wells in the city of .89 16 .90 G Let's put this Q. 8 .91 did the same thing .92 6 For the record that's 17 .92 to water pollution at .95 10 to the quality of the .95 12 of the Reilly plant at .95 14 of any threats to the 17 .95 drinking water supply at :95 24 Reilly tar operations in 3 .96 processes of the plant in 9 .96 looking at the residents of .96 11 know too many residents at the first two pages of that :96 22 100 18 Let's look at a C. 5 202 7 Α. You mean for the 202 20 or end products of the 103 No, at 14 a little story. 5 104 work would you assume that 204 14 that you'd assume that the 104 would be that the 24 5 110 it. I show you 110 8 to close the facilities at 110 14 the Exhibit as to why the !12 1 outside and including the ?13 1 any of this material at 25 !15 drinking water supply at 18 116 the wood treating plant at 21 217 think that they steamed at 218 16 This is I think 118 21 The entire composite. 216 24 that appear later on in 1 !19 to the third page of 221 17 about the effluent from the in the effluent from the :21 24 224 4 When I first went to the !25 15 Chicago, but we also did in one of the attachments in !26 8 8 the oil-water separator at !34 236 6 the drainage ditch at the 16 137 on a monthly basis at the into the drainage ditch at

237

22

SAINT ... and Reilly Tar. SAINT... Exhibit 4. SAINT... before the City SAINT.... Α. I saw SAINT ... it had SAINT... it did not SAINT..., was the SAINT...? Α. I had SAINT ... Exhibit 4 away. SAINT... ala. Thev SAINT... Exhibit 50? SAINT... in the second SAINT... drinking water SAINT...? Α. No. SAINT... drinking water SAINT... as a result of SAINT...? A. No. SAINT... would present SAINT...? A. Well. SAINT..., but the ones I SAINT... Exhibit 43 that SAINT... Exhibit for a SAINT... plant? 0. SAINT... plant? Α. SAINT ... I did not. SAINT... would be of SAINT... facility was SAINT... facility would SAINT... Exhibit 45. SAINT.... Yes. Α. SAINT... facility was SAINT... plant? Α. SAINT.... We never SAINT...? Α. No. I'm a little SAINT.... SAINT.... But I could SAINT... Exhibit 43 SAINT... Exhibit 43 is. SAINT... Exhibit Exhibit SAINT... Exhibit 43, SAINT... plant during SAINT... plant during SAINT... plant in 1951 SAINT.... Okay. SAINT ... Exhibit 43. I 'would SAINT...? Α. SAINT... plant. Were SAINT... plant? Α. SAINT...? A. This

SAINT LOUIS PARK PG LN byproducts department at SAINT...? 142 Α. That's 146 16 Yes. Q. -- at SAINT...? Α. Um-hum. basin installed at the 247 SAINT... plant might not disposal waste, water at the !49 SAINT... plant at that ' 149 15 for waste water from the SAINT... refinery and 150 8 operations at the SAINT... plant, that have been installed at the 152 SAINT... plant was that 253 or not it was used at SAINT.... If you 155 1951 of an interest by the SAINT... plant in that you designed than the SAINT... basin? 255 11 yesterday showed that the 255 SAINT... basin was 14 18 He was plant manager of the 255 SAINT... plant. Q. 256 1 d Larkin about anything at SAINT.... Q. Later !57 19 system that leaves the SAINT... plant." Would 258 15 ask you to construct for SAINT... an oil-water 12 160 Larkin was plant manager at SAINT...? Λ. That's You're talking about !61 SAINT..., yes. 0. 162 , yes, um-hum. Q. At the SAINT... plant. In 25 proceeds through in the 163 SAINT... waste system at SAINT... oil-water 165 8 regularly going through the 169 22 water coming out of the SAINT... plant or did it 170 put the straw filters in at 1 SAINT.... So I would 27 E eliminating the problem at 15 SAINT... in exactly the 274 23 say the sulfate water at SAINT... and the 175 it and tell him to do it at He assumes SAINT.... Reilly plants including 276 11 SAINT..., is that a 176 24 the straw filter for the SAINT... plant? questioning we'talked about 178 SAINT... Exhibit 43 and ?78 of flow sheets attached to SAINT... 43, sheets SAINT... 278 oil and water separator at Α. You're 178 that the design of the 14 SAINT... separator was 180 the oil-water separator in SAINT...? A . ' I don't was designed at the , i 183 SAINT... plant? 183 10 Louis Park plant? SAINT... had a straw filter was changed at 183 23 SAINT...? A: At 25 Saint Louis Park? 183 At SAINT... no personal 285 21 the laboratory. 0. Αt SAINT...? Α. Αŧ 22 Saint Louis Park? 185 At SAINT.... I don't know Α. 286 the byproducts operation at "Has a SAINT..., quote, to the drainage ditch at SAINT ... that we 386 19 286 the drainage ditch at the SAINT... plant? Α. 187 that was coming from the SAINT ... plant was 388 problems at boilers at the 16 SAINT... plant? Α. SAINT...? 189 you had with the boilers at When Α. 190 13 the two boilers at the SAINT... plant in terms that time did you go to the SAINT... property 195 2 d 199 12 that had connection with SAINT.... But I didn't 100 a work order to provide the SAINT... boilers with a 303 was the plant manager at BAINT.... 0. Mr.

SAINT LOUIS PARK PG LN 103 1 2 identifies the open pond at SAINT... as having used for boiler water at 104 17 SAINT...? A. I know 107 I first knew anything about 24 SAINT ... which was. 108 17 was city water put in at SAINT..., I would have 109 15 was put into the boiler at SAINT...? Um-hum. Α. 311 regard to the boilers at SAINT...? λ. Yes. 313 believes that the pond at SAINT... was 317 22 that Mr. Lauck was at the SAINT... plant doing 125 13 A. Um-hum. -- at Q. SAINT.... A. What's 130 13 Mootz frequently visit the SAINT... plant? A. 331 date that the city of SAINT... built the 7 134 after his visit to SAINT...? Α. Yes, 134 11 reports on equipment at the SAINT... plant? A. 135 3 discussing this morning at Yes, SAINT...? Α. he 135 12 plugs in this water main at SAINT... plant? A. 1 140 17 his investigation of the SAINT... plant about 141 was ever instituted at SAINT...7 Yes. Α. it 142 2 same maintenance system at SAINT.... Q. But 142 Was Mr. Peters at Q. SAINT...? Mr. Α. 142 ? Α. Mr. Peters was at SAINT..., yes. 0. was Mr. Peters' position at 142 14 SAINT... at that time? at the time manager of the 151 19 SAINT... plant? Λ. 152 21 which you designed for SAINT...? · No. 153 system that you designed in SAINT..., the oil-water 353 which you designed at SAINT...? Α. I don't 153 21 that you designed at SAINT... -- or rather 153 that you designed at 24 SAINT..., would that 355 that was designed at SAINT.... Would this 156 11 emulsions were present at SAINT... at any time 159 24 pitch storage tanks at the SAINT... refinery? 361 second design installed at SAINT...? Shortly Α. 163 14 refer to steam lines at the SAINT... plant. Wero 165 for wood treating at the SAINT... plant were 166 13 in the cooling pond at the SAINT ... plant. Do you 166 16 in the cooling pond at the SAINT... plant? A. I pitch blending operation at 1.68 13 SAINT..., is that 368 19 pans that you designed at SAINT...? Α. Correct 369 1 of those samples from the SAINT... plant? 15 374 headers at both ends of the SAINT... refinery and 176 11 even the condenser pans, at SAINT... were covered. the waste water system at 379 25 SAINT... came up? A. 038 waste water problems at 6 SAINT...? Α. I 180 the settling basin at 11 He's SAINT...? Α. the settling basin in 180 16 SAINT... on the first the effluent came out of at 384 23 SAINT... or came into in the refinery area at 189 SAINT...? Α. In the 21 193 for the ground tanks at SAINT.... A. Correct 194 10 these tanks ever reused at A. SAINT...? No, I'm A. Yes. 395 at' --Q. SAINT...? Α. Um-hum.

41 ***

PG LN SAINT LOUIS PARK of any stills exploding at SAINT...? 198. A. No. No. Not at Park? Α. SAINT.... 198 Q. Do you 198 kind in any other part of SAINT...? They Α. 103 17 any other explosions at SAINT...? Α. I 103 25 besides the pitch tank at SAINT...? Α. No: I 114 8 7 to the south of Reilly's SAINT... property. anything about rainfall in 116 24 SAINT..., but it would That should have been like 123 10 SAINT.... Maywood's 124 handled more water than the SAINT... basin. 12 flow of water than the 124 SAINT... basin? Α. 124 14 much larger plant than the SAINT... plant as far as 124 20 one that was already at SAINT...? Α. Well. 125 would have been built for SAINT... and it would 16 126 the ground. Q. The SAINT... basin was one I don't 126 13 that you were proposing at SAINT.... Α. 127 like Maywood's be built at And by high SAINT.... SAINT ... I don't know. 126 high it would have to be at 15 128 was already in existance at SAINT...? Α. That is 128 20 basin. Was water at the SAINT... plant not the bottom of the basin at 129 13 SAINT...? Α. Well. 129 24 6 inches off the bottom at SAINT...? Α. Ιt 130 17 bottom than it was at the SAINT... settling basin? 130 25 than it was at the SAINT... separator? 131 might be installed at SAINT... have a hopper 131 had been installed at SAINT.... Α. That is 131 12 82 ever installed at SAINT...? It was Α. 131 18 basin not installed at SAINT...? I don't Α. 132 a new settling basin at SAINT... at this time? 133 oil-water separator at SAINT...? Α. That's 135 17 plant be installed at SAINT...? A. Yes. 135 21 the contaminant problem at SAINT ...? I think Α. 136 be installed in the 10 SAINT... plant ever 136 2 d separator be installed at SAINT ...? I'm sorry. 137 SAINT... 1 2 was the plant engineer at Ω. In the 139 at the Reilly facility at SAINT... which pumped 141 SAINT... facility at pump that was in use at the 141 11 as being in use at the SAINT... property have 142 the pump that was in use at SAINT...? Α. No. 144 only one explosion at SAINT.... Correct Α. 144 which I thought happened at SAINT... is this 144 Α. Yes. Ω. -- at SAINT...? A. 1 145 22 in trenches in the SAINT... refinery. Are 149 24 had not been available to At the time SAINT.... 150 was not available to the SAINT... plant during 150 11 there a plant engineer at SAINT ... during that 150 was a plant engineer at 14 SAINT... and when he did Mr. Paul White start at 150 16 SAINT...? A. I don't 150 23 become familiar with the SAINT... refinery 151 1 2 that you worked on at SAINT... in eliminating

LN SAINT LOUIS PARK PG I did not personally go to 151 17 SAINT... and work on 151 24 that you had done at SAINT ... was to work on 156 19 was a public issue in at the time SAINT... 156 2.5 ground contamination at the BAINT... plant in 1967? 157 10 ground contamination in SAINT ... about the -- . 1 2 Park about the --In 157 SAINT... in'677 O. 159 17 enters the settling pond at SAINT... and contributes the boiler blow down at 159 24 SAINT... went into the didn't do it. I wasn't at 161 SAINT... at the time. 168 6 was plant manager of the SAINT... plant? Α. 172 in the '60's the city of 11 SAINT... had a flood in 173 floods that effected the SAINT... plant happened 175 13 refers to a visit to the SAINT... plant during water pollution problems at 175 19 SAINT.... All I know 176 of the settling hasin at SAINT...? Α. I would 3 176 say the settling basin at SAINT... which was built 183 of water pollution at SAINT.... What work 183 water pollution at SAINT... at this time? 185 13 that you designed at Yes. SAINT...? A. 192 2 plant effluent at Α. SAINT...? No. I 193 that the settling basin at SAINT... was in poor 194 6 basin that you designed at SAINT... break easily or water pollution problem at 196 14 SAINT.... In your 196 17 of water pollution at SAINT...? Λ. This 196 23 water pollution problem at SAINT...? They Α. 197 14 separator ever installed at SAINT...? A. No. 197 17 Park? No. The SAINT... plant did not 0. 502 11 to the deep well in the SAINT... property? Α. 108 There again --Q. -- at SAINT...? A. I think 509 15 the waste ditch at the SAINT... plant and 509 was considered the road at 21 I don't SAINT...? Α. 513 17 of soil conditions at the SAINT... for possible ;13 18 connection to the city of Do you SAINT.... 114 19 considering installing at SAINT...? , A. Correct 521 the proposed hookup to the SAINT... water system? 522 -- of soil by 11 c. SAINT...? Α. Um-hum. i 26 **Ì**4 never installed at SAINT... plant? Α. 527 25 by Paul White for the SAINT... plant. 32B read who's. Maybe it says I don't know Ü SAINT... ;28 15 with the existing tanks at SAINT...? Α. I don't 531 19 used in the boiler at the SAINT... plant. Do you 331 22 water in its boiler at the SAINT... in September 532 boiler in September 1969 at 11 SAINT...? Α. 534 2 -- I couldn't swear that SAINT... tanks -- that ;34 11 are you talking about specifically? SAINT... to Reilly plants not 134 21 SAINT... specifically? 137 by the API in 1965, the SAINT... plant was **i37** by API in 1965, the ·SAINT... tar storage 17 refineries. 0. Has the SAINT... facility in 138

PG LN SAINT LOUIS PARK 138 other standards was the 1.3 SAINT... not in 538 21 scrubber installed in the SAINT... plant? Α. 541 there to a scrubber at SAINT... plant. Was 13 for a pollution survey of 543 'SAINT... from Pollution 544 survey of air pollution at SAINT... or water 544 Park or water pollution at SAINT... at this time? i 4 4 23 25 about you visiting the SAINT... plant in 1970. 544 24 recall ever visiting the SAINT... plant in 1970? 546 an Edens separator at the SAINT... plant? Α. 547 19 under the heading SAINT... Do those 547 21 system in existance at SAINT... at the time 149 14 waters below the Reilly Tar SAINT... plant has i 5 O · 6 creek is. Everybody at SAINT... that I talked 550 16 plant had been raised and SAINT... had built some 550 20 When was the visit to SAINT... following the Q. **i51** Why did you go to SAINT... in 1975 or '76? 552 18 being discharged by the SAINT... plant? A. i 56 What was done at the 10 SAINT... refinery in the 557 8 that were conducted at SAINT... which you of course, for this site in 165 SAINT... ground water 565 21 about facilities away from SAINT...? Right 0. 565 2 2 ο. Right. Other than SAINT.... A. Oh, 166 SAINT... facilities was what is the reason why the 166 17 wells in the city of SAINT.... Α. 584 21 But all the time I was at SAINT... we never got ;93 24 in the vacuum line at SAINT.... Now, Doctor j95 24 given the piping at SAINT... to have some 396 25 whether elevations at SAINT... are 400 or 500. 503 23 in loading tank trucks at SAINT.... I had 510 14 at the Reilly Tar in SAINT.... You'll note 513 the Reilly Tar facility at SAINT ... experience red SAINT.... 513 2 2 of any boiler explosions at I won't say 119 Was that a problem at the SAINT... facility? 519 in which the boilers at SAINT... puked. Now, I 524 It was obviously written at SAINT.... (At this 526 17 stack of stuff on wells in SAINT ... including that 31 Since this was at SAINT... and I knew very Α. 531 8 I know very few people at SAINT..., I told you all 531 air lift manufacturer in 1 a SAINT ... that might have PG LN STATE* 1 Plaintiff, and STATE of Minnesota, by 23 1 for the County of Hennepin STATE of Minnesota. 2 of Plaintiff-Intervenor, STATE of Minnesota. 2 20 Director, Mississippi STATE University, Forest 2 2 Q Box 552. Mississippi STATE, Mississippi 82 19 Deposition Exhibit STATE of Minnesota 20.

STATE, yes.

Q.

So

early stage of his emeritus

L43

127

22

STATE* registered engineer in any Yes, I am. 0. What believe at that time the accurate summary or general , an accurate general notebook here is all of the have been marked as about 80. λ. 80. 0. for a moment. Here's Λ. would accept. Ç. City, agencies, whether city, the documents included in of Saint Louis Park and Mr. Hennessy, let's look at at State Exhibit 20. A. basin referenced in With reference to Q. as Republic deep well on the 1930's there would be Q. Let's look at We reported to the 50? MR. HINDERAKER: right. Let's turn to Q. time and we'll look at this No. Let's look at 0. at State Exhibit 13. Α. Q. Would you look at Why don't you pull out

was being done because the mean this area below where where? Α. Where it says ? A. . Yes. Between what he meant by that In paragraph 3 he plant. to Minnesota 81, Mr. Horner So you'd agree with that ? Is it then a correct з. Go ahead. Is that MS. COMSTOCK: Can you Park, is that a correct goes to Eagle Creek. The I believe he works for the to determine whether your COMSTOCK All right. outside of the building and Does this deteriorated.

doubt the accuracy of that,

are you looking at?

separator about the

STATE? Α. Yes, I am. STATES? Indiana. Α. STATE had engineers STATEMENT, an accurate STATEMENT, to say that STATE of Minnesota STATE Exhibits. STATE 80 just for a STATE 80. llave 0. STATE or any STATE or otherwise, did STATE Pxhibit 21E. And STATE of Minnesota STATE Exhibit 20. A. . STATE Exhibit 20. Q. STATE Exhibit 20, was STATE Exhibit 9 can you STATE Exhibit 97 STATEMENTS made that STATE Exhibit 48 for a STATE of Ohio for a few STATE 50. I'm sorry. STATE Exhibit 58. STATE Exhibit 58 for a STATE Exhibit 13. STATE Exhibit 13. A11 STATE Exhibit 82, please STATE Exhibit 83 here. STATE or the Minnesota? STATE'S interest in STATE was objecting to STATE Highway 7 is STATE Highway. STATE Highway and Lake STATEMENT? Α. "Shortly STATES that, "The STATES that, STATEMENT? Α. Yes. STATEMENT that where you. STATEMENT to your STATE again which STATEMENT? A. Oh, STATE says this is okay STATE of Indiana. STATEMENT that city STATE your question. STATES that these STATEMENT agree with STATEMENT? Α. I have

The

132

doubt the accuracy of the indicates that -- well. "2. Water" Mr. Lauck any reason to believe that valve wide. ' This is all There Doctor Mootz make a disposition -wanted to get an accurate you now to take a look at , I note on the bottom of Do you recall receiving The opening two lines of on your reference now to 7, 1958, the date of order. 0. Mr. Reilly in the basis of referring to portion of the document immediately from the solid solid state to the vapor or whether he went to the 0. Mr. Finch in the you now to take a look at Finch, do you recall seeing ' "Waste Water" Mr. Lesher would you agree with that ? Α. Where is this Would that be a correct full paragraph on page 5, a couple of paragraphs on referring to page 2 of Mr. Lesher goes on to 9 through 12. And he Park property. Is that of Minnesota 82 you is a swamp." You further know any reason why that You further Q. doubt the accuracy of those from the plant." Is this This is an accurate yes, this is an accurate street through. Q. You Ç. You state in in the fifth paragraph of You go on further to settling basin," used in the proposed basin in paragraph of page 1 of of the first page of

STATEMENT because Mr. STATES that, "After hard STATES that, "Plant STATEMENT is inaccurate? STATE-OF-THE-ART because "You should STATES that, STATES to Mr. Holstrom STATEMENT. Λ. STATE Exhibit 15. STATE Exhibit Number 15 STATE Exhibit 157 STATE Exhibit 15 refer STATE Exhibit Number 15. STATE Exhibit 9? STATE Exhibit 9 says ·STATE Exhibit 15 that STATE Nr. Gruenhagen's STATE to the vapor state STATE. Naphthalene STATE library or where STATE Exhibit Number 16 STATE Exhibit Number 3, STATE Exhibit Number STATES that, "The STATEMENT? Where λ. STATEMENT now? "The I'm taking STATEMENT? STATE Exhibit Number STATE Exhibit Number STATE Exhibit Number 3, STATE that, "These STATES that, "We are STATEMENT correct to STATE that, "Mr. STATE that, "The Reilly STATEMENT of yours is STATE going down another STATEMENTS? Α. No. STATEMENT based on your STATEMENT? Α. 1 STATEMENT. 0. What STATE in State Exhibit STATE Exhibit Number 82 STATE Exhibit Number 82? STATE that water from STATE Exhibit Number 82 STATE Exhibit 82 to say, STATE Exhibit 82 ever STATE Exhibit 82 after

STATE* PG LN 135 similar to Cleveland's in doubt the accuracy of that 147 15 paragraphs where Mr. Finch 152 19 sentence Doctor Mootz 159 15 163 Doctor Mootz 12 Exhibit 22. knowledge Poctor Mootz' 163 24 164 16 believe that Doctor Mootz' 164 believe that Doctor Mootz' 23 165 If the inaccurate. Ω. doubt the accuracy of that 167 167 doubt the accuracy of the 168 see it, yes. 0. In believe that Mr. Lesher's 180 17 terrible was an inaccurate 180 19 185 25 I've seen huge ones used on 186 12 I believe the witness has 193 Mr. Lesher on the page. 195 23 your attention to page 3 of of May 20, 1968, which is 198 13 198 18 proposed by Mr. White in me ask you to look now at 501 19 » Q 3 would suggest that that б 503 16 and I've commented on 511 17 Um-hum. Mr. Lesher Q. at the time, is Mr. White's 130 23 543 20 United States 24 Mr. Lesher -- the suit brought by the 355 155 the State of Minnesota in Interrogatory 20 where the 12 555 response in subpart D. 160 11 What did you mean by that 36 Q 13 HIRD: However, your 162 17 0. Tar and Chemical to the 563 23 166 13 in Really Tar's answer to in Reilly Tar's answer to 504 18 from one of the Wisconsin 509 18 was no tar, is that a fair 514 19

STATE Exhibit 827 STATEMENT? A. No. "In winter STATES that, "Boiler STATES that. STATES that the pond has STATEMENT is accurate? STATEMENT that the pond STATEMENT was inaccurate STATEMENT is accurate Well, STATEMENT? A. STATEMENT. In the STATE Exhibit Number 22 STATEMENT that the STATEMENT? Α. No. STATE highways. STATED that he does not STATES that he and Mr. STATE Exhibit 51. Mr. STATE Exhibit 23? A. STATE Exhibit 23? STATE Exhibit 19, please STATEMENT is inaccurate? STATED that we used an "The visual STATES that, STATEMENT accurate that STATES he is sending a STATE of Minnesota in STATE court in Minnesota STATE asked you what STATE that at normal Well, STATEMENT? Α. STATEMENT that the STATE of Minnesota STATE of Minnesota's STATE of Minnesota STATE universities. Q. It's a STATEMENT? Α. STATEMENT, yes. STATE went through them STATE. As I say, STATE of Minnsota; I

STRAW* PC LN

I designed I designed the point later in time a What was the purpose of the The purpose of the Α. escapes you can built a

Α.

the office and I think the

for the County of Hennepin,

has been produced to the

STRAW filters that were STRAW filter was used in STRAW filter? Α. The STRAW filter was to STRAW filter and the

114

527

528

533

50

20

8

9

8

1 d

It's a fair

STRAW*

PG LN

24

13

16

25

10

13

13

15

16

16

18

18

20

25

13

14

18

1 g

18

23

24

21

25

18

23

25

23

12

20

10

8

8

.13

114

114

.14

114

115

115

. 15

.15

116

116

116

116

:16

116

.16

:16

.16

116

.16

117

:17

117

.17

117

:17

117

:18

118

118

118

.18

118

118

118

118

165

175

176

176

176

193

265

169

?69

169

169

270

270

a straw filter and the what that was called. The important to install the , in fact, we had two clean that up we put in the on the installation of the project of creating this on the installation of the for the first time, the What about the 0. filter mechanism? Α. by two baskets each with it out and clean out the what you would do when the lift out one, put clean one and take the dirty straw out and put clean when you designed the Α. When to change the to change the straw and the him to change the can tell by looking at the of that iridescent oil the someone did not change the Then as soon as the Q. Now, was this Was the procedure that the so that when you put the So you'd have level. when you were changing the words, you wait till the basket out and change the basket out, change the it over and change the , sure could, because this job of absorbing. Even the in the design of the first installation of the , you know. Because the of the installation of the the installation of the Insulation of second that's when we put the creation of the idea of the talks about installing a mess up the settling, and a water was taken up by the here -- we did put the talking about installing a

STRAW will absorb that STRAW filter was STRAW filter in 1951, STRAW filters later on. STRAW filter. Ó. STRAW filter? Α. Yes STRAW filter? A. At STRAW filter? Α. I filter was already STRAW STRAW filter mechanism? STRAW filter mechanism STRAW in it. And they STRAW. So what you STRAW got black you'd STRAW in it and then put STRAW out and put clean STRAW in. Q. Did you STRAW filter? Α. STRAW and the straw STRAW filter also STRAW? Α. It STRAW. If you didn't STRAW might last, I STRAW as frequently as STRAW absorbed all of STRAW lowered into a STRAW filter would be STRAW in it would be STRAW all the way down STRAW you didn't short STRAW got brown, it was STRAW and put it back in STRAW and put it back in STRAW. Very easy STRAW did a real good STRAW above the water STRAW filters that were STRAW filter at the STRAW filter works the filter? STRAW Α. I. STRAW filter. Q. STRAW filter. filter in to stop STRAN STRAW filter? Α. Yes STRAW filter at Maywood STRAW filter took out filter. STRAW 0. To STRAW filters in at STRAW filter, but he's

STRAW* yesterday was that the basin effluent and the plant we have, installed a to first install a at Minneapolis and if this has to be handled by the a major problem, and the concerns to be that the water would qum up the the settling basin and the , the straw filter, and the this won't work because the that would come into the oil would be found on the basin before it hits the the settling basin and the has to be handled by the filter, the cleaning of becomes a major problem and in designing and installing Yes. If you overload the determine the size of the when you designed the Q. In the various a lengthy sample and the how to best design a data when you designed the data when I designed the the installation of the head permitted at the When you first put the straw filter in there and I'd say one inch across the flow stays the same and the rise above upstream of the the structure holding the In other words, So if you don't change the your water upstream of the, any idea how frequently the straw was changed at the so often. You change the about how frequently the If he means by -- well, think of is maybe a second about putting in another oil-water separator and the on the next page, install a

is the installation of a

STRAW filter was STRAW filter. I'm sure STRAW filter which does STRAW filter at filter is kept STRAW filter. STRAW The STRAW might be have to STRAW might become dirty filter in a hurry. STRAW filter, and the STRAN filter will catch STRAW will absorb it so STRAW filter without STRAW. The only way Am I wrong in STRAW. STRAW filter --Α. I STRAW filter, the STRAW filter becomes a STRAW might have to be filters at various STRAW filter, you very filter, the STRAW STRAW filter for the filters that you STRAW STRAW filters were made STRAW filter? Α. Yes STRAW filter? Α. Oh, STRAW filter and I had STRAW filter we would filter." **STRAW** is filter in there STRAW is cleaned and STRAW STRAW filter. Now, as STRAW absorbs oil, why, STRAW filter. 0. In STRAW filter. In other STRAW filter as I STFAW soon enough, why, STRAW filter's going to STRAW was changed at the STRAW filter in Maywood? STRAW filter so often. STRAW filter was changed WASTE filters were STRAW filter in his STRAW filter. Q. Do filter when he STRAW STPAW filter, clean the filter at the STRAW



PG

:70

170

270

271

271

271

271

271

172

173

273

273

273

273

274

175

276

276

276

276

276

176

176

!77

277

179

180

180

281

281

282

282

282

282

282

182

182

182

282

182

283

383

383 396

112

112

112

183

187

LN

14

18

20

10

19

11

18

14

10

13

17

23

13

17

19

21

24

25

11

12

19

20

2 2

23

25

5

23

11

14

PG LN STRAU? previous testimony that a STRAW filter had been 187 16 STRAW filter in the time 1968 there was no 167 20 STRAW filters installed. 187 incorrect. There were two 21 STRAW filter and then basin into the first 188 188 and then into the second STRAW filter? 188 that the second STRAW filter was STRAW filter inadequate? 188 Why was the first 12 Q. 188 C. Was the second. STRAW filter of a 19 design than the first STRAW filter? 1881 2 Q Λ. No. he eliminated by the first STRAW filter? No. 188 25 Α. 189 same oil. If the first STRAW filter ceased functioning because the STRAW very quickly got 189 195 of installing a simple STRAW baffle. 24 Do you 195 25 to be referring there to a STRAW filter? Α. 196 , but he's talking about a STRAW filter. There I know for a fact that a 196 STRAW filter was 196 the ditch and installing a 11 STRAW baffle or filter, that type of equipment and 196 20 STRAW filters and so Flows from there to a STRAW filter to plant 547 25 STRAW filter. 148 discharges into another It does not run through a 148 14 STRAW filter or settling PG LM REILLY* T. E. 155 Α. Either he or Mr. T.... was president of .55 of the company. If Mr. T.... was president of 155 company at that time, Mr. T.... would have been on appears to be a memo from 198 25 T.... to H. L. Holstrom 199 What was Mr. 21 know. 0. T.... position at the 199 23 again I'm not sure, but Mr. T.... might have been 302 19 to be a memorandum from T.... to H. L. Holstrom he's got copies marked for 334 T...., F. J. Mootz and 14 137 from P. E. White to' T.... dated September 7. 140 sending it directly to Mr. He's bypassing 143 Would it have been Mr. T...? A. He could 143 I assume Mr. T.... would have had 198 Corporation stationery from T.... to H. L. Finch Corporation stationery from T.... to Herb Finch 531 I'm 545 from R. J. Hennessy to 17 Λ. Yes. PG LN UNITED STATES* UNITED... DISTRICT COURT 1 1 UNITED... of America. 2 for and on behalf of the UNITED... Enviromental Region V, Plaintiff, 2 of America. UNITED ... 4 EXHIBITS PAGE UNITED... Exhibit No. 4 Exhibit No. 95 UNITED... Exhibit No. No. 3 283 UNITED ... Exhibit No.

```
PG
        UNITED STATES*
    LN
 4
                 No.
                       4
                                   289
                                           UNITED ... Exhibit No.
                      5
 4
                                   334
                                           UNITED ...
                 No.
                                                       Exhibit No.
                                                                      6
                      6
                                   338
                                           UNITED ... Exhibit No.
                                                                      7
                 No.
                      7 .
 4
                                   347
                 No.
                                           UNITED...
                                                       Exhibit No.
                                                                      8
                 No.
                      8
                                   369
                                           UNITED ... Exhibit No.
                                                                      9
     6
                      9 '
 4
                 NO.
                                   376
                                           UNITED ... Exhibit No.
                                                                     10
                                   387
              No. 10
                                           UNITED... Exhibit No.
                                                                     11
     7
 4
                                   393
                                                       Exhibit No.
                 No.
                     11
                                           UNITED...
                                                                     12
 4
     8
                 No.
                     12
                                   402
                                           UNITED. ..
                                                       Exhibit No.
                                                                     13
     8
                 No.
                     13
                                   430
                                           UNITED ... Exhibit No.
                                                                     14
 4
     9
                                   435
                                                                     15
                 No.
                     14
                                           UNITED... Exhibit, No.
     9
 4
                                   448
                 No.
                     15
                                           UNITED...
                                                       Exhibit No.
                                                                    .16
    10
  4
                                   472
            No. 16
                                           UNITED... Exhibit No.
                                                                     17
 4
    10
                 No.
                     17
                                   479
                                           UNITED...
                                                       Exhibit No.
                                                                     18
 4
    11
                 No.
                     18
                                   533
                                           UNITED... Exhibit No.
                                                                     19
    11
                                   549
                 No.
                     19
                                           .UNITED... Exhibit No.
                                                                     20
 4
    12
                     20
                                   563
                                           UNITED... Exhibit No.
                                                                     21
                 No.
    12
                 No.
                     21
                                   567
                                           UNITED ...
                                                       Exhibit No.
                                                                     22
    13
                                                                     23
                     22
                                   568
                                                       Exhibit No.
                 No.
                                           UNITED...
    13
                 No.
                     23
                                   576
                                           UNITED ... Exhibit No.
                                                                     24
    14
                                                                     25
  4
                 No.
                     24
                                   578
                                           UNITED...
                                                       Exhibit No.
          No. 25
                                                       Exhibit No.
    14
                                   580
                                           UNITED ...
                                                                     26
  4
    15
                 No.
                     26
                                   581
                                           UNITED...
                                                       Exhibit No.
                                                                     27
    15
  4
                     27
                                   582
                                           UNITED...
                                                       Exhibit No.
                                                                     28
                 No.
  4
    16
                                   584
                                                       Exhibit No.
                 No.
                     28
                                           UNITED...
59
        have this drawing marked as
                                           UNITED...
                                                       Exhibit 2.
59
     6
                                                       Deposition
          please?
                         (At this time
                                           UNITED...
59
    11
                     referring to the
                                           UNITED ...
                                                       Exhibit 2 of
247
    23
                         (At this time
                                           UNITED...
                                                       Deposition
         correct.
         Let the record reflect that
                                                       3 is a
148
    11
                                           UNITED...
253
    17
                         (At this time
                                           UNITED...
                                                       Deposition
153
    21
        Let the record reflect that
                                           UNITED... 4 is a
154
            at both Minnesota 80 and
                                           UNITED...
                                                       4 and ask
                                           UNITED... 4 Mr. Larkin.
255
    20
        Louis Park plant.
                                Q.
                                           UNITED...
156
                                                       4 Mr. Larkin
    12
         two lines of paragraph 3 in
198
    18
                         (At this time
                                           UNITED...
                                                       Deposition
           boiler.
    23
198
         now what has been marked as
                                           UNITED...
                                                       5 which is a
    12
302
           boiler.
                         (At this time
                                           UNITED...
                                                       Deposition
302
    17
            you what has been marked
                                                       Exhibit 6
                                           UNITED...
     7
108
                  on this memorandum,
                                           UNITED...
                                                       Number 6, that
     2
310.
          record.)
                         (At this time
                                           UNITED...
                                                       Deposition
110
        what will now be designated
                                           UNITED...
                                                       7, which is a
     8
133
             you.
                         (At this time
                                                       Deposition
                                           · UNITED...
133
    17
                   have you ever seen
                                           UNITED ...
                                                       Exhibit 8
134
    10
          to have received a copy of
                                           UNITED...
                                                       8 since it
140
                         (At this time
                                                       Deposition
                                           UNITED...
                which has been marked
140
     7
                                           UNITED...
                                                       Exhibit 9
140
    15
                                                       9 appears to
           in 1954, yes.
                              Ç.
                                   This
                                           UNITED...
146
    22
          A good several years after
                                                       9 was written.
                                            UNITED...
```

L

UNITED STATES* PG LN 150 But referring you back to UNITED... 9 you don't (At this time 151 UNITED... Deposition you now what's been marked 351 UNITED... 10 which is a , do you recall seeing 351 UNITED... 10 previously? 12 ? 351 21 Yes. UNITED... 10 appear to Α. Q. Does a complete question. 352 Does UNITED... 10 appear 352 13 bottom of the first page of UNITED... 10 to the 154 20 turn to the second page of UNITED ... 10 and look 357 (At this time. 13 you. UNITED... Deposition which has been marked 157 17 UNITED... 11 is a one Lauck was referring to in UNITED... Exhibit Number 363 16 the trenches. Q. UNITED... Exhibit 9 I 163 19 ln 366 , yes. (At this time UNITED... Deposition with what was marked as 166 25 UNITED... Exhibit 12, UNITED... Exhibit 127 367 an opportunity to review UNITED... Exhibit 12 is 167 All right. Α. Q. UNITED... Exhibit 12? 167 Hennessy, did you receive 13 168 11 Mr. liennessy, UNITED... 12 appears to Q. 168 22 UNITED... Exhibit 12 to the second page of 394 13 (At this time UNITED... Deposition junked. 194 17 HIRD: For the record UNITED... Exhibit 13 is Q. , have you ever seen UNITED... 13 before? 194 21 I don't know. 194 UNITED... 13 appear to 25 Q. Does 195 first to the second page of UNITED... 13. Mr. On the first page of UNITED... 13 Mr. Finch 396 any information other than UNITED... 137 197 You Deposition (At this time 399 23 there. UNITED... 100 Q. For the record UNITED... 14 is a two UNITED... 14 before? 100 Mr. Hennessy, have you seen 100 15 Yes, it is. Q. Does UNITED... 14 describe 19 which I guess will become UNITED... 15. 112 112 20 15. (At this time UNITED... Deposition For the record, UNITED... 15 is a one 112 24 Q. 113 Hennessy, did you receive UNITED... 157 Α. 113 to me. C. I notice in UNITED... 15 Mr. Boyle UNITED... 15 Mr. Boyle 113 I see. Okay. In 20 0. 115 Mr. Royle's letter which is UNITED... 157 Α. Yes 136 (At this time UNITED... Deposition 23 137 HIRD: 0. For the record UNITED... 16 is a one 137 copied at the bottom of UNITED... 16. Did you Did you receive a copy of 137 UNITED... 167 Α. Ι Mr. White, the author of UNITED... 167 137 1d · A . Mr. In the course of 137 14 Q. UNITED... 16 Mr. White (At this time UNITED... Deposition 11 right. 143 143 15 HIRD4 0. For the record UNITED... Exhibit Number copied on the bottom of 143 21 UNITED... 17. Did you Did you receive a copy of UNITED... 177 143 22 Α. UNITED... 17 refresh Correct. Does 0. 144 Based on your review of UNITED... 17 and your 144 18

PG LN UNITED STATES* 197 23 that. (At this time UNITED... Deposition of the carbon copyees on 198 7 UNITED... 18. Did you 198 Did you receive a copy of UNITED... 187 Α. 10 198 did, yes. Q. Would UNITED... 18 be a work 198 17 between the expenditurs in 18 and the UNITED... 2 199 to me. Ω. Looking at UNITED... 18, I see that 22 UNITED... 500 Do you see anywhere in 18 any 513 ditch. (At this time UNITED ... Deposition I show you now 22 19, which is a 513 I do. 0. UNITED... 513 24 302538. I ask you whether 19 is a copy UNITED... 514 So you received a copy of 18 (sic)? UNITED... Α. 514 was this report undertaken, 197 13 UNITED... A. The 518 referring to page 302531 of UNITED... Exhibit 18 521 attention to the page in Exhibit 19 UNITED... 521 17 turn then to page 302353 of UNITED... Exhibit 19. 522 turn now to page 302534 of Exhibit 19. UNITED... 527 7 held.) (At this time UNITED... Deposition 527 14 you what has been marked UNITED... Exhibit 20. 531 (At this time there. UNITED... Deposition 9 you what has been marked 531 UNITED... Exhibit 21. 532 15 then. (At this time Deposition UNITED... 532 19 HIRD: Mr. Hennessy, Exhibit 22 for UNITED... 0. 532 24 you ever receive a copy of 227 I UNITED... Α. 533 the insurance. Was 0. 22 written by UNITED... 533 15 Could be. 0. In UNITED... 22 Mr. Boyle 540 (At this time 16 Yes. UNITED... Deposition 540 24 you are carbon copied on UNITED... 23. Did you 540 25 Did you receive a copy of UNITED... 23 on or about 541 3 on the first page of 23, there is a UNITED... 542 19 (At this time stills. UNITED... Deposition 542 which has been marked 24 UNITED... Exhibit 24 543 are copied on the bottom of UNITED... 24. Did you 543 Did you receive a copy of UNITED... 247 I'm λ. UNITED ... 543 19 the close of the document 24 Mr. Lesher 544 1 2 Okay. (At this time UNITED... Deposition 16 For the record 544 HIRD: Q. UNITED... Exhibit 25 is 544 2 d recall receiving a copy of UNITED... 257 Α. Yes 25 about you 544 22 There is a reference in UNITED... 545 10 (At this time , yes . UNITED... Deposition 545 14 For the record UNITED... Exhibit 26 is Q. Mr. Hennessy, did you write 545 22 UNITED... Exhibit 267 Mr. Hennessy, does 545 25 UNITED... 26 set forth Q. (At this time 17 UNITED... 546 Deposition . For the record 546 21 HIRD: Q. UNITED... Exhibit 27 ai Mr. Rennessy, did you write UNITED... 277 547 A . ' Yes 0. Why did you write UNITED... 277 A. 547 The, your attention to page 4 of UNITED... Exhibit 27 and 547 18 Louis Park at the time when UNITED... 27 was written 547 22 (At this time UNITED... Deposition 548 23

UNITED STATES* PG LN 549 HIRD: Q. For the record Mr. Hennessy, did you write 549 549 There is a reference in 1 Q (At this time 551 19 further. BY MR. HIRD: 551 23 552 Mr. Hennessy, did you write 552 I wrote it. Ç. What was you very much. What was 552 Po the X's in 16 Q. 552 did. you intended to indicate by 553 554 make sense? Does Q. 554 19 to admit it but -- $\Omega =$ PG U.S.* LN 11 6

10

12

17

17

18 20

20

20

20

21

21

24

24

25

26

26

27

29

32

3 2

33

35

35

35

36

36 37

37

37

37

38

40

43

19

2 a

13

13

22

10

21

15

11

12

15

18

19

25

11

12

15

24

24

22

UNITED... Exhibit 287
UNITED... Exhibit 28 to
UNITED... Deposition
UNITED... Exhibit Number
UNITED... Exhibit 297
UNITED... 69 (sic)
UNITED... 29 intended to
UNITED... Exhibit Number
UNITED... 29 that
UNITED... 297 A. But

UNITED... 28 is one page

A the state of the

college that you found of , you know. We had to buy procedures, and I may have But they would just call would just call us and tell word for it? Α. No. words, would a request to be done at the plant then either would contact either would contact us, of what documents were An oral authorization a lot of tanks that were of the plant for other Do you think you could show are small and we could only order to put them back into is a way we made them. the tanks that would be What would be the typical of a storage tank to be quite a ways but it helps the phrase "Lesher still" That's a good term. Let's ? Α. No. We only there but it was never I mean, it hasn't been was its situation? Was it Α. Still 17 was still. What it was four stills or were they How would they be know if those terms are

remember whether that was

USE in your earliest USED materials in those USED a term inaccurately US and tell us what the US what the guy had done USUALLY we just USUALLY for some kind of USUALLY begin by being US, usually the USUALLY the production In the earlier USED. USUALLY wouldn't be USED for those processes USES. Q. llow were US on Minnesota 9 where USE large ones here. USE or were they simply USED a 6 inch pipe and USED after the refining USEFUL life of a storage USPD to receive --See, we're not US. USED. A. That's a USE it. He developed USED four at that time. USED. I mean, it USED since I don't know · USED for a special USED years ago for some USED for I couldn't say. USING all of 9 through And forgive me if USED? Maybe they are. USED. USED for tar-oil mixing

U.S. * PG LN some of the oils that were 43 11 the type of materials 45 7 or whether I was told to 45 15 But that's what was 45 15 basin, perhaps he said 48 16 you a question about the 50 24 to me that it might be 51 any sense of the specific 51 O. Is there a projected 51 11 tend to have a shorter 52 7 the underground tanks were 52 Would it be 52 24 pitting. Q. A . That Yes. 53 to? 23 correct the water level on 61 14 this may be relied on and 62 1 here. C. What would be 62 18 there was a pump that was 63 11 -- back in those days they 64 22 back in the early '40's, we 65 1 this could have been 65 11 were the tar-oil mixtures 65 12 mixtures used for? 65 13 to see where it would be 66 2 . Now, after it was 66 11 this heavy oil always be 66 14 that would make it 66 16 in with it, it would be 66 19 Would it then be ? 66 24 most of the distillate we 67 2 for the oil by 67 8 oil by using it, they would 67 8 to it. Q. Is it 67 17 A. Oh, yes, it's 67 a11? 18 For instance, oil that's 68 and they worked, so we 71 19 I can't remember whether we 72 13 electric pump or whether we 72 14 used steam pumps. If we 72 14 the floor. We may have 73 maybe a week or so. We 74 16 says, "We're going to 83 20 The data I ? 93 8 A . blend was ever 96 21 C. If it was , huh-uh. 97 your attention again to 100 17 the levels that you drew in .01 21 These must have been what I 103 14 I was speaking of that I 103 16 ever ask anybody about the 111

USED in the treating. USED to construct the USE it I don't remember. USED. But anyway, I USE tonque and groove USEFUL life of the tanks USEFUL if you had any USEFUL life and the USEFUL life when one USEFUL life than USED in our company for USUAL to dig them up USED to be a sewer line. U.S. Exhibit 2 please do USED later on and it USED to skim it off? USED to get rid of the USED a lot of steam USED an awful lot of USED in some of the USED for? A. Used USED for treating, you USED again? A. USED I don't know why USEFUL or would it be USEFUL in the process? USEFUL, yes, if it came Yes. It USEFUL? A. USED for treating USING it, they would use USE it, yes. 0. USEFUL at all? It USEFUL. Sure. USED to lubricate air USED it. That's all I USED an electric pump or USED steam pumps. If USED steam pumps we I can't USED that. That would USED that. USE an Edens separator. " USED in 19 -- whatever USED to treat crossties USED, wouldn't the U.S. Exhibit 2, could U.S. 2 of materials or This is Okay. USED. USED for designing the USE of the heavy oil

PG LN U.S.* .11 asked anybody what it was 10 in time a straw filter was .13 8 118 for that hoist that you. 14 . 21 part of the land from 19 123 13 settling hasin has been .23 21 I think if Herb Finch 124 is that pond is a pond we The great majority of water 15 .27 128 ? Any cooling water that's 130 that, the one boiler was the fire tube boiler was 129 130 the process that was mostly 130 24 the customer was going to .31 of treating that was 132 certain length of time they .32 They didn't belong to . 33 13 Was steam ever be? Q. .33 14 the cylinders when not in 145 24 , if management would give 146 of course, that's who gave They would call on 146 ? Α. We obviously 150 151 buildings were appraised by 151 and Steven's index is 15 old work orders would tell 151 17 20 .51 We know how much We don't 155 remember who. 13 B, C and D they must have .56 So if you can 156 25 Exhibits. you mean did the city tell :61 13 161 15 people that finally gave to go into the sewer gave 161 16 oil, but they did not give 161 17 manufacturer. he assured 162 the plant that required the 169 169 Most of the plant was the city would have allowed 172 2.5 178 Α. Well, the plant let 178 took pictures and sent 180 He suggested to 10 Α. 163 22 the meeting. I guess I'm 164 18 right at the relinery was 184 19 the pond which was 191 Louis Park did. They gave 191 permission, but they told They **!05** 23 the water with air. 206 21 1 know that they had to its equipment in order to 207 3 109 basin was darker than 14

USED in or anything like USED in conjunction with USE. Jib crane. Just US and were making uspp. I take it you're USED the term sottling USF to cool our USED in the refinery was USED in the -- we have a USED as a standby for USED only as a standby USED on ties at the USE the lumber for. Нe USED which involved USED for seasoning. US. So what we did is USED to clean the USE? Α. I assume it US a work order, that US the authorization to US for our experience USED Roeckh's Manual of USING Boackh's index and USED for equipment. US how much we paid for USE we had of it. He'd You notice USE titles. USED my figures. These USE this notebook that US what they would US permission to go into US a limit on oil, but US a limit on phenol. Us it could do the job, USE of pilings? Α. USED for seasoning ties In other US. Ω. US know about it through US the pictures. US that we figure out a USINC, it just as a way USED, I believe, to USED to cool the US permission, but they US what we had to do to USED air to lift the USE that compressor for USE the water in the USUAL. There was more

190 22

U.S.* oil being collected than store in a package. words, what preservative ís is used, how steam is sure that most of the oils with respect to the knowledge of how steam is steam is used generally or measured it I'm sure either used a weir or he could capacity of the separator using the flow rate, you quite certain that was also referring to here when he out the application for the I think they really asked that is taken out and thing I know of that they I don't know if they know that they did not the byproduct department be But products would be Certain products would be in Indianapolis which is except he does mention say just the sum, to avoid whether the phenol tank was at all? Α. It was before that it was only operation where it was sure whether or not it was to have a plan made for our 80 is dated two days after water, where was that don't think Mr. Horner has , but I think it was you back for a moment to like to refer you back to did have the situation. pipe that could have been 7 day week be equally as were the flow data that you ? Would that he as ? Α. Yes. It's very Of course, they charge , as you described it to the firing system to terms of which boiler was per hour. This boiler was

USUAL. So he said loss USED to package USED, how steam is used? USED? Α. That's USED were creosote oil USE of steam in the USED generally or used USED in other plants? USED a weir or he could USE the sump pump if USING the flow rate, you USED only the dry USED for phenol USES the figure 4,800 U.S. Army waste US. 0. What USED for weed killing USE. I don't know if USE anything else or not USE other products for USED around the plant USED in other Reilly USED, yes. Q. USED for weed killing. USING neutral oil from US adding, the sum of USED for the refinery USED to extract tar USED in connection with USED at the Reilly USED at Saint Louis Park USE so that we can avoid U.S. 1. Mr. Edwards in USED? 0. I don't USED it in this document USED in previous MS. COMSTOCK: U.S. 3 which I believe USE your hypothetical, USED for this. That USEFUL in designing an USED in designing the USEFUI. as well? USEFUL. In US like hell for what's US yesterday and the day USE coal? A. USED for what purpose? USED as a standby.

- Bar and har Tarker

U.S.* PG LN 191 the steam from the boilers , for whatever steam is 191 291 , you know. There are many 191 was the source of the water 193 reciprocating pump that you 11 195 , but were they both ?95 in 1940 I believe they 300 as to eliminate the 300 Mr. Reilly to mean by his 100 it was rather difficult to 15 300 You don't understand the 17 304 16 being in the pond that was 305 21 So this tank was the condenser coils but not 305 2 2 306 11 were able to clean them and 307 the condenser coils. We 307 2 2 we? But this pond was '40's I guess, the pond was 107 25 1955 the pond stopped being 308 308 13 that, I have just shown you, 308 just shown you. U.S. 5 and 13 308 put in. City water was 20 on Exhibits 5 and 6, 308 22 But you are relying on 109 309 are relying on U.S. 5 and recollection of ever seeing 310 14 311 Lauck is carbon copied on on the basis of reading 311 copy to Mr. Lauck that that 311 311 in the second paragraph of 10 , I believe for years they 314 13 316 Mr. Hennessy, reading down 318 steam reciprocating pump is 24 319 , Lauck says that the pond 323 your bearing with 19 he described it bypass the 323 324 10 Horner earlier suggested in 324 back to is referring you to 2 Q 324 20 If you recall in 7 again. 324 21 7 when we were discussing 325 Your question is if we quit understand it, we looked at 325 325 Reilly boiler was the water 16 325 settling pond water 17 333 you what has been marked 13 date stamp number 304413 on 336 19 could just confirm that for 339 Got to start THE WITNESS: 339 25 340 11 Do you recall ever seeing

USED for? A . . For USED for, you know. USES for steam. USED in the boilers? USED before? A. Well, USED with both boilers. USED internal treatment. USE of an open pond USE of the phrase. USE it for boiler feed USE of the term USED for boiler water at USED for the condenser USED for the boiler? USE them, but it got to USED that pump to pump USED from the time the USED to feed the boiler USED for boiler feed U.S. 5 and U.S. 6. U.S. 6. . No. Α. USED at the hoiler. Q. U.S. 5 and 6 for the 5 and U.S. 6 for U.S. 6 for determining U.S. 7 before? Λ. 7. U.S. Would you U.S. 7 and the copy to 7 was prepared in U.S. 7 says that one of USED a steam pump to U.S. 7 to the next. USED to supply a four USUALLY has an oil slick US on this. You have USE of the pond and just U.S. 7, that tar and oil If you U.S. 7 again. U.S. 7 when we were 7 I believe you u.s. USING the pump at the U.S. Number 7 and Mr. USED from the settling USED from the pond? U.S. Exhibit 8, which is U.S. Exhibit 8. Α. บธ. THE WITNESS: USING the same U.S. 9 before, Mr.

PG U.S. * LN 140 21 to the second page of U.S. 9, item 13, where 144 8 Which is the date of U.S. 9? A. 345 fumes can be eliminated by USE of steam jets and done at the time we ceased 346 3 USING the pond. 346 8 Um-hum. When we quit USING that that's when 346 9 that that's when we quit USING is when we started 346 using is when we started USING city water in the 347 And pitch was 15 boilers. USED as a fuel. 347 21 pipe enamel, all kinds of USES for the residue. 347 25 So what we did is we USED that line for the 348 boiler room. 0. USED the former pitch You it was changed over to 148 5 USING steam to your 148 it was or we couldn't have 12 USED it for a steam line 350 11 time after this memorandum U.S. 9 was written? steam line in trenches on 9, I'd asked you 350 18 U.S. 352 24 10 tank. 0. When he USES the phrase, "Your 353 16 came from, what it was USED for and I don't 153 Q. "I do not see a future USE for it, should 18 155 That's the emulsion he was 12 USING for a weed killer. 161 11 after this one. We didn't USE the springs very USING calcium silicate we found out was we were 362 17 the steam line to where we USED the pitch line from 164 165 the treatment cylinders USED for wood treating 165 19 the year, but we started USING the overhead pitch 371 21 hydrocarbons? A . USED to be that your It. 173 the petroleum industry put US out of the 4 173 business by clobbering US and making it, but 374 US what the problem was 20 Q. Would you tell treating plant to be either 376 19 USED as is or put in 384 of the flow rate that you USED when you were 11 390 USED the figure two feet its efficacy, I believe you 108 21 '20's. What would be the USEFUL life of these 109 you said a shorter life, 8 USEFUL life, would you 109 14 that. 0. Would be the USEFUL life? the straw filter when he 112 USES the phrase 12 113 if you look closely at U.S. 15 Mr. Boyle says 14 118 range did you mean when you USED the words 129 the settling basin," USED in State Exhibit 5 130 as the sludge pump that was USED at Cleveland? were satisfied and they let 134 US into the sewer. 24 139 .18 pump that may already be in USE? A. The way I 140 the one that was then in USE was not effective in 16 141 of the pump that was USE at the Saint Louis 1 one described as being in 141 11 USE at the Saint Louis see the pump that was in 142 at Saint Louis Park? You can get -- contractors 142 13 USE them for digging 142 of the pump that was in 18 USE --A. No, I Finch referring to when he 152 USED the phrase coal tar 23 154 16 in the 1920's they USED screwed pipe, and

That

0.

U.S.* piping system has been in piping system has been on to say, "This might save issue and this might save do you understand from his put in as opposed to the tell whether 'he's going to need a small tank you can an old tank that had been 1've seen them very small and I've seen huge ones the trash in our whole area the one that your trash man away and got rid of it for He made this out. He Exhibit 51. Mr. Lesher and a filter would be poor word. He should have HIRD: For the record Q. that are not authorized in to what we had, there is no And then if you're going to other words, if you look at for cleaning the baffles In repairing the baffles at commented on stated that we at some time that pond was south of the refinery was A fire pump is a pump Α. Why was a fire pump Q. terminology I would have The pump was also pump. I don't know if he would Can you tell Excuse me. what has been marked as that an Edens separator was the investigation which is I don't know what he But normally what they normally what they use they for load hearing they soil borings referred to in which was provided to , can you identify for you identify for us what us what U.S. 20 is? Λ. Α. U.S. what is? 0. for a work order? Α. I attention to page 200978 of

USE since 1917-1927." USED since 1917, '27 -US severe control by the US from severe control USE of the word "pond" USE of the phrase, for USE the old tank or He says he USED which is a USED around apartment USED on state highways. USES a dumpster. USES? Α. How big is What details I US. USED some of my figures USES the phrase of USED interchangeably to USED the word filter. U.S. 18 is a one page U.S. 187 A. It looks USE putting that figure USE some plant labor, U.S. 18 it's a regular U.S. 18? Α. I don't U.S. 18. I made have USED an air lift in that USED -- the pond to the USED for boiler feed USED to pump water into USED in connection with But fire pump --USED. USED for production. USE the term road if he US again where you are? U.S. 18 (sic) before you USING the basic API U.S. 18, soil borings of USED. But normally what USP they use a pipe. USE a pipe. I've seen USE a pipe and they beat U.S. Exhibit 197 US by Mr. Schwartzhauer US what U.S. 20 1s? Α. U.S. 20 is? A. U.S. what is? 0. 20. λ. Oh, this USUALLY receive requests U.S. 20. Mr. White

U.S. * PG LN ;29 21 says here on page 200978 of 131 you are carbon copied on 14 531 15 Did you receive a copy of 531 in the opening paragraph of 18 531 the quality of water 19 532 water softner and you 6 Well, maybe he 533 12 is that they're 535 4 535 18 streets. 0. When you 535 19 mean the tanks that were 538 19 them didn't even apply to 339 it is a piece of equipment ;39 series of air scrubbers 12 Would the water 540 8 0. Some of the scrubbers 540 11 540 11 used water. 540 12 that Mr. Justin's 20 For the record 540 HIRD: 0. 541 know whether a scrubber was 12 equipment was the scrubber 542 27? A. The Army wanted 547 550 3 far down until they hit If that's the term you 551 15 554 . I said it did, but it 12 355 12 you what safeguards were 357 you haven't discussed with 8 358 What were vertical tanks 6 558 8 treating plant. They were 558 creosote before it was 10 558 He would tell 15 358 tell us what he wanted 15 with and how he wanted 558 16 558 17 to treat it, when he wanted gallons per minute when you 560 1 564 12 I understand it, was never 564 15 my knowledge it was never approximately 1918 and was 564 17 564 22 it in conjunction with the 564 23 Republic deep well was in correct that this well was 565 4 165 . 8 was withdrawn through the Reilly Tar facilities then 165 17 565 23 A . Oh, some plants all city water, some plants 565 24 an air lift pump was in 568 16 18 So that means it was in 168 beyond the types of pumps 569 16 some questions about the 571 571 how many compressors were

U.S. 20 consistent with U.S. 21. Did you U.S. 21 on or about the 21 to a work order USED in the boiler at USED internal treatment USES a title when he USED to dealing with the USE the phrase "storage USED to store the US. 0. When was an USED to eliminate USED at the Saint --USED in that scrubber be USED water. Some used I'm under USED oil. USED water. 0. U.S. 23 is a two page USED at the plant on or USED in connection with US to fill out some USABLE foundation for Q. Privileged USE . USED to, but it didn't USED in order to prevent US today and the USED for? A. These USED for the treating USED in the treating US what he wanted us to US to treat with and how US to treat it, when he US to ship it. We USE those figures? USED by Reilly Tar, is The other USED. 0. USED by Reilly Tar for USE of the Republic deep USE throughout the USED for condensers, for USE of the Republic deep USED other water USED all city water, USE water from surface USE for water production USE from 1918 to 1955, USED at various points USE of a compressor in USED at or near the well

Some

U.S. * I know that an air lift was more than one compressor in a large air compressor was was the one that was then which would have been Now, you mention the in conjunction with the the distribution system for of withdrawal of water for He says that this tank was What was the purpose or you can store water for pressure. One is to and the other one is to terms of how the pump was What do you know of the pump after 1958 or why its , once you discontinued the one. Method two was Method three is would be in method one you and in method three you the pond a surge tank was this, the pump was only was too high for efficient temperature they wanted to they're going full blast is of a pan and the water the pond. 0. Was water and production of water for the production of water for whether the compressor in Republic deep well was ever What would have been the Wherever else water was was used. Where was it of. Of course, it was or adjacent to it. It was water. What else was it you said that water was as the condenser that was the Reilly site, the water production in relation to condensers to the pond was box condensers avoiding the retort area avoiding the the air line the phrase you step where a condenser was were air cylinders that

USED up until -- what USE at any one time? USED for this purpose. But I can't even USED. USED in conjunction with USE of a compressor in USE of the air lift pump USE into the refinery, USE in the refinery, is USED for three years I USE of this tank? USE and have some decent USE an elevated tank and USE a hydropneumatic USED in terms of USE of this USE was discontinued in USE of the USING the hydropneumatic USING the electric pump, USE the air lift and in USE the water-lubricated USED, is that correct? USED for make-up water. USE in the box USE, to my recollection USUALLY 6 pounds. And USED in the box USED in conjunction with USE in the refinery. USE in the retort area. USE at or in conjunction USED in conjunction with USE of water in this USED. Where was it There were no USED? USED in the boiler house USED for boiler water. USED for? I can't USED at the retort area USED to provide water USED in the retort area USE in the retorts, the USED to go to the USE of the pond, there USE of the pond? A. USED for that? A. A. To my USED that compressed air

U.S.* PG LN 195 25 from the retort area USED in the course of 197 12 The compressor that was USED in conjunction with 197 Republic deep well was not 14 USED exclusively for 197 What were its other 16 0. USES? A . Agitating 198 Where else would it be 1 USED? I don't know 198 2 know where else it would be USED. 0. The 198 3 Q. The conveyors were USED in the adzing and were the retorts' pressure 198 8 USED? A . They had a 25 198 then, the compressor USED in conjunction with ;99 Republic deep well was not 1 USED to pressurize the 199 6 compressors were sometimes USED also for unloading ;99 A. You mean that air was 20 USED for lifting pitch 199 24 trucks? I know that they USED -- they had a lot trucks were loaded. Some USED a pump. Some used 100 1 100 1 . Some used a pump. Some USED a tank. They put 100 9 the same air compressor USED in the production 500 11 Republic deep well was also USED for the purpose of 501 17 that you just referred US to on the map, this 103 12 be putting air -- if they USED a pressure tank to line was connected -- if we 103 21 USED that system, and I 504 1 , if a pneumatic tank was USED, the air went into 506 11 and Documentation USED in Report and 510 13 to the quality of water USED in the course of 112 said in the water that was 17 USED to service the of tar in the water supply 113 19 USED for the boilers 114 18 tar in the water supply USED by the boilers that 519 5 -- the term that management USED, not the plant 519 , boiler operators liked to USE was puke. So I 323 USED at that time or the treatment which they 523 19 you could identify it for I'm showing you a US. 524 10 pump that was installed and USED from the 525 25 it ever did? A. You USUALLY hear about 127 13 have been produced to US? MR. 327 and provide them to So we still have 21 US. 327 25 that would be important to US if you could do that. 528 16 will do what you just asked US to do and we will PG LN WEIR* an easy thing to do with a 49 20 WEIR, you know. A lot 49.21 How do you do it with a WEIR? I apologize. 49 24 Run the water over the A . WEIR and then you 49 25 of the water over the WEIR and that tells you 50 3 Did Mr. Horner design the WEIR? A. I don't don't know who designed the 50 4 I know I WEIR. 50 6 that Mr. Horner designed a WEIR at that time. I it's admitted over a WEIR so you don't need a 80 17 80 18 baffle. Actually the WEIR is its own stilling Α. This is a WEIR going clear across

No.

PG LN WEIR* 80 23 inch deep going over the WEIR depending on the 87 25 you see the baffle outflow, WEIR outfall, weir is 87 25 outflow, weir outfall, WEIR is what determines 88 4 down. Now, this outfall WEIR what it does -- the 88 6 on how high you set that It also depends 88 of an inch flowing over the WEIR and at very high 88 11 one inch flowing over the It's a great big WEIR. 88 11 It's a great big the weir. WEIR which is -- well, 13 88 Eleven feet wide. That WEIR would be eleven 91 14 of measuring it. We had WEIRS. We had sumps. 117 filter also contained a WEIR which measured the 119 14 they measured through the WEIR that you had these were measured by the 119 17 WEIR or by the sump pump 120 it I'm sure either used a WEIR or he could use the PG LN WHITE* 32 can't remember. 8 0. Paul WHITE? A . No. It 32 9 No. It was before Paul WHITE I believe. 130 they did is they put the 10 WHITE ties in the 193 10 see. Okay. A. By Mr. WHITE who was the plant 203 out there where they stored 2 WHITE ties, nothing to 203 24 clean. It was just WHITE. I couldn't 137 stationery from P. E. WHITE to T. E. Reilly 137 10 did. 0. Who was Mr. WHITE, the author of 137 12 States 16? A. Mr. WHITE was the plant 137 of United States 16 Mr. 14 WHITE refers to a pump 137 16 water. What pump is Mr. WHITE referring to? 138 understand the document Mr. 8 WHITE is referring first sentence referring to Mr. 139 16 WHITE'S interest in 140 20 document do you recall Mr. WHITE'S request for a whether the pump that Mr. 142 24 WHITE requested was ever 143 18 be a memorandum from P. E. WHITE to R. J. Boyle on 150 he was replaced by Mr. Paul 15 WHITE. O. When did 150 . Q. When did Mr. Paul 16 WHITE start at Saint 150 21 the piping and Mr. WHITE be assigned that 150 so because he says, "Mr. 22 WHITE has now become 151 20 . I believe maybe Mr. WHITE handled it. 179 It was written to Mr. WHITE, wasn't it? 179 24 engineer was Mr. P. E. WHITE could handle it, 184 I didn't write this. WHITE wrote it. It's a 184 0. I believe Mr. WHITE refers there to 190 that figure came from Paul 2 WHITE. It had to. 0. 191 request is coming from Paul 8 He made this WHITE. 191 11 of his own. Q. But Mr. WHITE does say that the 198 12 that was suggested in Mr. WHITE'S memo of May 20, 198 18 the ones proposed by Mr. WHITE in State Exhibit 198 19 23? A. Well, Mr. WHITE asked for \$4,043. 198 24 there any items that Mr.

WHITE recommended in

WHITE* PG LN is what he did. Mr. WHITE wrote it that way 501 8 work order written by Paul WHITE for the Saint 127 25 200978 of U.S. 20. Mr. WHITE there refers to 528 11 WHITE ever discuss with WHITE discussing it with WHITE says here on page 528 14 tanks. Q. Did Mr. 528 17 A. I don't remember Mr. 529 20 . Q. Is what Mr. WHITE'S statement at the time, is Mr. 530 23 probably right after Mr. WHITE left. This is 540 6